

OBSERVACIONES METEOROLÓGICAS

1871.

Instrumentos.	DICIEMBRE 30 DE 1872.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°	mm. 754.21	mm. 752.71	mm. 752.67	mm. 752.96	mm. 753.03	mm. 752.44	mm. 752.46	mm. 752.08	mm. 752.69
Termómetro centígrado	15.0	15.3	13.4	12.3	12.0	11.9	13.5	15.4	13.66
Vientos	NNO	N	N	N	N	N	N	N	N
Estado atmosférico	Ll.	Ll.	Ll.	N.	N.	N.	N.	N.	N.

ENERO DE 1871.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 0.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	700+	700+	700+	700+	20.5	17.3	20.0	19.43	SO ₂	S ₂	SO ₁	Ni.	D.	Ni.
2	57.86	57.32	56.43	57.20	22.2	18.9	20.0	20.37	S ₃	NE ₁	S ₂	—	—	D.
3	56.98	57.50	57.36	57.28	22.2	17.8	20.0	20.00	—	—	—	—	—	Ni.
4	56.47	56.49	56.49	56.43	23.3	18.3	18.1	19.23	—	—	—	—	—	Ni.
5	56.53	56.81	56.81	56.72	17.8	15.5	16.1	16.47	O ₁	C	N ₁	—	—	G.
6	57.44	57.57	57.83	57.61	18.3	16.7	16.7	17.23	N ₂	C	N ₁	—	—	N.
7	57.94	58.13	58.07	58.05	17.8	16.7	16.7	17.07	N ₁	N ₁	—	—	—	LL.
8	59.28	59.41	58.59	59.09	17.8	17.2	18.9	17.97	—	—	—	—	—	D.
9	57.62	56.49	55.47	56.49	22.2	18.9	19.4	20.17	S ₂	C	SO ₁	—	—	D.
10	55.33	55.22	54.55	55.03	22.2	18.3	16.7	19.07	—	—	—	—	—	D.
11	55.98	56.62	58.18	56.91	17.8	17.2	15.5	16.83	N ₂	N ₁	NE ₂	—	—	N.
12	72.13	62.20	59.16	64.50	17.8	15.0	16.7	16.56	SE ₂	SE ₁	E ₂	—	—	D.
13	58.00	57.97	57.89	57.95	18.9	15.6	16.7	17.07	S ₂	S ₂	—	—	—	D.
14	56.68	56.95	58.34	57.32	18.3	16.1	17.8	17.40	SE ₂	C	C	—	—	—
15	58.46	58.65	57.13	58.08	19.4	17.2	17.8	18.13	—	—	—	—	—	—
16	56.86	56.05	57.89	57.95	20.5	16.7	15.6	17.60	S ₂	SO ₁	N ₂	—	—	N.
17	57.94	58.13	58.65	58.24	18.3	16.1	15.5	16.63	N ₂	NO ₁	N ₁	—	—	N.
18	58.77	57.46	56.19	57.47	18.3	15.0	14.4	15.90	SO ₁	SO ₁	N ₁	—	—	G.
19	56.56	56.70	57.21	56.82	16.7	16.7	16.1	16.50	N ₁	N ₁	N ₂	—	—	Ni.
20	57.57	57.71	59.16	58.15	17.2	15.5	16.7	16.47	N ₂	N ₁	SO ₁	—	—	Ni.
21	59.61	59.67	59.67	59.65	18.3	16.1	17.8	17.40	SO ₂	S ₁	SO ₂	—	—	D.
22	59.22	58.40	56.62	57.71	20.0	16.7	17.2	17.97	S ₂	S ₂	SO ₂	—	—	Ni.
23	56.49	56.62	57.71	56.94	18.9	15.6	15.5	16.67	S ₂	S ₁	SO ₂	—	—	—
24	58.52	59.16	58.73	58.80	17.8	16.1	16.1	16.87	SO ₂	C	SO ₂	—	—	—
25	58.21	58.40	58.84	58.43	18.3	17.8	17.8	17.97	—	N ₁	S ₁	—	—	D.
26	59.03	59.16	58.65	58.95	18.9	16.7	17.2	17.60	SE ₂	SE ₁	S ₂	—	—	D.
27	57.50	56.87	56.62	57.00	18.9	16.7	17.2	17.60	—	S ₁	—	—	—	—
28	56.49	56.62	55.05	56.05	20.5	16.1	17.2	17.93	—	—	—	—	—	—
29	56.74	56.87	56.62	56.74	17.8	16.7	15.5	16.67	SO ₂	N ₁	SO ₁	—	—	Ni.
30	56.81	56.95	60.02	57.93	17.2	16.1	15.6	16.30	NO ₂	NO ₁	O ₁	—	—	G.
31	58.07	58.21	57.76	58.01	16.7	16.7	18.9	17.43	NO ₁	SO ₁	SO ₂	—	—	D.

FEBRERO DE 1871.

1	57.70	58.34	59.41	58.48	20.0	17.8	16.1	17.97	SO ₂	SO ₂	SO ₁	D.	—	Ni.
2	54.60	64.74	64.74	61.33	17.8	15.5	16.7	16.87	—	S ₁	SSO ₂	D.	—	D.
3	64.60	67.26	59.41	63.76	17.8	16.1	17.8	17.23	SSO ₁	SSO ₂	S ₂	Ni.	—	—
4	58.21	57.32	57.19	57.57	19.4	17.8	18.9	18.76	—	N ₁	SSO ₁	—	—	Ni.
5	58.13	59.10	58.27	58.50	20.0	16.7	17.8	18.17	—	—	—	—	—	—
6	58.21	58.40	57.57	58.07	18.3	16.1	16.7	17.08	—	S ₂	—	Ni.	D.	—
7	57.44	57.63	56.05	57.04	18.3	17.2	17.2	17.57	—	N ₂	N ₂	—	—	G.
8	55.92	55.80	55.80	55.84	18.3	17.2	17.2	17.57	NO ₂	NO ₁	N ₂	—	—	N.
9	56.35	56.56	58.07	56.99	18.9	17.2	16.7	17.60	—	C	—	—	—	LL.
10	58.46	58.59	57.63	58.23	17.8	16.1	16.7	16.87	SO ₂	—	SO ₂	D.	D.	Ni.
11	57.36	57.57	59.35	58.09	18.9	16.7	17.2	17.60	—	—	—	Ni.	N.	N.
12	59.40	59.67	58.59	59.22	18.9	16.1	16.7	17.60	SSO ₁	SO ₁	SSO ₁	—	—	D.
13	58.13	58.13	58.07	58.11	19.4	16.7	16.7	17.60	S ₂	S ₂	—	D.	—	Ni.
14	57.86	58.07	58.89	58.27	20.0	17.2	17.2	18.13	S ₂	S ₂	—	Ni.	D.	N.
15	58.71	59.10	59.19	58.97	18.3	16.1	16.7	17.04	S ₂	SSO ₁	SSO ₁	—	—	D.
16	58.97	59.00	57.50	58.45	18.9	16.7	15.7	17.43	SSO ₂	SE ₁	—	D.	—	N.
17	58.13	57.57	55.38	57.29	19.4	17.8	22.8	20.06	SSO ₂	C	—	—	—	D.
18	55.67	56.56	58.21	56.81	22.8	18.3	17.2	19.45	S ₂	C	—	—	—	Ni.
19	53.34	58.07	58.13	58.13	20.5	17.2	17.8	18.50	—	N ₁	—	—	—	N.
20	58.00	56.11	55.86	56.60	21.7	16.1	17.8	18.53	NO ₂	—	—	D.	D.	N.
21	55.98	55.80	59.51	57.20	20.0	17.2	20.0	19.07	NO ₂	—	—	—	—	D.
22	59.75	64.74	59.55	61.55	17.2	17.8	21.1	18.70	—	—	—	—	—	—
23	54.55	54.74	55.29	54.63	21.7	16.1	21.7	19.83	S ₂	—	—	—	—	—
24	55.18	54.74	56.62	55.51	21.1	17.2	22.2	20.17	—	—	—	—	—	—
25	55.41	55.54	56.56	55.84	23.9	17.2	23.3	21.47	—	—	—	—	—	—
26	56.63	57.44	58.07	57.40	21.7	20.0	22.8	21.50	—	—	SO ₁	—	—	—
27	56.86	57.07	57.83	57.23	23.9	19.4	21.7	21.47	S ₂	—	—	—	—	—
28	57.62	56.94	57.07	57.21	23.5	18.3	22.2	21.47	S ₂	S ₂	—	—	—	—

MARZO DE 1871.

DIAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	700+	700+	700+	700+	23.8	18.8	17.2	19.60	S ₂	E ₁	C	D.	D.	D.
2	57.63	58.45	58.52	58.20	20.0	17.8	17.8	18.58	S ₂	E ₂	C	—	—	—
3	58.25	59.79	59.86	59.80	22.8	18.8	20.6	20.57	S ₂	S ₁	S ₁	—	—	—
4	59.87	59.22	58.18	58.87	21.7	18.3	19.4	19.80	S ₃	S ₁	S ₂	—	—	—
5	57.86	58.18	58.08	58.02	21.7	18.3	18.3	19.68	S ₃	S ₂	S ₁	—	—	—
6	58.18	58.18	56.95	57.54	20.5	17.2	17.2	18.30	—	S ₂	S ₁	—	—	—
7	56.08	55.84	56.95	56.29	20.5	17.2	17.2	18.30	—	C	N ₂	—	—	—
8	58.21	58.27	56.94	57.81	17.8	17.8	17.2	17.60	N ₂	N ₂	SO ₂	N: 1 ll.	Ni.	Ni.
9	56.79	56.94	56.94	56.89	18.8	17.8	17.2	17.77	NO ₂	C	N ₁	N.	Ni.	Ni.
10	56.60	57.57	62.31	58.88	18.8	16.1	16.1	16.88	NO ₂	C	N ₁	N.	Ni.	Ni.
11	59.73	62.01	60.74	60.88	17.2	14.4	14.4	15.38	S ₂	—	—	D.	D.	D.
12	59.73	59.75	59.10	59.55	17.2	15.0	16.1	16.10	—	NE ₁	—	—	—	—
13	58.71	59.49	61.69	59.96	18.8	15.5	15.5	16.43	S ₃	S ₂	E ₁	N.	N.	Ni.
14	62.06	62.38	59.49	61.29	17.8	15.0	15.6	16.13	—	S ₁	—	—	—	—
15	57.44	57.63	57.89	57.63	18.9	15.5	16.1	16.83	—	—	SO ₁	D.	—	—
16	57.76	57.89	57.89	57.85	18.9	15.6	15.5	16.67	—	—	—	—	—	—
17	58.60	58.98	57.71	58.23	17.2	15.5	15.6	16.10	SO ₂	S ₁	C	Ni.	—	—
18	58.97	58.98	57.63	58.48	18.3	16.1	15.5	16.63	S ₃	S ₁	C	D.	—	—
19	57.29	57.57	57.57	57.48	20.0	16.7	15.6	17.43	—	—	C	Ni.	—	—
20	57.23	57.25	57.25	57.58	20.6	18.8	17.2	18.70	SO ₂	E ₁	S ₁	N.	N.	Ni.
21	57.11	57.38	59.16	57.88	19.4	15.6	15.5	16.83	S ₂	—	—	N.	N.	Ni.
22	60.28	60.74	59.16	60.06	16.7	13.9	15.6	15.40	SO ₃	S ₁	—	N.	—	—
23	57.36	57.13	56.84	57.12	19.4	16.7	15.5	17.20	—	—	C	N.	—	—
24	57.32	57.46	56.11	56.96	17.8	16.7	16.1	16.87	N ₂	S ₁	C	N.	—	—
25	56.05	56.62	55.86	56.38	17.8	16.7	17.2	17.28	N ₂	N ₁	N ₂	N.	—	—
26	55.19	54.55	53.84	54.36	17.8	16.6	16.1	16.88	N ₂	N ₂	N ₂	Ni.	Ni.	Ni.
27	54.61	55.86	60.17	56.88	16.7	16.1	15.5	16.10	NO ₂	S ₁	—	Ni.	Ni.	Ni.
28	61.55	61.76	60.25	61.19	16.7	15.0	15.6	15.77	—	SO ₂	—	—	—	—
29	59.35	59.49	59.41	59.42	17.8	15.0	16.7	16.50	S ₂	S ₁	—	D.	—	—
30	58.77	58.24	58.90	58.67	20.0	16.7	15.5	17.40	—	—	SO ₁	—	—	—
31	58.71	59.10	59.10	58.97	18.9	16.7	15.6	17.07	—	N ₁	SO ₁	—	—	—
31	58.89	59.10	58.90	58.96	17.8	16.1	15.5	16.47	—	C	C	—	—	—

ABRIL DE 1871.

1	58.71	58.77	59.08	58.84	18.8	17.8	17.8	17.97	SO ₂	S ₁	C	Ni.	N.	N.
2	58.76	58.97	59.61	59.11	19.4	16.7	16.1	17.40	—	S ₂	—	—	—	—
3	59.40	59.67	59.75	59.61	17.8	15.0	13.9	15.57	—	NE ₁	S ₁	Ni.	D.	D.
4	58.97	59.16	58.18	58.75	16.1	14.4	16.1	15.57	SO ₂	—	SO ₁	—	—	—
5	57.36	57.63	57.71	57.57	17.2	13.9	15.5	15.57	—	—	C	—	—	—
6	56.49	56.05	55.94	56.16	18.9	16.1	15.0	16.67	S ₂	—	N ₂	D.	—	N.
7	55.80	55.04	58.13	56.62	16.7	15.5	16.1	16.10	—	—	NO ₂	—	—	—
8	58.62	58.40	57.89	58.81	17.8	15.0	15.0	15.93	NO ₂	S ₁	SO ₂	Ni.	N.	N.
9	58.34	58.48	60.19	59.00	16.1	15.0	15.6	15.57	—	—	C	—	—	—
10	60.14	60.42	57.71	59.42	17.2	15.6	15.5	16.10	—	S ₁	—	—	—	Ni.
11	56.73	56.95	56.95	56.88	17.2	15.0	15.5	15.90	—	—	C	—	—	Ni.
12	57.97	59.49	60.83	59.46	15.5	15.5	16.7	15.90	—	N ₂	N ₂	D.	N.	N.
13	60.64	61.00	60.82	60.80	17.8	15.0	16.7	16.50	SO ₂	—	SO ₁	Ni.	N.	N.
14	59.83	59.61	58.84	59.48	19.4	16.7	16.7	17.60	—	S ₂	—	D.	—	D.
15	58.63	58.84	58.84	58.77	17.8	15.0	15.5	16.10	—	—	S ₁	—	—	N.
16	59.67	60.25	61.76	60.48	16.1	15.0	15.6	15.57	—	N ₁	—	—	—	N.
17	61.65	61.94	60.93	61.51	16.7	15.5	15.0	15.73	NO ₂	C	—	N.	N.	N.
18	60.28	60.00	59.24	59.84	17.1	14.4	14.4	14.97	—	—	—	—	—	D.
19	57.97	59.37	59.81	59.05	15.9	13.9	14.3	14.40	—	—	—	—	—	D.
20	59.54	59.62	59.11	59.42	15.9	12.8	12.8	13.58	—	N ₂	—	—	—	D.
21	58.65	61.09	62.54	60.76	18.8	11.1	10.5	11.88	SO ₂	—	N ₂	Ni.	N.	N.
22	62.07	62.36	62.11	62.18	12.8	11.1	11.1	11.67	—	—	SE ₁	—	—	N.
23	61.25	61.55	59.17	60.59	13.9	11.7	12.2	12.60	—	O ₂	—	—	—	N.
24	59.24	60.84	60.90	60.83	13.9	10.7	10.0	11.87	—	S ₁	E ₁	—	—	D.
25	60.25	60.47	59.45	60.06	13.8	10.5	8.8	10.90	—	E ₁	—	—	—	Ni.
26	59.18	58.26	59.45	59.28	11.7	10.6	9.4	10.57	—	—	—	Ni.	Ni.	Ni.
27	59.94	61.54	61.48	60.99	12.2	8.3	10.0	10.17	—	—	—	D.	D.	D.
28	60.80	61.29	60.28	60.79	12.2	9.4	8.3	9.97	—	—	—	—	—	—
29	59.41	59.06	60.28	59.88	12.2	10.0	9.4	10.53	—	—	—	—	—	—
30	59.73	60.15	60.07	60.29	12.2	10.5	10.5	11.07	—	—	—	—	—	—

MAYO DE 1871.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	67.40	72.81	70.22	70.12	12.8	11.1	11.1	11.67	S ₁	S ₁	SE ₁	Ni.	D.	D.
2	64.87	59.88	59.64	61.45	14.4	12.8	10.5	12.57	S ₂	S ₁	E ₁	N.	N.	N.
3	59.49	72.89	75.55	69.24	13.3	10.3	10.0	11.10	S ₂	SE ₁	S ₂	N.	D.	D.
4	74.87	75.29	62.98	71.05	13.3	10.3	11.1	11.63	S ₂	E ₁	C	Ni.	N.	N.
5	63.44	64.08	63.76	63.76	12.2	10.6	10.0	10.98	SO ₁	SE ₁	E ₁	D.	D.	D.
6	79.93	77.96	72.81	76.90	12.8	11.1	11.1	11.67	S ₂	C	S ₂	N.	N.	N.
7	64.95	62.54	59.58	62.36	15.0	12.2	10.5	12.57	SO ₁	C	C	Ni.	D.	N.
8	59.10	72.75	72.75	68.20	13.3	11.1	10.0	11.47	SO ₁	C	C	Ni.	Ni.	Ni.
9	72.68	72.89	65.29	70.29	11.7	10.0	10.0	10.57	C	—	—	—	—	—
10	59.83	59.77	59.45	59.68	11.1	10.5	10.0	10.53	SO ₁	—	E ₁	N.	N.	N.
11	57.71	59.77	59.45	59.64	11.7	10.6	10.6	10.97	—	—	C	N.	—	—
12	57.46	57.42	57.86	57.58	12.8	10.5	11.7	11.67	—	E ₁	C	—	—	—
13	58.44	59.89	70.22	62.85	12.8	12.2	12.8	12.60	C	N ₂	C	—	—	—
14	69.74	72.75	72.75	71.75	14.4	12.2	12.2	12.93	S ₁	C	—	D.	N.	N.
15	74.87	75.29	67.68	72.61	13.9	12.8	12.2	12.97	SE ₁	—	—	N.	N.	N.
16	59.58	59.71	58.31	59.20	12.8	12.2	12.2	12.40	S ₁	—	SE ₁	N.	D.	N.
17	58.31	58.68	58.61	58.58	12.2	11.7	11.7	11.87	N ₂	—	E ₁	—	—	—
18	58.21	58.68	59.13	58.67	13.9	11.1	11.1	12.03	S ₁	—	E ₁	D.	D.	D.
19	58.65	59.38	59.71	59.25	12.8	11.1	10.0	11.30	SO ₂	—	E ₁	N.	N.	N.
20	59.13	59.20	58.57	58.90	11.7	11.1	12.2	11.67	—	N ₁	ONO ₃	Li.	N.	Li.
21	56.15	54.96	51.60	54.24	12.8	11.1	12.2	12.03	NO ₂	N ₁	—	N.	N.	Li.
22	53.75	57.17	59.45	56.95	11.7	11.1	10.5	11.10	SO ₂	SO ₁	N ₂	Li.	Li.	Li.
23	59.55	60.28	60.02	59.95	12.2	10.0	9.4	10.53	N ₂	E ₁	E ₂	N.	D.	N.
24	62.27	62.81	63.31	62.80	12.2	10.0	9.4	10.53	—	C	—	N.	N.	Ni.
25	62.63	70.42	60.28	64.46	13.3	10.0	11.1	11.47	N ₁	E ₁	E ₁	Ni.	—	—
26	58.13	57.48	57.23	57.61	14.4	12.2	12.8	13.13	SO ₁	N ₁	N ₂	—	Li.	N.
27	57.17	57.23	57.17	57.19	15.5	12.8	13.3	13.87	N ₂	N ₂	N ₂	N.	—	—
28	57.42	57.93	57.86	57.74	15.6	13.3	12.8	13.90	N ₂	N ₂	N ₂	—	—	—
29	57.11	58.07	57.35	57.51	12.8	12.8	12.8	12.80	N ₂	NO ₂	E ₁	—	—	—
30	54.51	56.18	52.79	58.49	13.9	12.2	12.2	12.77	N ₂	N ₁	N ₂	N.	—	—
31	53.42	54.96	54.39	54.26	13.3	12.2	12.8	12.77	N ₂	NO ₂	NO ₂	Li.	—	Li.

JUNIO DE 1871.

1	54.18	56.15	58.05	56.13	12.8	12.2	13.3	12.77	N ₁	—	—	N.	—	N.
2	58.11	57.68	57.10	57.63	13.9	13.3	12.8	13.33	N ₂	N ₂	—	N.	—	Li.
3	59.07	67.82	67.73	64.58	13.8	12.8	11.7	12.60	—	NE ₁	—	—	—	N.
4	65.16	59.96	58.83	61.33	13.3	10.0	11.1	11.63	E ₁	C	—	D.	Ni.	Ni.
5	58.00	58.63	54.57	57.04	13.3	10.0	10.5	11.27	SO ₁	—	N ₂	Ni.	—	—
6	52.79	52.10	56.90	53.93	13.3	11.7	12.8	12.60	N ₂	N ₂	—	Li.	N.	N.
7	57.08	59.32	59.88	58.59	13.3	12.2	10.6	12.03	SO ₂	C	C	Li.	N.	D.
8	59.28	65.29	63.51	62.69	13.9	10.0	10.0	11.30	SO ₁	S ₁	E ₂	Ni.	D.	N.
9	63.65	62.75	65.29	63.90	12.8	10.5	10.5	11.27	N ₁	E ₁	E ₁	N.	N.	Ni.
10	59.54	60.09	60.22	59.95	13.3	10.0	9.4	10.90	S ₁	—	—	D.	N.	N.
11	59.61	62.02	63.76	62.00	12.2	10.0	8.3	10.17	—	NE ₁	E ₂	N.	N.	N.
12	63.21	63.89	64.02	63.71	12.2	8.9	9.4	10.17	E ₁	E ₂	E ₁	D.	D.	D.
13	63.58	67.04	66.24	65.82	12.8	9.4	7.8	10.00	SE ₁	S ₁	—	Ni.	—	—
14	65.28	65.08	80.56	70.29	13.3	10.5	9.4	11.07	E ₁	E ₁	—	D.	N.	—
15	79.87	77.88	63.82	73.86	13.3	10.6	10.0	11.80	SE ₂	—	E ₂	N.	N.	N.
16	63.21	63.82	78.02	68.85	12.2	10.0	9.4	10.53	E ₂	SE ₂	E ₁	N.	N.	N.
17	67.20	60.28	58.24	61.91	14.4	9.4	8.3	10.70	V ₁	C	—	Ni.	—	—
18	56.56	57.05	58.24	57.23	13.8	8.9	11.1	10.98	NE ₁	E ₂	N ₂	D.	N.	N.
19	59.01	58.95	59.74	59.23	12.2	11.1	11.1	11.47	N ₂	C	E ₁	Li.	N.	—
20	59.01	59.09	57.89	53.70	12.2	11.7	11.7	11.37	—	N ₁	C	—	—	—
21	57.93	57.98	67.82	61.23	12.2	11.1	11.1	11.35	N ₂	N ₂	E ₁	Li.	N.	—
22	67.68	67.88	68.02	67.86	12.2	10.5	8.9	10.53	E ₁	E ₁	—	N.	N.	Ni.
23	67.34	70.55	70.63	69.51	13.3	8.3	6.7	9.43	S ₂	—	—	D.	D.	—
24	30.36	30.77	30.84	30.66	10.0	6.7	6.7	7.97	NO ₁	—	—	Ni.	N.	N.
25	80.42	75.87	60.04	72.11	9.4	7.2	7.8	7.97	C	C	SO ₁	Ni.	—	—
26	60.03	60.12	60.63	60.26	8.9	7.2	5.6	7.23	E ₁	NE ₁	E ₁	Ni.	N.	D.
27	67.52	68.09	60.43	65.87	11.1	10.0	10.0	10.57	NO ₂	N ₂	SO ₂	—	—	Li.
28	67.61	65.88	68.73	67.41	11.7	7.8	6.1	8.53	SO ₁	SO ₁	E ₂	N.	—	D.
29	68.86	68.75	63.02	66.88	11.7	8.3	10.0	10.00	E ₁	C	—	D.	—	—
30	62.27	59.40	58.38	60.02	14.4	10.0	8.9	11.10	—	SE ₁	SE ₂	—	—	—

JULIO DE 1871.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h	9 h.	21 h	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	58.24	58.32	59.26	58.61	12.2	11.1	11.1	11.47	N ₂	N ₂	N ₂	N.	N.	N.
2	65.85	73.03	72.95	70.44	11.7	11.1	11.7	11.50	N ₁	N ₁	E ₂	—	—	—
3	74.87	67.53	59.65	67.85	13.9	10.5	9.4	11.27	SO ₂	SE ₁	—	D.	D.	D.
4	58.73	59.34	59.34	59.14	12.2	9.4	10.0	10.53	S ₁	C	N ₁	—	—	—
5	59.77	59.31	59.89	59.82	11.1	10.5	10.5	10.70	C ₂	—	N ₂	N.	N.	N.
6	59.51	59.77	59.89	59.72	10.5	10.0	10.0	10.17	N ₂	N ₂	—	LI.	LI.	LI.
7	59.61	60.02	60.28	59.94	12.2	11.1	10.0	11.10	—	NO ₂	E ₁	—	—	—
8	69.94	62.81	57.99	63.68	12.8	10.0	10.0	10.93	—	C	N ₂	N.	N.	N.
9	57.93	60.02	60.28	59.41	11.7	11.7	12.2	11.87	NO ₂	N ₂	NO ₂	LI.	LI.	LI.
10	62.81	62.81	65.09	63.57	12.2	12.2	12.2	10.0	N ₂	N ₂	E ₂	LI.	LI.	LI.
11	64.74	64.33	75.49	68.19	13.3	10.6	10.0	11.30	S ₁	E ₁	E ₁	D.	D.	D.
12	64.74	65.29	62.81	64.28	13.9	10.0	10.6	11.50	—	C	S ₁	—	—	—
13	62.20	62.75	58.44	66.18	15.0	11.1	11.1	12.40	—	S ₁	SE ₁	—	—	—
14	65.62	55.90	56.15	59.22	13.9	11.7	11.7	12.43	—	C	N ₂	LI.	LI.	LI.
15	56.08	56.02	56.41	56.17	12.2	11.7	12.2	12.03	N ₂	N ₂	N ₄	N.	N.	N.
16	55.32	55.27	55.08	55.22	12.2	12.2	13.3	12.57	N ₃	N ₃	N ₃	—	—	—
17	56.21	58.05	58.11	57.46	13.9	12.8	12.8	13.17	NO ₂	N ₃	N ₂	—	—	—
18	57.77	62.68	65.29	61.91	13.3	11.7	8.9	11.30	O ₂	SO ₂	SE ₁	LI.	LI.	LI.
19	67.82	78.16	63.71	69.90	10.5	7.3	7.2	8.56	E ₁	E ₁	E ₁	LI.	D.	D.
20	70.01	65.56	65.87	67.15	10.0	5.6	5.6	7.07	S ₂	E ₂	E ₂	D.	—	—
21	63.99	63.71	60.19	62.63	10.5	7.2	6.7	8.15	E ₂	E ₁	—	—	—	—
22	58.75	59.65	60.77	60.72	10.6	8.3	7.8	8.90	S ₂	S ₁	—	Ni.	—	—
23	85.09	64.78	65.73	71.20	11.1	8.9	8.3	9.43	—	—	E ₁	N.	—	—
24	65.69	66.18	64.98	65.62	11.7	8.3	7.2	9.07	—	SE ₁	C	N.	—	—
25	63.03	63.45	83.23	69.90	13.3	8.9	7.2	9.80	SE ₂	S ₁	E ₁	D.	—	—
26	77.67	78.16	62.95	72.59	12.2	8.3	8.3	9.66	—	E ₁	E ₂	—	—	—
27	58.27	57.74	55.35	57.12	13.3	10.0	7.2	10.17	S ₂	E ₂	S ₂	—	—	—
28	56.08	58.82	62.81	59.24	12.2	11.1	11.1	11.47	NO ₂	N ₂	C	N.	N.	LI.
29	70.50	32.96	65.83	73.10	13.9	10.0	10.0	11.36	NO ₁	E ₁	E ₂	—	D.	D.
30	65.66	65.97	65.59	65.71	13.3	9.4	8.9	10.53	S ₂	SE ₁	E ₂	D.	—	—
31	63.27	63.82	65.83	64.31	12.8	10.0	9.4	10.73	—	E ₁	S ₁	Ni.	—	—

AGOSTO DE 1871.

1	74.80	78.02	60.23	71.03	15.5	9.4	8.9	11.27	S ₁	NE ₁	E ₂	D.	D.	D.
2	58.13	58.23	56.35	57.57	13.9	10.0	7.8	10.57	S ₂	E ₁	—	—	—	—
3	55.74	57.99	78.02	63.92	11.7	10.0	10.0	10.57	N ₁	E ₁	—	Ni.	N.	D.
4	65.73	65.35	65.43	65.50	12.8	8.9	10.0	10.57	—	C	E ₁	—	D.	—
5	64.31	62.58	64.16	63.68	13.3	10.0	9.4	10.90	—	S ₂	E ₂	D.	—	—
6	63.29	63.82	63.06	63.39	14.4	10.5	10.0	11.63	—	C	E ₂	—	—	—
7	67.34	60.22	66.00	64.52	13.9	11.1	10.5	11.83	—	—	SE ₁	Ni.	N.	Ni.
8	65.16	65.35	58.74	63.03	12.8	11.7	10.6	11.70	S ₁	N ₂	NE ₁	—	—	—
9	58.18	57.93	57.48	57.86	11.7	11.1	11.7	11.50	NO ₂	N ₂	N ₂	N.	—	LI.
10	57.23	57.10	59.45	57.93	12.2	12.2	12.2	12.20	NO ₂	N ₂	NO ₂	LI.	LI.	LI.
11	59.58	59.01	54.70	57.76	13.3	11.1	11.1	11.33	NO ₂	N ₂	E ₁	LI.	LI.	Ni.
12	54.65	54.65	54.65	54.65	12.8	11.7	11.1	11.87	N ₁	N ₂	C	LI.	LI.	LI.
13	54.65	54.65	57.43	55.53	11.7	11.1	10.0	10.93	N ₁	C	E ₁	N.	N.	N.
14	58.68	73.03	65.17	65.63	11.1	10.0	9.4	10.17	V ₁	NE ₁	N.	LI.	N.	D.
15	65.03	65.23	65.17	65.14	11.1	9.4	10.0	10.17	SO ₁	E ₁	C	Ni.	—	—
16	64.65	64.84	63.65	64.38	12.2	11.1	10.0	11.10	NO ₁	—	—	N.	N.	N.
17	77.82	72.95	65.35	72.04	12.8	11.1	11.1	11.67	SO ₂	NE ₁	—	D.	D.	LI.
18	64.82	67.83	65.43	66.04	13.3	10.0	10.0	11.10	S ₂	C	—	N.	D.	N.
19	60.02	60.28	68.27	62.86	12.2	8.9	7.8	9.63	NO ₂	N ₂	E ₁	D.	LI.	—
20	69.13	69.73	68.85	69.24	11.1	7.2	7.8	8.70	S ₃	SE ₂	—	D.	D.	D.
21	67.17	67.51	67.58	67.42	10.0	8.9	7.8	8.90	S ₂	N ₁	SE ₁	LI.	—	—
22	66.96	67.45	67.51	67.31	11.1	8.9	11.1	10.37	SE ₃	S ₁	SE ₂	D.	—	—
23	65.37	62.47	78.10	68.81	14.4	10.0	12.2	12.20	SE ₂	C	—	—	—	—
24	58.92	58.88	58.18	58.66	15.5	11.1	11.1	12.57	S ₂	—	C	—	—	—
25	58.92	70.36	73.95	67.74	13.3	10.5	10.0	11.27	NO ₁	E ₂	SE ₁	N.	N.	Ni.
26	72.60	33.03	33.09	79.57	13.9	10.5	10.0	11.47	S ₂	ESE ₂	N ₁	D.	D.	D.
27	82.73	33.09	62.81	79.54	12.2	10.5	10.0	10.90	—	S ₂	SO ₁	N.	N.	—
28	62.41	63.06	64.84	63.44	12.2	9.4	10.0	10.53	—	C	S ₁	D.	—	—
29	64.90	63.29	62.81	64.33	11.7	8.3	10.0	10.00	S ₃	SE ₁	SE ₂	—	—	—
30	62.54	64.08	64.22	63.61	13.3	9.4	7.8	10.17	—	E ₁	E ₂	—	—	—
31	62.54	62.89	75.83	67.02	13.3	8.9	9.4	10.53	—	S ₁	SE ₁	—	—	—

SETIEMBRE DE 1871.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRAEO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	67.68	67.88	65.48	67.00	12.8	8.9	8.9	10.20	S ₂	S ₁	E ₂	D.	D.	D.
2	67.61	70.50	67.96	68.69	12.8	8.9	10.0	10.57	NO ₂	—	E ₁	—	—	—
3	67.61	67.96	63.20	66.26	12.8	8.9	9.4	10.17	S ₂	—	C	—	—	Ni.
4	72.75	65.60	65.43	67.59	12.8	8.9	10.0	10.57	SE ₂	—	SE ₂	Ni.	—	D.
5	64.50	64.08	67.96	65.51	15.8	11.1	10.0	12.20	ESE ₂	SE ₂	—	D.	—	—
6	59.81	60.22	67.88	62.64	12.8	9.4	10.0	10.73	SO ₂	—	C	—	—	—
7	80.42	83.16	70.50	78.03	11.1	10.0	10.0	10.37	N ₂	—	N ₂	—	—	—
8	59.99	59.09	70.50	63.16	10.0	10.0	8.9	9.63	NO ₂	N ₂	SO ₂	Li.	Li.	Li.
9	77.96	63.45	65.45	68.29	11.7	8.3	8.9	9.63	—	—	ESE ₂	D.	D.	D.
10	72.89	68.02	59.65	66.85	12.2	8.3	8.9	9.89	S ₂	S ₁	E ₁	—	—	—
11	65.94	62.95	65.98	64.96	11.7	7.8	10.5	10.06	C ₂	—	NE ₁	—	—	—
12	66.55	67.00	66.75	66.77	12.8	8.3	8.9	10.00	NO ₂	—	—	—	—	—
13	65.57	64.72	58.23	71.17	12.8	9.4	8.9	10.37	S ₂	SE ₂	—	—	—	—
14	75.55	73.09	59.09	69.18	12.2	8.3	10.6	10.37	SO ₂	—	—	—	—	—
15	57.04	67.05	56.72	60.27	12.8	8.9	11.1	10.95	S ₂	—	N ₂	—	—	—
16	56.97	57.99	56.01	57.99	11.1	10.5	10.5	10.79	NO ₂	N ₂	—	Li.	Li.	Li.
17	59.20	60.28	60.28	59.92	11.7	10.6	11.1	10.93	N ₂	N ₁	C	—	—	—
18	60.22	62.89	63.65	62.25	12.2	10.6	10.6	10.93	NO ₂	—	E ₂	—	—	—
19	63.55	62.41	80.56	68.84	13.3	10.0	11.7	11.67	S ₂	S ₁	—	—	—	—
20	72.81	72.95	70.36	72.04	14.4	10.6	12.8	12.60	S ₂	E ₁	E ₁	D.	—	—
21	59.43	58.82	58.68	58.98	12.2	12.2	11.1	13.50	—	—	N ₁	Ni.	—	—
22	57.86	57.17	59.26	58.10	12.8	11.1	11.1	11.67	N ₂	NO ₂	—	N.	N.	G.
23	59.64	67.82	72.89	66.78	12.8	11.7	11.7	12.07	NO ₂	—	NO ₂	—	—	—
24	75.22	80.36	80.42	78.67	14.4	11.7	12.2	12.77	S ₂	—	S ₁	—	D.	D.
25	82.81	63.57	63.51	69.96	14.4	11.1	11.1	12.29	—	SO ₁	N ₁	D.	N.	D.
26	63.04	62.81	60.28	62.04	13.3	10.0	11.1	11.47	S ₂	NE ₁	S ₂	N.	D.	N.
27	62.62	63.16	80.56	75.45	13.3	9.4	11.1	11.27	SO ₂	S ₁	NE ₁	D.	—	D.
28	63.89	65.09	64.78	70.92	12.8	10.0	12.8	11.87	—	NE ₁	N ₁	N.	N.	D.
29	63.48	83.03	67.75	71.42	16.1	11.7	12.2	13.33	S ₂	—	SO ₂	D.	D.	—
30	65.01	65.29	15.5	11.1	S ₂	S ₂	Ni.	N.	—

OCTUBRE DE 1871.

1	72.81	80.64	59.34	70.93	17.8	11.7	17.2	17.57	S ₂	S ₁	S ₁	D.	D.	D.
2	58.61	58.82	59.85	59.09	17.2	13.3	13.3	14.60	—	—	NO ₂	—	—	—
3	65.43	67.97	59.85	64.41	15.5	11.1	15.0	13.87	S ₁	—	C	—	—	N.
4	58.58	57.61	57.05	57.75	15.0	13.3	13.3	13.87	SO ₂	—	—	—	—	D.
5	58.84	58.37	65.23	60.15	15.5	13.3	15.0	14.60	S ₂	—	N ₁	—	—	—
6	72.81	80.42	80.64	77.96	15.6	13.3	15.0	14.63	N ₁	—	S ₁	D.	—	—
7	82.95	83.16	62.89	76.33	16.5	11.1	15.5	14.03	S ₂	—	S ₂	—	—	—
8	62.89	78.10	57.82	66.27	15.6	11.1	15.5	14.07	—	S ₁	—	D.	—	—
9	56.59	56.29	58.82	57.23	15.5	13.3	17.8	15.53	—	—	C	—	—	—
10	70.50	63.14	63.14	65.59	13.3	10.0	15.5	12.93	N ₁	N ₁	N ₁	—	—	—
11	62.93	62.93	78.10	67.99	15.5	12.2	13.3	13.63	S ₂	—	—	D.	—	—
12	75.57	70.50	59.09	68.39	15.0	11.1	11.1	12.40	—	—	C	—	—	—
13	59.09	62.88	70.42	64.13	11.1	11.1	16.7	13.50	N ₂	N ₁	S ₁	Li.	—	—
14	59.76	59.20	58.05	59.00	14.4	11.1	13.3	12.95	N ₂	—	NO ₂	—	—	—
15	58.05	58.44	58.82	58.44	13.3	11.7	13.3	12.77	S ₂	—	—	D.	—	—
16	67.47	80.43	77.74	75.21	15.0	12.2	15.5	14.23	NO ₂	—	—	—	—	—
17	59.88	60.09	67.51	62.49	16.7	13.3	15.5	15.17	S ₂	SE ₂	—	D.	—	—
18	70.01	72.81	58.39	67.07	16.1	12.2	15.0	14.43	S ₂	S ₁	S ₂	—	—	—
19	53.10	59.76	67.51	61.79	16.7	12.8	13.9	14.50	S ₂	SO ₂	N ₂	—	—	—
20	69.94	70.15	57.98	66.02	17.2	14.4	13.9	15.17	O ₂	—	C	—	—	—
21	57.59	57.73	57.04	57.45	15.5	13.9	11.7	12.70	NO ₂	N ₁	N ₂	—	—	—
22	57.55	59.00	58.88	58.48	11.7	11.1	11.1	11.30	S ₂	N ₂	E ₂	D.	—	—
23	58.82	59.45	62.62	60.80	13.3	12.2	13.9	13.13	—	NO ₂	N ₂	Li.	Li.	Li.
24	67.53	67.68	56.29	63.83	15.5	12.8	15.0	14.43	N ₂	SE ₁	SO ₁	D.	D.	D.
25	56.08	58.24	58.81	57.54	16.7	12.2	13.9	14.27	S ₂	—	S ₁	—	—	—
26	58.24	65.16	82.89	68.80	16.7	13.3	12.8	14.27	—	N ₂	N ₁	—	—	—
27	77.54	59.07	57.04	64.53	16.1	13.9	13.3	14.43	—	—	—	Ni.	—	—
28	59.76	67.55	60.02	59.11	14.4	12.8	13.9	13.76	—	—	—	—	—	—
29	65.95	65.08	59.00	63.34	16.7	12.8	13.9	14.47	—	SE ₁	S ₁	D.	D.	—
30	58.54	59.51	65.01	61.02	16.7	13.3	15.0	15.00	S ₂	S ₂	S ₂	—	—	—
31	64.88	65.22	65.01	65.04	16.1	12.2	14.4	14.23	—	—	—	Ni.	—	—

NOVIEMBRE DE 1871.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°						
1	700+	700+	700+	700+	17.2	13.9	17.8	16.30	S ₂	S ₁	E ₂	D.	D.	D.
2	64.81	62.54	62.33	63.23	20.5	14.4	16.7	17.20	SE ₂	S ₁	S ₁	—	—	—
3	57.38	57.84	58.35	57.86	19.4	17.2	15.5	17.37	SO ₂	SE ₁	N ₂	—	—	N.
4	59.41	54.62	58.65	59.23	17.2	14.4	16.7	16.10	N ₂	C	C	N.	N.	D.
5	58.27	58.54	58.03	58.28	13.9	15.5	15.0	16.63	S ₁	—	—	D.	—	N.
6	57.83	58.03	58.54	58.13	17.2	14.4	14.4	15.33	SO ₂	SO ₁	SO ₁	Ni.	Ni.	N.
7	62.20	69.93	69.50	67.22	16.7	13.3	16.7	15.57	S ₂	S ₂	S ₂	D.	N.	D.
8	69.80	67.47	64.93	67.40	17.2	13.3	15.0	15.17	SSE ₂	S ₁	—	—	—	D.
9	61.74	65.01	70.01	66.39	17.2	13.3	15.5	15.33	—	SE ₁	—	—	—	—
10	69.88	62.67	62.33	71.63	18.9	13.9	17.2	16.67	S ₂	SE ₂	—	—	—	—
11	62.39	62.66	62.46	69.10	18.9	13.9	17.2	16.67	—	—	SSE ₂	Ni.	—	N.
12	79.87	80.01	69.80	76.56	19.4	15.5	17.2	17.37	—	SE ₁	SE ₁	D.	—	D.
13	59.10	59.04	58.21	58.73	20.0	15.5	16.7	17.40	—	S ₁	S ₂	—	—	Ni.
14	58.07	58.27	59.04	58.46	18.9	14.4	14.4	15.90	—	S ₂	S ₂	Ni.	N.	—
15	64.68	64.95	64.81	64.81	16.7	13.9	17.2	15.93	—	S ₁	—	N.	N.	D.
16	64.68	59.55	58.98	61.07	17.8	14.4	17.2	16.47	—	S ₂	S ₂	Ni.	Ni.	—
17	58.84	61.87	64.81	62.84	17.8	13.9	17.8	16.50	—	—	S ₁	D.	D.	—
18	62.06	59.81	58.40	60.09	20.0	14.4	17.2	17.20	—	S ₁	S ₂	Ni.	N.	—
19	56.43	56.44	56.36	54.41	20.6	15.0	17.2	17.60	—	S ₂	S ₁	D.	—	—
20	56.23	55.95	58.03	56.74	18.9	14.4	13.9	15.73	—	S ₂	N ₂	N.	N.	N.
21	58.07	58.27	64.87	60.40	17.2	14.4	13.9	15.17	—	—	S ₂	N.	—	—
22	69.80	72.46	72.40	71.55	17.2	14.4	17.2	16.27	SO ₂	S ₁	SE ₁	D.	D.	D.
23	67.20	62.27	57.71	62.39	20.6	15.5	17.2	17.77	S ₂	S ₁	S ₁	D.	—	—
24	57.32	55.95	57.71	56.99	19.4	14.4	16.1	16.63	SSO ₂	SO ₁	—	—	N.	Ni.
25	58.07	58.27	59.55	58.63	17.8	13.9	14.4	15.37	S ₂	S ₁	—	—	—	—
26	67.84	80.14	63.09	70.19	17.2	12.8	15.5	15.17	S ₂	N ₂	—	—	Ll.	D.
27	62.52	77.74	58.54	66.27	16.7	12.8	15.6	15.03	S ₂	S ₂	S ₂	—	—	—
28	57.74	57.84	58.27	57.94	17.8	13.3	15.5	15.33	—	S ₁	—	—	—	—
29	59.49	59.62	59.30	59.47	18.3	15.0	15.6	16.30	S ₂	—	SO ₁	—	—	Ni.
30	59.16	59.30	58.27	58.91	18.3	15.0	15.5	16.27	SSO ₂	—	SSO ₁	Ni.	—	—

DICIEMBRE DE 1871.

1	58.90	59.04	59.30	59.08	16.7	15.0	15.0	15.57	SSO ₂	N ₁	N ₂	Ni.	N.	N.
2	64.74	64.87	59.24	62.95	17.2	14.4	16.1	15.90	—	SSO ₁	S ₂	D.	D.	Ni.
3	59.10	58.48	57.89	58.49	17.8	15.5	16.7	16.67	S ₂	S ₂	S ₁	—	—	—
4	58.84	62.27	59.41	60.17	18.3	15.5	17.2	17.00	—	—	SSO ₂	N.	N.	N.
5	59.28	67.34	69.74	65.45	18.9	15.5	17.8	17.40	S ₂	SE ₁	S ₂	Ni.	N.	D.
6	64.54	59.75	58.65	60.93	19.4	15.5	17.2	17.57	S ₂	S ₂	—	D.	—	—
7	58.46	58.73	58.90	58.70	19.4	15.5	17.2	17.37	S ₂	—	—	—	—	—
8	59.14	59.24	58.34	58.91	19.4	15.5	16.7	17.20	S ₂	—	—	—	—	—
9	57.76	57.46	58.21	57.81	18.3	14.4	15.5	16.07	S ₂	—	SO ₂	—	—	N.
10	59.35	59.49	59.41	59.42	17.2	14.4	16.7	16.10	—	S ₁	S ₁	—	—	D.
11	59.28	59.30	59.24	59.27	18.2	14.4	16.1	16.23	—	S ₂	S ₂	—	—	—
12	59.10	58.73	58.48	58.87	18.9	15.5	16.7	17.03	S ₂	—	SSO ₂	—	—	—
13	58.34	53.73	62.13	59.73	18.9	15.5	16.7	17.03	S ₂	C	—	—	—	Ni.
14	67.12	67.34	59.73	64.74	17.8	15.0	15.5	16.10	SSO ₂	SSO ₂	—	Ni.	N.	N.
15	59.23	58.90	59.16	59.11	18.9	13.1	16.7	17.23	—	—	—	D.	—	—
16	64.60	64.81	62.46	70.62	17.2	13.9	15.5	15.53	—	C	S ₂	—	—	D.
17	62.31	59.75	62.45	61.50	17.2	15.0	15.5	15.90	S ₂	—	—	—	—	—
18	69.74	64.87	59.67	64.76	18.9	14.4	15.5	16.27	S ₂	SE ₂	—	D.	—	—
19	57.50	56.70	59.49	67.96	18.9	15.5	15.5	16.63	S ₂	S ₂	N ₂	N.	N.	N.
20	72.19	72.40	69.88	71.49	17.2	15.5	15.5	16.07	NO ₂	C	—	N.	N.	D.
21	77.25	82.53	62.13	73.97	17.8	16.7	17.2	17.23	—	—	NO ₁	D.	N.	Ni.
22	62.56	52.53	58.59	67.96	19.4	16.1	18.3	17.93	SSO ₂	—	S ₂	D.	D.	D.
23	57.76	57.46	57.32	57.51	19.4	15.5	16.7	17.20	S ₂	S ₁	C	—	—	N.
24	58.00	58.13	58.90	58.34	17.8	16.7	16.1	16.87	—	SSO ₁	NO ₂	N.	N.	Ll.
25	57.28	62.27	58.59	60.05	17.8	15.5	17.8	17.03	—	C	C	D.	D.	D.
26	58.77	58.65	58.07	58.50	20.0	13.7	17.8	18.17	—	—	NO ₁	—	—	—
27	58.21	58.07	58.77	58.35	20.0	17.8	18.3	18.70	SO ₂	—	SSO ₂	—	—	Ni.
28	59.22	59.35	58.77	59.11	19.4	17.2	18.3	18.30	SSO ₂	—	—	—	—	—
29	58.63	58.84	58.27	58.58	20.0	16.7	17.2	17.97	S ₂	S ₁	SSE ₂	—	—	D.
30	58.56	58.84	59.03	58.81	19.4	15.5	17.8	17.57	S ₂	SE ₂	S ₁	D.	—	—
31	58.50	58.00	56.49	57.66	21.1	16.7	17.8	18.53	S ₂	S ₁	C	—	—	—

ENERO DE 1872.

DÍAS.	BARÓMETRO REDUCIDO. A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	700+	700+	700+	700+	o	o	o	o	SSO ₂	S ₁	SO ₁	D.	D.	D.
2	57.86	53.40	60.11	58.62	18.9	15.5	16.1	16.88	SO ₂	SO ₂	E ₂	—	G.	N.
3	65.08	64.55	58.84	62.82	17.8	15.0	17.8	16.87	—	S ₂	S ₂	—	D.	Ni.
4	56.86	56.81	59.54	57.74	21.1	17.8	18.3	19.07	S ₁	S ₁	S ₁	Ni.	—	D.
5	59.33	59.86	21.1	17.2	17.8	18.70	—	S ₁	S ₂	D.	—	—
6	57.62	56.56	56.49	56.89	20.0	17.2	17.8	18.33	S ₂	S ₁	—	—	—	—
7	56.53	58.01	58.71	57.75	20.5	18.3	18.9	19.23	S ₂	—	S ₂	—	—	—
8	58.56	58.27	57.87	58.23	21.1	18.3	19.4	19.60	S ₂	—	S ₂	—	—	—
9	57.49	58.01	57.87	57.79	21.1	17.8	19.4	19.43	—	—	—	—	—	—
10	57.29	58.14	60.79	58.74	19.4	15.0	17.2	17.20	—	S ₃	—	—	—	—
11	60.90	60.42	59.85	60.22	18.9	16.1	16.7	17.23	S ₄	SE ₁	S ₁	—	—	—
12	58.13	57.32	56.80	57.25	18.9	16.1	16.7	17.23	—	—	—	—	—	—
13	57.19	58.14	58.34	57.89	18.3	15.0	15.5	16.27	O ₂	SSO ₁	SO ₁	—	N.	N.
14	58.13	57.89	57.57	57.86	18.9	15.5	17.2	17.20	SSO ₂	SSO ₂	S ₂	—	D.	D.
15	57.36	57.32	56.05	56.91	20.0	16.1	17.2	17.77	S ₃	N ₂	—	—	—	—
16	55.92	56.62	58.14	56.89	18.9	13.5	15.0	16.47	S ₂	N ₁	NO ₁	—	N.	G.
17	59.22	59.67	58.14	59.01	17.2	15.5	15.0	15.90	O ₂	SO ₁	O ₁	N.	—	N.
18	62.06	61.50	58.40	60.65	17.2	15.5	15.5	16.07	S ₃	SO ₁	O ₂	D.	D.	D.
19	57.25	56.62	57.88	57.08	18.9	16.1	17.2	17.40	—	C	S ₁	—	—	—
20	57.76	57.97	59.41	58.38	18.9	15.0	16.1	16.67	SSE ₂	—	—	—	—	—
21	59.40	59.35	56.56	58.44	20.0	17.8	18.3	18.70	C	—	—	—	—	—
22	59.14	57.07	59.35	58.52	21.7	16.2	16.1	18.33	—	S ₁	N ₂	—	G.	Ni.
23	59.54	59.75	58.65	59.31	17.2	14.4	13.9	15.17	N ₂	SO ₁	NO ₂	Ni.	Ni.	—
24	58.59	57.97	58.90	58.49	16.7	15.0	15.5	15.73	SSO ₂	—	O ₁	—	D.	—
25	59.03	59.24	58.48	58.92	16.7	14.4	14.4	15.17	O ₂	SSO ₁	SSO ₁	—	—	—
26	58.27	58.73	56.62	57.87	17.8	15.5	16.1	16.47	SSO ₂	SSE ₁	C	D.	—	D.
27	56.49	59.24	58.40	58.94	18.3	15.5	15.0	16.27	SO ₂	C	NO ₂	—	N.	N.
28	60.17	60.55	60.93	60.55	16.1	15.5	16.7	6.10	—	NO ₁	N ₁	Ni.	—	G.
29	61.80	62.01	61.62	61.81	17.8	16.1	17.2	17.03	SSO ₂	SSO ₁	SSO ₁	D.	D.	D.
30	62.31	62.45	60.85	61.70	18.3	17.2	17.8	17.77	S ₂	C	—	N.	—	—
31	59.14	58.34	57.00	58.16	21.1	17.8	18.9	19.27	—	S ₁	C	—	—	—

FEBRERO DE 1872.

1	56.38	56.68	58.77	57.33	20.0	18.3	16.7	18.33	S ₂	S ₂	C	D.	D.	D.
2	58.89	59.10	59.43	59.16	18.9	17.2	17.8	17.97	S ₃	—	—	—	—	—
3	58.89	57.57	55.47	57.31	20.0	16.7	16.7	17.86	—	CO	SO ₂	—	—	Ni.
4	56.68	56.87	58.77	57.44	17.8	15.5	16.1	16.47	SO ₂	SO ₁	—	—	—	—
5	59.28	59.16	57.89	58.78	17.8	15.5	14.4	15.90	SSO ₂	SSO ₁	NO ₁	Ni.	Ni.	—
6	58.01	57.97	57.38	57.79	17.2	15.0	15.0	15.73	NO ₂	O ₁	N ₁	D.	Ni.	—
7	57.25	57.21	56.11	56.86	17.2	15.5	15.5	16.07	SO ₂	C	C	—	—	—
8	58.46	56.19	57.83	57.49	18.3	15.5	16.7	16.83	N ₂	—	NO ₂	N.	—	—
9	60.23	60.49	60.35	60.87	17.2	15.5	16.7	16.47	NO ₂	—	S ₁	N.	N.	D.
10	60.07	60.11	59.03	59.74	20.0	17.2	18.9	18.70	S ₂	—	—	D.	—	—
11	57.55	56.49	55.16	56.46	22.2	18.3	18.3	19.60	—	SE ₂	—	—	—	—
12	55.01	55.22	57.25	55.83	19.4	15.5	15.0	16.65	S ₂	C	N ₂	—	—	G.
13	57.50	57.89	56.81	57.40	17.2	15.0	16.7	16.36	SO ₂	—	C	—	—	D.
14	57.11	57.32	58.77	57.73	19.4	16.7	17.8	17.97	SO ₂	S ₂	—	—	—	—
15	59.40	60.11	59.67	59.73	19.4	16.7	15.5	17.20	S ₃	—	—	—	—	—
16	58.89	59.10	59.41	59.13	18.3	14.4	15.5	16.07	—	SE ₂	C	—	—	—
17	59.14	59.35	58.77	59.09	18.9	16.7	16.7	17.43	—	C	—	—	—	—
18	58.13	58.08	58.08	58.10	18.9	15.5	16.7	17.03	S ₂	S ₂	—	—	—	—
19	57.80	58.59	58.34	58.24	18.9	15.5	15.5	16.63	—	SSO ₁	—	—	—	—
20	58.13	58.98	58.65	58.59	17.8	15.5	15.0	16.10	S ₃	C	—	—	—	—
21	58.46	58.73	58.63	58.61	18.3	16.1	15.0	16.47	—	—	—	—	N.	N.
22	57.80	57.21	57.77	57.59	18.9	17.8	18.9	18.53	SO ₂	—	N ₂	N.	D.	D.
23	53.01	58.22	58.22	53.15	20.5	17.8	18.3	18.87	N ₂	N ₁	—	N.	N.	—
24	58.52	59.07	58.48	58.69	17.8	18.3	18.3	18.13	N ₁	—	N ₁	—	N.	D.
25	58.52	59.61	60.17	59.43	18.9	16.1	16.7	17.23	—	—	—	—	—	—
26	60.04	59.35	58.08	59.16	19.4	16.1	20.0	18.50	S ₂	—	S ₂	—	N.	D.
27	57.44	57.07	55.94	56.82	20.5	15.5	16.1	17.37	S ₂	—	S ₁	—	N.	N.
28	56.11	56.70	58.48	57.10	18.3	16.1	16.7	17.03	—	—	—	N.	D.	D.
29	57.50	57.37	55.86	56.38	13.4	16.1	20.0	18.50	—	—	S ₂	D.	D.	D.

MARZO DE 1872.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTIGRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	54.21	57.89	59.83	57.33	20.0	15.0	18.9	17.97	S ₁					
2	57.07	57.71	57.27	57.35	19.4	15.0	19.4	17.93	S ₂	C ₂				
3	57.13	58.22	57.27	57.54	20.0	15.0	17.8	17.60	S ₁	S ₁	C ₁			
4	57.13	57.21	57.97	57.44	20.0	15.0	18.9	17.97	S ₁	S ₁	C ₁			
5	58.59	59.75	59.81	59.38	20.0	15.0	18.9	18.13	S ₁	S ₁	C ₁			
6	58.77	58.65	57.71	58.38	20.5	16.7	17.8	18.33	S ₁	S ₁	C ₁			
7	58.59	58.65	58.59	58.61	19.4	15.5	17.8	17.57	N ₀	S ₁	C ₁			
8	57.57	57.52	58.67	57.92	19.4	14.4	16.7	16.83	S ₁	S ₁	C ₁			
9	57.24	60.33	60.31	59.98	18.3	13.9	17.8	16.67	S ₁	S ₁	C ₁			
10	60.49	61.39	60.88	60.92	20.5	14.4	19.4	18.10	S ₁	S ₁	C ₁			
11	57.83	57.21	56.76	57.27	20.0	16.1	20.0	18.70	S ₁	S ₁	C ₁			
12	57.13	57.46	58.10	57.56	19.4	15.0	17.8	17.40	S ₁	S ₁	C ₁			
13	57.83	57.27	57.34	57.48	19.4	15.0	18.9	17.77	S ₁	S ₁	C ₁			
14	57.07	57.77	57.94	57.59	18.9	14.4	18.9	17.40	S ₁	S ₁	C ₁			
15	57.97	58.54	61.64	59.38	18.3	13.9	17.2	16.47	S ₁	S ₁	C ₁			
16	60.42	59.11	57.57	59.03	17.8	13.9	17.2	16.30	S ₁	S ₁	C ₁			
17	56.44	57.08	57.22	56.91	17.2	13.9	16.7	15.93	S ₁	S ₁	C ₁			
18	60.63	61.70	61.65	61.33	15.5	12.2	15.0	14.23	S ₁	S ₁	C ₁			
19	61.70	63.04	63.39	62.83	18.9	12.8	16.1	15.93	S ₁	S ₁	C ₁			
20	62.15	62.47	58.82	61.15	20.0	13.3	17.2	16.33	S ₁	S ₁	C ₁			
21	56.50	55.49	56.32	56.10	21.1	17.8	19.4	19.43	S ₁	S ₁	C ₁			
22	56.11	56.76	56.83	56.57	19.4	15.5	18.3	17.73	S ₁	S ₁	C ₁			
23	56.33	56.33	56.83	56.67	20.0	13.9	17.2	17.03	S ₁	S ₁	C ₁			
24	55.43	55.36	56.95	55.93	16.7	13.9	15.0	15.20	S ₁	S ₁	C ₁			
25	54.87	56.57	55.12	55.52	16.7	13.3	16.1	15.37	N ₀	S ₁	C ₁			
26	58.28	55.87	55.95	56.70	15.0	14.4	12.2	13.87	N ₀	S ₁	C ₁			
27	55.95	55.45	56.08	55.83	15.0	12.2	12.3	13.33	N ₀	S ₁	C ₁			
28	56.46	56.97	56.53	56.65	16.7	13.9	13.9	14.33	N ₀	S ₁	C ₁			
29	56.07	56.13	57.43	56.56	18.3	12.8	17.2	16.10	N ₀	S ₁	C ₁			
30	56.32	56.38	56.21	56.30	17.2	13.3	15.5	15.33	N ₀	S ₁	C ₁			
31	56.50	57.40	56.97	56.96	16.1	15.0	12.3	14.63	N ₀	S ₁	C ₁			

ABRIL DE 1872.

1	56.97	57.48	57.73	57.39	12.8	11.7	16.1	13.53	C ₁	S ₁	C ₁			
2	57.98	53.49	59.83	58.77	15.5	14.4	16.1	15.33	C ₁	S ₁	C ₁			
3	60.02	60.52	58.56	59.70	16.1	13.9	16.1	15.37	C ₁	S ₁	C ₁			
4	58.75	59.25	61.09	59.70	15.0	13.3	16.1	14.80	S ₁	S ₁	C ₁			
5	61.14	61.01	59.38	60.51	17.2	13.3	16.1	15.53	S ₁	S ₁	C ₁			
6	58.09	57.98	58.05	58.04	17.8	13.9	16.1	15.93	S ₁	S ₁	C ₁			
7	57.90	58.75	59.58	58.74	16.7	12.8	16.1	15.20	S ₁	S ₁	C ₁			
8	58.86	59.13	59.13	59.04	16.7	11.7	15.0	14.47	S ₁	S ₁	C ₁			
9	58.75	59.07	59.89	59.24	15.0	12.2	15.5	14.23	S ₁	S ₁	C ₁			
10	60.15	60.15	60.15	60.15	15.0	13.9	15.0	14.63	S ₁	S ₁	C ₁			
11	58.92	59.00	59.13	59.02	16.7	11.7	16.1	14.83	S ₁	S ₁	C ₁			
12	58.41	58.49	59.13	58.63	18.3	13.9	16.1	16.10	S ₁	S ₁	C ₁			
13	59.11	61.52	60.02	60.22	17.2	14.4	16.1	15.90	S ₁	S ₁	C ₁			
14	58.28	58.11	56.34	57.58	17.2	12.2	15.0	14.89	S ₁	S ₁	C ₁			
15	54.87	55.70	60.02	56.86	15.0	12.8	16.1	14.63	S ₁	S ₁	C ₁			
16	65.95	59.51	53.62	61.36	17.2	13.3	16.1	15.53	S ₁	S ₁	C ₁			
17	58.41	58.56	58.62	58.53	17.2	12.8	15.5	15.17	S ₁	S ₁	C ₁			
18	58.67	58.92	59.25	58.95	17.2	15.0	16.7	16.30	S ₁	S ₁	C ₁			
19	59.51	59.99	61.45	60.30	15.5	15.0	16.7	15.73	S ₁	S ₁	C ₁			
20	61.82	62.03	60.84	61.56	17.8	13.3	16.1	15.73	S ₁	S ₁	C ₁			
21	59.83	62.03	62.68	61.53	16.7	12.8	16.1	15.20	S ₁	S ₁	C ₁			
22	61.95	61.15	59.70	60.93	15.0	12.2	15.0	14.07	S ₁	S ₁	C ₁			
23	59.25	61.43	62.55	61.09	17.2	10.5	14.4	14.03	S ₁	S ₁	C ₁			
24	62.36	62.53	60.27	61.73	16.7	10.5	15.9	13.73	S ₁	S ₁	C ₁			
25	58.22	57.10	56.08	57.13	17.8	11.7	15.0	14.83	S ₁	S ₁	C ₁			
26	56.28	56.34	57.61	56.74	14.4	12.8	15.0	14.07	S ₁	S ₁	C ₁			
27	58.88	59.13	59.13	59.05	15.0	11.7	15.0	13.90	S ₁	S ₁	C ₁			
28	57.98	58.05	58.62	58.22	16.1	14.4	15.5	15.33	S ₁	S ₁	C ₁			
29	58.69	58.62	59.64	58.93	14.4	12.2	15.0	13.87	S ₁	S ₁	C ₁			
30	59.00	59.13	59.26	59.13	16.7	11.7	15.0	14.47	S ₁	S ₁	C ₁			

MAYO DE 1872.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°						
1	700+	700+	700+	700+										
2	58.82	58.88	58.48	58.73	15.3	12.2	12.8	13.50	S ₁	C	C	D.	D.	D.
3	59.58	59.64	58.96	59.39	15.0	8.9	10.5	11.47	S ₁	C	C	D.	D.	D.
4	58.87	58.38	59.40	58.72	14.4	8.9	12.8	12.03	S ₁	C	C	D.	D.	D.
5	59.15	59.38	60.36	59.62	16.1	10.5	12.2	12.93	S ₁	C	C	D.	D.	D.
6	60.15	59.64	59.09	59.63	15.0	10.0	12.8	12.40	S ₁	C	C	D.	D.	D.
7	59.52	59.59	59.26	59.39	16.1	10.0	12.8	12.97	S ₁	C	C	D.	D.	D.
8	58.62	58.62	58.88	58.71	15.0	12.8	13.9	13.90	S ₁	C	C	D.	D.	D.
9	60.15	58.11	59.01	58.75	13.3	12.2	12.8	12.77	N ₂	C	C	D.	D.	D.
10	63.72	62.95	64.22	62.44	15.0	9.4	10.5	11.63	S ₁	C	C	D.	D.	D.
11	57.48	57.24	55.38	56.77	13.3	11.7	12.2	12.40	S ₁	C	C	D.	D.	D.
12	55.83	57.68	59.89	57.63	16.1	12.8	12.8	13.17	S ₁	C	C	D.	D.	D.
13	59.76	59.89	56.97	58.87	16.1	11.7	11.7	13.17	S ₁	C	C	D.	D.	D.
14	55.83	55.72	61.17	57.57	14.4	10.5	11.7	12.20	S ₁	C	C	D.	D.	D.
15	59.96	61.28	57.05	59.48	13.9	10.5	11.1	11.83	S ₁	C	C	D.	D.	D.
16	56.84	61.22	61.68	59.73	13.3	11.7	10.5	11.83	S ₁	C	C	D.	D.	D.
17	61.48	61.54	61.93	61.65	12.8	10.5	12.2	11.83	S ₁	C	C	D.	D.	D.
18	52.37	58.50	57.88	58.25	15.0	8.3	10.0	11.10	S ₁	C	C	D.	D.	D.
19	57.99	58.75	60.16	58.97	15.0	11.7	11.7	12.80	N ₂	C	C	D.	D.	D.
20	61.22	62.81	64.45	62.83	14.4	9.4	11.1	11.63	N ₂	C	C	D.	D.	D.
21	61.22	61.36	56.68	59.75	16.1	10.5	11.1	12.57	S ₂	C	C	D.	D.	D.
22	55.72	59.90	62.69	59.44	13.9	8.9	8.3	10.37	S ₁	C	C	D.	D.	D.
23	62.68	64.20	64.27	63.72	15.5	11.1	11.1	10.57	S ₂	C	C	D.	D.	D.
24	62.38	62.87	61.85	62.37	14.4	12.2	15.5	14.03	S ₁	C	C	D.	D.	D.
25	60.73	60.69	59.00	60.14	16.7	15.0	12.8	14.83	N ₂	C	C	D.	D.	D.
26	58.38	59.00	59.00	58.79	16.1	12.8	12.2	13.70	N ₂	C	C	D.	D.	D.
27	59.32	61.09	13.3	12.2	12.2	12.57	SO ₁	C	C	D.	D.	D.
28	61.01	61.09	59.32	60.47	14.4	12.8	12.2	13.13	SO ₁	C	C	D.	D.	D.
29	59.06	59.07	59.32	59.15	14.4	11.7	12.2	12.77	E ₁	C	C	D.	D.	D.
30	59.74	59.83	59.89	59.82	13.3	12.2	11.7	12.40	NO ₂	C	C	D.	D.	D.
31	59.89	59.83	64.45	61.38	12.2	12.2	12.2	12.20	N ₂	C	C	D.	D.	D.

JUNIO DE 1872.

1	64.74	65.16	62.42	64.11	13.3	11.1	13.9	12.77	S ₂	E ₁	SE ₁	N.	D.	D.
2	61.80	62.42	61.98	62.07	14.4	10.0	8.9	11.10	SE ₁	SE ₁	C	N.	D.	D.
3	61.31	61.66	61.73	61.57	14.4	11.1	8.9	11.47	SSO ₂	S ₁	C	N.	D.	D.
4	60.67	60.90	60.53	60.70	12.8	7.8	7.2	9.27	SSO ₂	C	C	N.	D.	D.
5	60.23	61.62	62.81	61.53	11.7	7.2	8.9	9.27	S ₂	C	C	D.	D.	D.
6	62.58	63.00	61.53	62.37	13.3	10.0	10.0	11.10	S ₁	S ₁	C	D.	D.	D.
7	60.25	60.15	59.26	59.89	14.4	11.7	9.4	11.83	SSO ₂	C	C	D.	D.	D.
8	58.73	66.15	61.73	60.20	12.8	11.7	11.7	12.07	SO ₁	C	C	D.	D.	D.
9	61.98	61.91	63.00	62.30	12.2	11.1	11.1	11.47	SO ₁	C	C	D.	D.	D.
10	65.04	64.52	64.27	64.61	13.3	10.0	10.0	11.10	SSO ₂	C	C	D.	D.	D.
11	62.38	62.68	62.75	62.60	13.3	11.1	11.1	11.83	S ₂	C	C	D.	D.	D.
12	62.75	62.75	62.42	62.64	11.7	11.7	12.2	11.87	N ₂	C	C	D.	D.	D.
13	60.86	58.69	57.61	59.05	13.9	11.1	11.7	12.23	SO ₂	S ₁	C	D.	D.	D.
14	57.10	56.91	56.91	56.97	12.8	12.2	12.2	12.20	N ₂	C	C	D.	D.	D.
15	57.68	58.18	58.62	58.16	12.2	12.2	12.8	12.97	NO ₂	C	C	D.	D.	D.
16	58.56	59.38	60.65	59.53	13.3	12.8	12.8	12.97	NO ₂	C	C	D.	D.	D.
17	61.09	61.22	61.22	61.18	12.8	12.2	11.1	12.03	S ₁	C	C	D.	D.	D.
18	61.31	62.24	61.28	61.94	12.8	10.0	9.4	10.73	S ₁	C	C	D.	D.	D.
19	58.35	58.50	57.43	58.11	12.8	8.9	7.8	9.23	N ₂	C	C	D.	D.	D.
20	57.29	59.34	60.53	59.05	12.8	10.5	12.2	11.83	N ₂	C	C	D.	D.	D.
21	59.67	60.67	60.10	60.15	12.2	8.3	6.7	9.07	NO ₂	C	C	D.	D.	D.
22	59.68	60.16	59.85	59.90	12.2	8.9	8.9	10.00	N ₂	C	C	D.	D.	D.
23	59.85	60.42	62.41	60.89	11.1	10.0	11.7	10.93	N ₂	C	C	D.	D.	D.
24	64.75	65.44	63.31	64.50	12.8	10.0	10.0	10.93	C	C	C	D.	D.	D.
25	61.06	60.28	58.32	59.89	13.3	7.8	8.9	10.00	N ₂	C	C	D.	D.	D.
26	58.50	59.58	60.92	59.67	11.1	10.0	8.9	10.00	N ₂	C	C	D.	D.	D.
27	61.09	62.89	64.72	62.90	12.2	8.9	10.0	10.37	SO ₁	C	C	D.	D.	D.
28	65.41	65.98	64.47	65.27	12.8	8.9	9.4	10.33	NO ₂	C	C	D.	D.	D.
29	62.21	61.17	61.12	61.51	11.7	10.0	10.5	10.73	SO ₁	C	C	D.	D.	D.
30	61.06	62.69	62.12	61.95	11.7	10.5	10.5	10.90	NO ₂	C	C	D.	D.	D.

JULIO DE 1872.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	63.55	61.11	60.92	61.86	12.2	10.0	9.4	10.53	N ₂	C	N ₁	N.	Ll.	N. D.
2	60.86	62.18	63.20	62.08	10.5	9.4	9.4	9.77	NN ₂	NE ₁	E ₂	N.	N. D.	N. D.
3	63.52	64.79	65.23	64.51	11.1	7.8	8.9	9.27	S ₁	—	—	—	D.	—
4	64.87	65.49	64.72	65.03	11.1	7.8	10.0	9.63	—	E ₁	—	D.	—	Np.
5	63.85	62.76	61.31	62.24	15.5	6.7	6.1	7.77	SSO ₂	—	—	—	—	Np.
6	60.36	60.04	59.28	59.89	10.0	7.8	8.9	8.90	N ₁	C	N ₂	Np.	Ll.	Ll.
7	59.22	59.65	59.65	59.51	11.1	10.5	10.5	10.70	N ₂	NO ₂	—	Ll.	Ll.	N.
8	59.59	59.59	59.91	59.70	12.2	11.7	10.5	11.47	—	N ₂	—	Ll.	Ll.	N.
9	59.54	59.71	62.81	60.74	12.2	10.5	11.1	11.27	C	C	—	—	—	—
10	62.04	63.96	64.16	63.72	12.8	10.0	11.1	11.30	S ₁	N ₁	Np.	Np.	D.	D.
11	61.31	60.86	59.91	60.69	12.2	9.4	7.2	9.60	NE ₂	—	E ₂	—	Np.	N.
12	59.04	59.77	59.93	59.60	11.1	7.8	5.5	8.13	SO ₁	—	—	—	D.	N.
13	60.19	61.74	61.68	61.19	10.0	9.4	8.9	9.43	NO ₂	NE ₁	E ₁	N.	D.	N.
14	62.13	63.20	62.95	62.78	10.5	9.4	9.4	9.77	N ₁	E ₁	—	—	N.	N.
15	61.50	61.98	62.38	61.95	13.3	8.9	8.9	10.37	S ₂	—	NE ₂	D.	D.	N.
16	62.79	63.45	63.39	63.21	11.7	9.4	8.9	10.00	OSO ₂	SO ₁	E ₁	Np.	N.	Np.
17	61.31	60.86	59.96	60.71	15.0	11.1	11.7	12.60	SO ₂	C	O ₂	—	D.	N.
18	58.34	57.93	59.51	58.59	16.1	11.7	11.1	12.97	E ₁	—	NE ₂	—	N.	N.
19	59.64	59.64	59.71	59.66	12.8	12.2	11.1	12.03	NNO ₂	N ₂	NE ₁	N.	G.	N.
20	59.58	59.77	60.97	60.11	13.3	11.1	10.5	11.63	O ₂	C	S ₁	N.	N.	—
21	60.98	62.89	62.75	62.21	11.7	10.5	11.1	11.10	SO ₂	—	E ₁	—	D.	N.
22	61.18	61.54	61.28	61.33	14.4	9.4	8.9	10.94	SSO ₂	—	C	D.	D.	Np.
23	60.67	61.54	62.63	61.61	13.9	9.4	7.8	10.37	SO ₂	—	E ₂	Np.	D.	D.
24	62.01	62.81	63.90	62.91	11.7	8.9	7.8	9.47	SSO ₂	SO ₁	—	—	—	—
25	63.54	64.66	63.90	64.03	12.2	7.8	6.7	8.90	S ₂	SE ₁	ENE ₂	Ll.	D.	N.
26	62.12	63.65	67.51	64.43	10.0	8.3	7.8	8.70	NO ₂	C	—	Ll.	D.	N.
27	67.02	67.33	64.47	66.44	11.1	7.8	10.5	9.30	ESE ₂	SE ₂	E ₂	Ll.	D.	D.
28	61.14	60.10	56.73	59.32	16.7	11.7	15.5	14.63	V	—	ESO ₁	—	—	—
29	56.36	58.44	59.45	58.08	17.2	12.2	11.1	13.50	N ₂	N ₁	ENE ₁	Np.	N.	N.
30	59.38	60.02	59.51	59.64	13.3	9.4	8.9	10.53	O ₂	—	C	—	D.	G.
31	59.71	60.36	60.28	60.12	13.3	11.1	11.1	11.83	NO ₂	—	NE ₁	—	—	—

AGOSTO DE 1872.

1	59.75	65.29	65.22	63.42	15.0	11.7	12.2	13.30	O ₂	NNE ₁	E ₁	Np.	N.	D.
2	60.31	61.48	63.00	61.60	14.4	10.5	10.0	11.63	S ₂	NE ₂	E ₂	Np.	D.	—
3	63.21	64.90	64.33	64.15	13.3	8.9	8.3	10.17	SO ₂	NE ₁	C	Np.	D.	—
4	61.50	61.73	60.36	61.20	13.3	8.9	7.8	10.00	S ₁	E ₁	E ₁	—	—	Np.
5	59.61	61.79	63.31	61.57	14.4	6.7	9.4	10.17	—	—	—	—	—	Np.
6	64.10	64.74	62.55	63.80	13.3	9.4	8.9	10.53	S ₁	C	—	Np.	—	D.
7	62.30	62.18	62.12	62.20	10.5	8.6	10.0	9.30	S ₂	C	—	—	—	N.
8	61.02	60.73	60.02	60.61	11.7	10.0	11.7	11.13	N ₂	N ₂	NO ₂	N.	Ll.	N.
9	59.71	59.85	54.52	58.03	12.2	11.1	11.1	11.47	NO ₂	NO ₂	NNO ₂	Np.	Ll.	Ll.
10	53.63	59.15	63.33	58.72	11.1	9.4	8.9	9.80	SO ₄	SO ₂	ESE ₁	Np.	Ll.	Ll.
11	63.18	62.55	60.61	62.11	11.1	9.4	9.4	9.97	N ₂	N ₁	N ₄	—	Ll.	Ll.
12	60.61	60.78	60.78	60.72	11.7	11.7	11.7	11.70	N ₂	N ₂	N ₂	Ll.	Ll.	Ll.
13	60.59	60.68	59.45	60.27	12.2	12.2	12.2	12.20	N ₂	C	NO ₂	Ni ni.	Ll.	Ll.
14	59.38	59.71	59.45	59.51	13.3	12.2	12.2	12.57	NO ₂	NO ₂	N ₂	N.	—	—
15	59.38	62.50	62.24	61.31	13.3	10.0	10.0	11.10	OSO ₂	C	SSE ₂	—	D.	D.
16	61.66	60.72	58.75	60.38	14.4	11.1	10.0	11.83	SO ₁	N ₁	N ₂	Np.	—	—
17	58.44	58.95	58.77	58.72	12.2	11.1	11.1	11.47	NO ₂	C	—	—	Np.	N.
18	60.53	60.53	60.72	60.59	12.8	11.7	11.1	11.87	N ₂	S ₁	NO ₂	Np.	N.	N.
19	62.07	65.03	64.08	63.73	14.4	11.1	11.1	12.20	SO ₂	N ₂	SE ₂	Np.	D.	N.
20	61.25	60.65	53.44	60.11	15.5	11.7	10.0	12.40	S ₃	—	NE ₂	—	—	—
21	57.84	58.50	60.97	59.10	13.9	12.2	12.2	12.77	SO ₂	N ₂	OSO ₃	—	—	—
22	61.84	61.91	58.18	60.58	13.9	12.2	11.7	12.60	NO ₂	N ₂	SO ₂	Ll.	Ll.	N.
23	57.32	57.74	57.42	57.67	12.8	12.2	11.1	12.03	O ₂	N ₂	C	—	—	—
24	57.32	58.18	57.18	57.90	15.0	11.7	11.7	12.80	O ₂	N ₂	O ₂	—	—	—
25	56.78	55.90	58.18	56.95	14.4	12.4	11.7	12.83	N ₂	C	E ₂	—	—	Ll.
26	58.61	60.53	63.27	60.80	13.3	10.0	9.4	10.90	SSO ₂	N ₁	—	—	—	—
27	63.6	63.76	62.11	63.17	12.8	9.4	9.4	10.53	OSO ₂	S ₁	—	—	D.	—
28	61.06	61.36	61.31	61.24	12.2	8.3	8.9	9.83	SSO ₂	SE ₁	E ₁	—	—	—
29	61.22	62.38	62.04	61.88	11.7	10.5	10.5	10.90	C	—	—	—	—	—
30	61.64	63.57	62.31	62.67	13.5	10.0	10.5	11.27	S ₁	SSE ₁	—	—	—	—
31	63.12	63.30	63.44	63.30	12.8	8.9	8.3	10.00	—	S ₂	E ₂	—	—	—

SETIEMBRE DE 1872.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	61.52	60.78	59.40	60.57	12.2	8.3	9.4	9.97	SO ₂	C	NO ₂	D.	D.	LI.
2	59.38	62.81	66.49	62.89	12.2	10.0	8.9	10.37	O ₂		E ₁	D.	D.	D.
3	66.00	66.19	65.23	65.81	12.8	9.4	8.9	10.23	S ₂		E ₁	D.	D.	D.
4	63.74	63.31	61.87	62.97	12.8	8.9	8.9	10.20			O ₁			
5	61.85	62.12	62.12	62.03	12.8	9.4	10.0	10.73	S ₂	C	E ₁			
6	61.20	61.48	62.04	61.57	14.4	11.7	11.1	12.40	SO ₂	C	E ₁			
7	62.72	61.78	63.76	63.75	14.4	10.5	11.1	12.00	SO ₂	C	E ₁			
8	63.38	63.82	63.76	63.65	13.9	10.0	11.7	11.87	S ₂	E ₁				
9	62.83	63.12	62.87	62.94	15.5	11.7	12.2	13.13	S ₂	C	SO ₂			
10	59.30	60.40	62.30	60.67	15.0	10.5	15.5	13.67	SSO ₂	C	S ₂	Np.	D.	D.
11	62.68	63.82	64.16	63.55	14.4	10.5	12.9	12.60	S ₂	C	S ₂	D.	D.	D.
12	63.82	66.18	64.22	64.74	12.2	9.4	13.3	11.63	S ₂	C	E ₁			
13	62.04	61.17	61.49	61.57	16.7	8.9	13.3	12.97	S ₂	C	E ₁			
14	61.03	62.30	62.18	61.84	15.5	10.0	13.9	13.13	S ₂	C	E ₁			
15	61.66	61.79	61.87	61.77	17.2	11.1	15.0	14.43	S ₂	C	E ₁			
16	59.89	60.02	60.28	60.06	16.7	12.8	13.9	14.47	S ₂	C	E ₁			
17	60.86	62.69	61.68	61.74	12.8	10.0	13.3	12.05	S ₂	C	E ₁			
18	63.25	62.30	61.42	62.32	15.0	9.4	15.0	13.13	S ₂	C	E ₁			
19	60.28	62.49	60.28	61.02	13.9	9.4	15.0	12.77	S ₂	C	E ₁			
20	60.72	60.78	59.09	60.20	16.1	11.1	15.0	14.07	S ₂	C	E ₁			
21	59.64	59.51	59.01	59.39	17.2	10.5	15.5	14.40	S ₂	C	SO ₂			
22	57.77	58.82	58.82	58.47	15.0	11.1	11.1	12.40	O ₂		C			
23	59.37	59.58	58.05	59.00	14.4	11.1	11.1	12.20	SO ₂		C			
24	58.05	58.62	59.64	58.77	11.7	11.1	12.2	11.67		N ₂	N ₂	D.	LI.	D.
25	59.76	60.65	61.35	60.59	13.3	12.2	13.9	13.13	O ₂	C	N ₂	D.	D.	D.
26	61.90	63.38	62.79	63.69	15.5	11.7	13.3	13.50	SO ₂	C	SO ₂	D.	D.	D.
27	61.56	61.85	63.04	62.15	16.1	11.1	13.3	13.50	S ₂	C	E ₁			
28	60.80	64.14	63.74	62.89	14.4	11.7	13.3	13.13	S ₂	C	E ₁			
29	61.25	60.94	60.19	60.79	16.1	11.7	13.3	13.70	S ₂	C	E ₁			
30	59.67	60.69	60.69	60.35	16.7	12.2	14.4	14.43		S ₂	O ₂			

OCTUBRE DE 1872.

1	60.17	60.27	60.25	60.23	16.7	11.1	13.9	13.90	S ₂	C	S ₂	D.	D.	D.
2	61.25	62.42	61.70	61.79	15.5	10.5	13.9	13.30	S ₂	C	N ₂			
3	61.11	61.20	59.37	60.56	17.8	12.8	15.0	15.20	S ₂	C	N ₂			
4	57.89	57.90	58.41	58.07	17.8	12.8	12.2	14.27	S ₂	C	N ₂			
5	59.55	60.52	58.92	59.66	14.4	13.3	15.0	14.23	N ₂	N ₂	N ₂			
6	57.77	57.90	58.56	58.03	15.5	12.8	11.1	13.13	N ₂	N ₂	N ₂			
7	60.38	61.77	62.91	61.69	14.4	12.8	15.5	14.23	N ₂	N ₂	N ₂			
8	62.52	62.33	59.11	61.32	16.7	12.2	15.0	14.63	S ₂	N ₂	N ₂			
9	59.68	62.21	62.91	61.60	16.7	12.8	15.5	15.00	S ₂	C	N ₂			
10	62.70	61.70	59.88	61.43	18.3	13.9	16.1	16.10	S ₂	C	N ₂			
11	59.10	58.86	58.86	58.94	18.3	13.9	13.3	15.17	S ₂	C	N ₂			
12	58.59	58.61	58.28	58.49	17.8	13.3	15.5	15.53	SO ₂	C	N ₂			
13	59.03	60.13	60.55	59.90	18.3	14.4	16.1	16.27	S ₂	C	N ₂			
14	60.79	61.14	61.25	61.06	18.3	12.8	16.1	15.73	S ₂	C	N ₂			
15	61.04	61.39	59.37	60.57	17.8	13.9	13.3	15.60	S ₂	C	N ₂			
16	59.35	59.11	59.83	59.43	17.2	13.3	15.0	15.17	S ₂	C	N ₂			
17	60.23	60.44	60.34	60.34	15.5	13.3	16.7	15.17	SO ₂	C	N ₂			
18	60.23	60.30	60.49	60.52	20.0	15.5	18.3	17.93	S ₂	C	N ₂			
19	60.14	60.42	59.28	59.95	21.7	16.1	17.8	18.53	S ₂	C	N ₂			
20	59.03	58.98	58.48	58.33	18.3	15.0	17.2	16.83	S ₂	C	N ₂			
21	58.21	58.54	58.40	58.38	18.3	13.3	16.7	16.10	S ₂	C	N ₂			
22	59.03	61.56	61.94	60.84	18.3	13.9	17.2	16.47	S ₂	C	SO ₂			
23	59.22	61.32	59.75	60.26	20.5	15.0	18.3	17.93	SSO ₂	C	SO ₂			
24	57.76	58.28	59.41	58.43	21.7	13.9	17.2	17.60	SO ₂	C	SO ₂			
25	59.43	60.00	60.04	59.84	20.0	15.5	18.9	18.13	S ₂	C	N ₂			
26	59.65	61.76	60.00	60.47	20.0	19.4	16.1	18.50	S ₂	C	N ₂			
27	59.01	59.16	58.16	58.78	20.5	15.0	17.2	17.57	S ₂	C	N ₂			
28	56.09	59.86	56.62	56.36	22.2	15.5	17.8	18.50	S ₂	C	N ₂			
29	57.04	57.71	58.84	57.86	20.0	13.9	16.7	16.87	SO ₂	C	N ₂			
30	59.23	61.81	62.20	60.93	16.7	14.4	15.5	15.53	SO ₂	C	N ₂			
31	62.13	63.17	63.03	62.73	16.8	12.7	15.5	15.00	SO ₂	C	N ₂			

NOVIEMBRE DE 1872.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	60.53	60.29	59.41	60.08	17.8	14.4	16.1	16.10	S ₂	C	S ₁	D.	D.	D.
2	59.35	59.62	60.49	59.82	17.8	13.3	13.9	15.00	—	S ₂	SO ₂	—	N.	N.
3	60.86	61.45	61.31	61.21	16.7	12.8	15.0	14.83	—	C	NO	N.	D.	D.
4	61.62	61.64	61.50	61.59	16.1	12.8	16.7	15.20	SO ₂	—	—	D.	N.	Np.
5	61.35	61.56	60.49	61.14	17.8	14.4	16.7	16.30	—	—	SO ₁	—	D.	D.
6	59.61	59.55	58.98	59.88	18.9	14.4	16.1	16.47	S ₂	SSO ₂	SO ₂	—	N.	Ni.
7	59.41	61.64	61.25	60.77	18.3	13.3	16.7	16.10	SO ₂	S ₁	SO ₁	N.	D.	—
8	59.79	59.81	59.49	59.70	18.3	12.8	16.1	15.73	SSE ₂	S ₂	SO ₂	D.	—	D.
9	60.17	60.55	60.74	60.48	18.3	14.4	16.7	16.47	S ₂	C	S ₂	—	—	Np.
10	60.09	60.31	61.06	60.48	17.8	13.9	14.4	15.37	SSO ₂	SE ₁	SSO ₂	Np.	—	—
11	60.95	61.31	60.69	60.98	16.7	11.7	12.8	13.73	S ₂	C	C	N.	—	N.
12	60.69	60.02	58.92	59.83	13.3	12.2	11.7	12.40	N ₂	N ₂	N ₂	—	LL.	LL.
13	58.65	58.41	55.62	57.56	15.5	14.4	13.3	14.40	NO	N ₁	N ₁	—	N.	N.
14	55.44	58.24	59.87	57.68	13.3	12.2	15.0	13.50	N ₁	C	OSC	LL.	N.	Ni.
15	59.55	60.02	59.68	59.75	15.0	12.8	13.3	13.70	SO ₁	—	—	LL.	N.	N.
16	60.13	61.01	61.52	60.83	15.5	13.3	12.2	13.67	SO ₂	—	ENE ₁	—	—	LL.
17	61.76	62.05	62.21	62.00	16.1	12.8	13.3	14.07	SSO ₂	—	S ₁	D.	D.	N.
18	62.58	61.96	60.63	61.72	16.1	13.3	14.4	14.60	—	—	S ₂	Np.	D.	D.
19	60.49	60.44	59.81	60.25	16.7	13.3	15.5	15.17	S ₂	—	—	D.	Np.	—
20	59.87	59.24	60.02	59.88	17.2	13.3	15.5	15.33	—	—	S ₁	—	—	—
21	61.18	60.97	60.74	60.78	17.8	13.3	17.8	16.30	SO ₁	C	O ₂	—	—	—
22	59.61	59.55	58.22	59.13	18.9	13.0	16.1	16.67	SSO ₂	S ₁	S ₂	—	—	—
23	57.83	59.55	59.92	59.10	20.0	13.9	16.1	16.67	SO ₂	SO ₁	SSO ₂	N.	N.	—
24	59.86	60.13	57.67	59.83	18.3	14.4	17.2	16.63	SO ₂	SSO ₂	S ₂	D.	D.	—
25	58.89	58.61	59.89	58.46	20.0	14.4	16.7	17.03	S ₂	SE ₂	SO ₂	D.	—	—
26	57.50	57.34	57.79	57.54	19.4	16.1	17.2	17.57	SO ₂	S ₁	—	—	—	—
27	57.76	59.71	60.57	59.85	20.0	15.5	17.2	17.57	SO ₂	—	—	—	—	—
28	61.23	61.94	60.93	61.87	19.4	15.0	16.7	17.03	SO ₂	SE ₂	—	—	—	—
29	63.07	63.09	59.67	61.94	17.8	13.3	16.7	15.93	S ₂	S ₁	SE ₂	—	—	—
30	61.55	61.56	60.42	61.18	17.8	14.4	17.2	16.47	S ₂	—	S ₂	—	—	—

DICEMBRE DE 1872.

1	59.98	59.67	59.61	59.75	18.9	16.7	17.8	17.80	S ₂	S ₂	S ₂	D.	D.	D.
2	59.28	59.75	59.16	59.40	18.9	15.5	16.7	17.03	S ₂	S ₂	S ₂	—	—	—
3	58.27	57.97	58.14	58.13	20.0	15.5	15.0	16.83	SO ₁	S ₂	NO	Ni.	—	N.
4	58.01	57.01	56.86	57.13	18.9	13.3	16.1	16.10	SO ₂	C	SO ₂	Np.	—	Ni.
5	57.50	57.97	57.63	57.70	18.3	14.4	16.7	16.47	SSO ₂	SO ₁	SO ₂	Np.	—	—
6	57.70	57.97	58.14	57.94	17.8	14.4	16.7	16.30	SO ₂	—	—	—	D.	D.
7	57.95	58.25	59.67	58.63	18.3	13.9	16.1	16.10	SSO ₂	SSE ₂	S ₂	Ni.	—	—
8	59.61	59.81	58.14	59.19	18.9	15.0	16.7	16.87	S ₂	SE ₁	—	—	—	—
9	57.50	57.77	58.27	57.85	18.9	15.5	20.0	18.13	SSO ₂	C	SSO ₂	—	—	—
10	58.31	58.65	56.05	57.67	22.2	16.7	19.4	19.43	S ₂	—	S ₂	—	—	—
11	54.27	54.13	54.62	54.86	21.7	20.5	18.9	20.03	S ₂	—	C	—	—	—
12	54.70	54.49	55.47	54.89	21.1	21.1	22.2	21.47	—	—	S ₂	—	—	—
13	55.86	55.74	55.86	55.82	21.1	20.5	21.1	20.90	—	S ₂	—	—	—	—
14	55.94	55.49	55.35	55.59	22.2	19.4	21.1	20.90	S ₁	—	—	—	—	—
15	55.70	55.49	54.93	55.37	18.3	20.0	20.5	19.60	S ₂	S ₂	—	—	—	—
16	54.55	54.81	54.99	54.78	17.8	19.4	20.5	19.23	S ₂	S ₁	S ₁	—	—	—
17	55.68	55.49	55.49	55.53	17.8	20.0	21.1	16.63	S ₂	S ₂	—	—	—	—
18	55.35	56.00	56.57	55.97	21.1	20.5	18.9	20.23	—	—	S ₂	—	—	—
19	56.74	59.88	60.55	59.06	20.0	18.9	20.0	19.65	S ₂	C	—	—	—	—
20	60.42	56.76	56.30	58.83	20.5	19.4	21.7	20.53	—	—	—	—	—	—
21	56.30	56.95	61.14	58.13	19.4	20.5	19.4	19.77	S ₁	SO ₁	N ₁	—	—	N.
22	61.27	61.14	51.06	61.16	17.8	19.4	20.5	19.23	N ₁	—	S ₁	—	—	D.
23	60.93	61.06	60.09	60.09	21.1	20.5	21.1	20.90	S ₂	S ₁	E ₂	—	—	—
24	55.92	55.35	55.60	55.62	22.2	21.1	20.5	21.27	S ₂	—	S ₁	—	—	—
25	55.47	55.13	55.94	55.53	21.1	20.5	20.0	20.53	—	—	—	—	—	—
26	56.62	56.83	56.76	56.74	21.1	18.9	19.4	19.80	O ₁	C	—	N.	N.	—
27	56.11	55.56	65.24	55.64	21.1	18.3	20.0	19.80	N ₂	—	N ₂	D.	D.	—
28	55.63	58.22	58.40	53.43	20.0	15.0	16.7	17.23	S ₁	NO	—	LL.	LL.	N.
29	59.10	58.14	56.11	57.73	17.2	15.5	15.5	16.07	O ₂	—	SSO ₂	N.	N.	N.
30	56.30	57.46	57.46	57.07	17.2	14.5	15.5	15.73	SSO ₂	C	N ₂	—	—	D.
31	58.73	59.49	58.40	58.37	16.1	15.5	16.7	16.10	N ₂	—	S ₂	Np.	—	N.

ENERO DE 1871.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO. CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	°	°	°	°						
1	58.84	58.32	56.43	57.86	17.78	14.58	17.18	16.51	O ₁	O ₁	S ₁	Np.	G.	N.
2	56.35	58.56	59.03	57.98	18.98	15.78	16.98	17.21	S ₁	S ₁	O ₁	D.	D.	Np.
3	59.16	60.13	59.87	59.72	17.58	13.78	18.13	16.51	S ₂	S ₂	O ₁	—	G.	Np.
4	59.16	58.89	57.84	57.62	18.58	14.58	18.53	17.18	O ₁	—	O ₁	—	G.	D.
5	57.81	57.52	55.94	57.08	19.78	15.58	14.98	16.79	O ₁	—	O ₁	—	D.	D.
6	57.43	55.46	53.53	55.47	16.58	15.18	13.78	15.13	O ₂	NO ₂	N ₃	N.	G.	Ll.
7	53.94	53.75	54.06	53.72	15.58	13.98	15.78	15.11	N ₂	O ₂	O ₁	—	Ll.	Np.
8	55.40	55.98	56.18	55.82	18.38	16.18	17.58	17.38	O ₁	O ₁	—	D.	Ll.	Np.
9	56.01	56.66	56.90	56.52	18.53	14.78	15.98	16.45	O ₁	O ₁	—	N.	D.	D.
10	55.86	54.96	53.74	54.83	16.58	14.38	15.78	15.58	O ₁	C	—	N.	D.	D.
11	52.21	52.61	55.58	53.47	19.78	13.18	11.58	13.85	O ₁	O ₂	—	N.	Ll.	N.
12	57.34	58.46	59.59	58.46	15.58	11.98	11.18	12.91	—	O ₂	—	—	Ll.	N.
13	58.95	59.12	58.36	58.81	14.58	12.98	13.78	13.78	S ₂	S ₂	S ₁	Ll.	D.	D.
14	57.12	59.59	60.72	59.14	16.18	11.98	15.38	14.51	S ₁	—	S ₂	D.	D.	—
15	61.46	61.91	51.41	58.26	16.58	14.78	16.18	15.85	S ₂	—	—	—	—	—
16	59.97	60.07	58.84	59.63	24.73	15.98	18.58	19.78	C	C	C	—	—	—
17	58.74	58.90	58.88	58.84	19.18	16.38	14.58	16.71	E ₁	E ₁	E ₂	—	—	—
18	57.87	57.39	55.29	56.83	20.33	17.78	22.38	20.13	E ₂	E ₂	E ₁	—	—	—
19	55.23	54.99	54.94	55.05	20.18	16.58	15.78	17.51	E ₁	E ₁	N ₂	—	—	—
20	54.74	54.66	54.54	54.63	14.98	16.18	13.78	14.98	N ₂	N ₁	O ₁	Ll.	Ll.	Ll.
21	55.26	57.20	57.94	56.73	14.18	12.58	14.98	13.91	O ₁	O ₁	O ₂	Ll.	N.	D.
22	58.12	58.52	57.18	58.94	16.58	11.18	14.58	14.11	C	C	O ₁	D.	Np.	Np.
23	56.26	54.94	55.31	55.50	15.78	10.18	10.58	12.13	N ₁	N ₁	N ₂	—	Ll.	N.
24	52.51	51.39	52.72	52.21	13.18	11.38	12.58	12.38	C	N ₃	N ₂	Ll.	Ll.	G.
25	49.32	49.03	56.67	51.84	13.33	14.38	13.78	13.91	N ₁	O ₁	E ₁	Ll.	D.	D.
26	60.76	61.83	62.01	61.53	16.58	10.18	13.98	13.58	E ₁	E ₁	S ₂	D.	N.	D.
27	60.65	60.71	60.33	60.56	19.38	11.38	14.18	14.93	S ₁	S ₁	S ₁	—	—	—
28	58.68	59.48	58.22	58.79	20.98	9.58	13.78	14.45	S ₂	S ₂	E ₂	—	—	—
29	57.17	58.32	56.72	57.41	24.98	11.18	10.58	13.58	E ₁	E ₁	S ₁	Np.	Np.	Np.
30	54.55	56.42	57.06	56.01	21.78	11.98	14.58	16.11	S ₁	S ₁	—	Np.	Ll.	—
31	55.75	58.84	59.94	58.13	14.58	10.78	15.53	13.65	O ₁	O ₂	SO ₂	—	—	—

FEBRERO DE 1871.

1	61.54	62.29	61.37	61.73	19.58	11.18	13.98	14.91	NO ₁	NO ₂	O ₂	D.	D.	Np.
2	58.85	58.68	60.19	59.23	18.78	13.78	15.58	16.05	NO ₂	—	NO ₂	Np.	N.	N.
3	59.52	59.71	59.05	59.45	15.38	11.58	14.78	13.91	NO ₂	—	C	N.	G.	D.
4	58.54	58.86	58.26	58.53	16.98	12.78	15.38	15.05	E ₁	E ₁	O ₂	—	D.	D.
5	58.09	59.27	59.31	58.84	21.13	13.78	14.58	16.51	C	—	—	D.	—	—
6	58.47	58.82	56.73	58.01	27.18	15.38	20.78	21.11	E ₂	E ₂	O ₂	—	—	—
7	55.12	55.00	56.76	54.63	21.58	12.78	15.58	16.63	NO ₁	NO ₁	C	N.	N.	Np.
8	52.11	53.16	55.72	53.66	20.78	15.58	13.98	16.73	NO ₁	C	NO ₁	Np.	Np.	D.
9	56.06	56.50	57.04	56.53	15.58	12.78	11.38	13.25	NO ₁	NO ₁	O ₂	D.	—	—
10	57.74	58.92	59.41	58.69	16.98	11.58	12.78	13.73	O ₁	O ₁	SO ₁	—	N.	Np.
11	58.88	59.49	59.91	59.09	17.78	12.58	15.18	15.18	SO ₁	C	NO ₂	Np.	D.	D.
12	59.10	59.13	58.50	58.91	16.58	10.78	17.98	15.11	—	—	C	D.	D.	D.
13	58.04	58.78	58.58	58.47	15.38	11.98	14.58	13.98	E ₁	O ₁	O ₂	Np.	Np.	Np.
14	57.81	57.98	57.34	57.71	13.38	13.98	17.78	16.71	O ₂	O ₁	NO ₁	—	—	—
15	58.00	58.28	57.62	57.97	15.18	10.78	12.98	12.93	C	C	C	N.	N.	Ll.
16	57.28	56.52	57.74	57.18	16.78	14.38	17.58	16.23	S ₁	SE ₁	O ₁	—	D.	Np.
17	58.05	58.76	58.60	58.47	24.18	14.58	15.78	18.13	SE ₁	—	E ₁	D.	D.	D.
18	58.22	58.63	58.78	58.54	22.78	12.58	17.18	17.51	E ₁	E ₁	E ₂	—	—	—
19	57.57	58.36	57.58	57.84	26.98	13.58	14.78	18.45	E ₂	E ₂	E ₁	Np.	N.	N.
20	56.35	55.70	55.40	55.32	19.58	12.98	14.18	15.58	O ₁	—	O ₁	—	D.	D.
21	56.08	57.32	58.60	57.33	15.58	10.98	13.58	13.38	E ₁	O ₂	—	—	—	—
22	59.78	62.75	61.25	61.26	16.98	9.38	12.73	13.03	O ₁	S ₁	—	—	D.	—
23	60.89	60.80	60.14	60.61	16.18	10.78	14.58	13.85	—	O ₁	—	—	—	—
24	59.40	59.94	59.83	59.72	18.78	11.98	10.18	13.63	SO ₂	—	—	Np.	—	—
25	59.09	59.34	58.68	59.04	17.78	10.58	14.38	14.25	NO ₁	O ₁	C	D.	Ll.	N.
26	58.83	59.78	59.52	59.33	16.98	15.78	16.18	16.31	O ₁	O ₁	O ₁	—	N.	N.
27	59.31	59.31	58.68	59.10	14.58	11.98	15.78	14.11	NO ₁	—	—	N.	—	Np.
28	58.36	58.59	57.42	58.13	15.78	9.58	14.98	13.45	NO ₂	NO ₂	—	D.	Ll.	D.

MARZO DE 1871.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h	9 h.	21 h	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	56.54	57.02	57.06	56.87	16.78	13.58	14.98	15.08	NO ₂	NO ₁	NO ₂	D.	N.	N.
2	57.22	57.85	57.82	57.56	13.58	10.58	16.78	13.65	NO ₂	N ₂	N ₁	N.	N.	N.
3	57.06	58.72	58.58	58.12	14.94	11.78	18.18	14.98	NO ₁	NO ₁	O ₁	N.	N.	N.
4	56.98	58.91	58.60	58.16	16.18	17.18	16.58	16.65	O ₁	O ₁	O ₁	N.	N.	N.
5	56.44	58.80	57.35	57.36	18.58	9.58	11.38	13.18	O ₁	O ₁	S ₁	Np.	G.	G.
6	55.84	56.86	56.24	56.32	19.58	9.18	12.78	13.85	C	C	NO ₁	N.	N.	N.
7	55.48	55.88	53.11	54.66	17.18	15.78	15.18	16.05	O ₁	NO ₂	N ₁	N.	N.	N.
8	52.45	52.85	51.43	52.24	15.98	10.58	14.82	13.65	N ₃	N ₂	O ₁	Li.	N.	G.
9	52.63	54.52	57.66	54.94	14.78	9.88	10.98	11.71	O ₁	O ₁	O ₁	Li.	N.	G.
10	59.45	58.84	57.83	58.71	15.78	10.58	14.18	12.85	O ₁	O ₂	N ₃	Np.	N.	Li.
11	56.90	55.08	54.95	55.64	14.58	14.38	11.78	13.58	N ₃	N ₃	N ₂	N.	N.	N.
12	56.66	59.88	63.39	59.98	16.18	8.78	12.98	12.65	NO ₂	NO ₂	O ₁	Li.	Np.	D.
13	62.30	63.08	61.88	62.39	16.58	8.18	13.98	12.91	SE ₁	E ₁	E ₁	Np.	D.	N.
14	61.20	62.65	62.06	61.97	16.78	9.58	11.18	12.51	E ₂	—	—	Np.	N.	N.
15	60.85	60.77	60.29	60.64	15.58	11.78	14.38	13.91	SE ₂	SE ₂	O ₁	Np.	N.	Np.
16	59.51	59.82	59.19	59.51	16.58	10.58	13.98	13.71	N ₂	N ₂	O ₂	Np.	N.	N.
17	58.64	57.82	58.32	58.26	13.78	14.58	11.78	13.38	NO ₂	NO ₂	N ₁	G.	N.	N.
18	58.12	56.88	55.48	56.83	15.18	11.78	14.58	13.85	O ₁	O ₁	O ₁	Np.	N.	Np.
19	56.08	57.43	57.66	57.60	15.78	10.18	12.58	12.85	—	—	SE ₁	—	—	Np.
20	53.54	58.78	58.64	58.65	14.78	10.58	12.18	12.51	—	—	—	Np.	D.	N.
21	59.51	61.46	59.50	60.16	14.38	9.78	12.58	12.25	—	—	—	—	N.	N.
22	58.24	58.10	58.09	58.48	16.18	10.38	13.58	13.38	NO ₁	NO ₁	NO ₁	Np.	N.	N.
23	53.87	54.05	51.91	53.28	13.98	9.78	11.78	11.86	N ₃	N ₃	N ₃	Li.	N.	N.
24	49.45	48.01	48.00	48.49	14.98	13.58	15.38	14.65	—	—	—	—	—	Li.
25	45.96	44.92	43.78	44.89	15.78	12.98	12.58	13.78	N ₂	—	N ₃	—	—	—
26	44.25	46.54	51.69	47.59	13.58	9.78	13.18	12.11	N ₃	N ₂	O ₂	—	—	—
27	55.85	56.10	57.01	56.15	11.58	13.58	12.18	11.88	O ₂	O ₁	N ₂	—	—	—
28	56.42	56.53	57.64	56.86	14.58	13.78	14.98	14.45	N ₂	N ₂	NO ₁	Li.	N.	—
29	57.60	58.19	57.64	57.81	15.78	9.58	15.78	13.71	NO ₁	NO ₁	C	Li.	N.	G.
30	57.86	57.18	57.06	57.20	14.38	14.18	15.18	14.58	—	—	NO ₁	—	—	N.
31	56.36	56.54	56.84	56.58	15.58	13.38	10.98	13.31	—	—	—	—	—	Li.

ABRIL DE 1871.

1	55.90	56.60	56.86	56.45	15.58	11.98	15.78	14.78	NO ₁	NO ₁	C	N.	Li.	N.
2	57.56	59.81	62.45	63.94	14.98	9.58	13.78	13.78	O ₁	O ₁	C	—	Np.	Np.
3	61.88	62.06	61.59	61.84	15.38	10.58	11.78	12.58	C	C	C	—	Np.	D.
4	60.90	61.51	61.30	61.24	16.98	8.78	9.38	11.71	SE ₁	SE ₁	E ₁	D.	N.	N.
5	60.04	60.56	59.90	60.16	17.58	9.98	10.78	12.78	E ₁	E ₁	—	—	D.	Np.
6	58.70	58.99	58.21	58.63	17.18	9.38	11.52	12.71	—	—	C	—	—	N.
7	56.40	56.36	57.23	56.66	15.78	9.78	12.38	12.65	O ₁	C	—	—	—	N.
8	56.77	58.50	58.49	57.92	15.18	10.38	13.78	13.11	—	O ₁	NE ₁	—	—	N.
9	57.28	59.16	59.13	58.52	15.38	9.78	14.98	13.38	NE ₁	C	—	—	—	N.
10	56.98	57.98	56.86	57.26	14.58	10.78	12.98	12.78	C	C	—	N.	—	N.
11	55.94	54.94	56.62	55.83	19.18	12.98	16.58	16.25	E ₁	E ₁	—	—	—	N.
12	57.04	57.54	59.87	58.15	15.98	14.58	15.18	15.25	C	C	—	—	—	Np.
13	59.54	59.91	60.19	59.88	15.78	14.58	15.98	15.45	E ₁	NO ₂	N ₁	Li.	N.	N.
14	59.65	59.98	59.59	59.72	15.58	10.78	13.78	13.38	SE ₁	SE ₁	—	Np.	N.	Np.
15	59.97	58.16	56.25	58.13	16.98	9.58	13.98	13.51	E ₁	E ₁	NO ₂	Np.	D.	N.
16	56.54	56.92	58.59	57.33	13.38	12.78	14.38	13.51	C	N ₃	C	Li.	N.	N.
17	58.12	58.07	58.80	57.33	14.78	13.98	13.78	14.18	NO ₂	NO ₂	N ₃	Li.	Np.	N.
18	58.25	49.60	49.61	50.82	14.38	14.18	13.58	14.05	N ₃	O ₂	O ₂	Li.	N.	—
19	52.99	52.80	60.28	55.36	12.18	8.98	6.78	9.31	O ₁	O ₁	SE ₁	Li.	N.	—
20	59.39	58.28	56.02	57.90	12.98	9.58	7.98	9.98	E ₁	NO ₁	O ₂	—	—	Li.
21	54.47	54.32	56.98	55.26	9.98	10.58	11.18	10.58	N ₂	N ₂	O ₂	G.	—	Li.
22	57.40	57.19	55.99	56.86	10.98	9.38	11.18	10.51	O ₂	O ₂	O ₁	G.	—	Li.
23	56.25	56.54	57.61	56.80	9.98	8.58	10.38	9.65	SE ₂	—	—	—	—	Li.
24	58.94	61.53	61.95	60.81	8.78	3.98	6.19	6.31	O ₂	O ₁	SE ₁	G.	—	Np.
25	62.06	63.49	62.42	62.66	7.58	4.78	6.98	6.45	E ₂	E ₂	E ₁	Np.	N.	N.
26	61.86	61.75	61.91	61.84	11.18	7.38	5.58	8.05	SE ₂	SE ₂	—	—	—	N.
27	61.61	62.46	62.56	62.21	11.38	7.98	9.78	9.71	E ₂	E ₂	—	—	—	Np.
28	63.80	64.64	62.42	63.62	12.98	8.78	12.38	11.88	—	—	—	—	—	D.
29	62.54	62.52	62.21	62.42	8.58	7.78	10.18	8.85	—	—	—	—	—	D.
30	61.98	62.18	61.62	61.93	9.58	6.78	7.98	8.11	E ₁	E ₁	—	—	—	—

MAYO DE 1871.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ÁTMOF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	°	°	°	°						
1	60.28	60.94	60.98	60.73	12.78	8.58	9.98	10.45	E ₂	E ₂	E ₁	D.	D.	D.
2	61.11	61.82	62.34	61.76	12.18	7.78	8.58	9.51	O ₂	SO ₁	SO ₁	Ll.	Ll.	N.
3	62.39	63.53	64.06	63.32	12.38	7.18	7.98	9.18	O ₁	O ₁	O ₁	D.	D.	N.
4	63.05	63.25	63.29	63.20	13.58	10.78	7.98	11.11	C	O ₁	O ₁	D.	D.	N.
5	62.05	61.70	60.12	61.29	12.78	9.58	10.98	11.11	—	O ₁	O ₁	N.	N.	N.
6	59.24	60.32	61.21	60.26	12.58	10.78	10.85	11.25	NO ₁	NO ₁	O ₁	Ll.	Ll.	Np.
7	61.52	61.88	60.74	61.38	10.98	9.18	12.58	10.91	E ₁	E ₁	E ₁	D.	D.	N.
8	60.60	60.45	59.96	60.34	13.58	9.78	10.58	11.31	C	C	C	D.	D.	N.
9	59.65	59.68	59.29	54.54	12.98	8.78	9.58	10.45	NE ₁	NE ₁	—	—	—	—
10	58.31	60.54	60.24	59.73	9.58	10.78	8.98	9.73	SE ₁	C	—	Np.	N.	—
11	59.43	58.23	58.17	58.61	10.78	7.58	7.38	8.58	C	C	C	—	—	—
12	57.34	56.03	55.45	56.29	12.18	8.98	10.18	10.45	E ₁	E ₁	E ₁	Ll.	Ll.	—
13	55.90	56.22	56.39	56.17	12.98	10.18	11.18	11.45	—	N ₂	N ₂	Ll.	Ll.	—
14	57.33	58.40	59.94	58.57	11.98	8.18	8.78	9.65	N ₂	E ₁	E ₁	Ll.	Ll.	Np.
15	59.90	60.50	60.81	60.40	12.18	8.78	10.98	10.65	E ₁	—	—	Np.	Np.	—
16	59.74	59.00	57.71	58.82	12.38	8.38	9.58	10.11	C	C	NE ₁	N.	N.	—
17	56.99	57.87	58.87	57.91	10.78	8.18	10.58	9.85	—	—	—	NE ₁	N.	N.
18	58.74	58.62	53.47	58.61	10.98	10.58	9.58	10.31	NE ₁	NE ₁	NE ₁	D.	D.	Np.
19	57.98	58.30	58.59	58.22	11.78	7.98	6.58	8.73	E ₁	E ₁	C	N.	N.	—
20	56.64	56.83	54.98	56.15	10.58	8.78	10.58	9.98	C	C	C	N.	N.	—
21	53.33	52.83	52.52	52.89	12.38	10.18	8.58	10.33	E ₁	E ₁	E ₁	—	—	—
22	53.88	55.94	58.15	55.99	12.58	9.78	11.58	11.31	SE ₁	SE ₁	NE ₁	—	—	Ll.
23	57.90	58.17	58.03	58.03	11.18	6.98	7.78	8.65	SE ₁	E ₁	—	Np.	D.	N.
24	57.11	57.27	57.71	57.33	11.58	7.78	8.98	9.45	N ₃	N ₂	N ₂	Ll.	Ll.	G.
25	57.10	58.29	58.29	58.09	11.38	6.98	7.58	8.65	—	—	NE ₂	Ll.	Ll.	N.
26	57.99	57.67	55.16	56.94	10.98	8.18	11.58	10.23	NE ₁	NE ₁	E ₁	N.	N.	—
27	53.80	53.43	53.05	53.43	10.38	10.78	12.38	11.18	—	—	NE ₂	Ll.	Ll.	—
28	52.92	53.00	54.47	53.46	11.98	9.58	10.78	10.78	NE ₂	N ₂	N ₂	—	—	—
29	55.26	54.16	55.05	54.82	10.78	10.38	9.58	10.25	N ₂	N ₁	N ₁	N.	N.	Np.
30	55.00	54.49	54.25	54.58	10.58	8.98	8.58	9.31	NE ₁	E ₁	E ₁	Ll.	D.	D.
31	53.85	54.01	53.80	53.89	12.18	7.58	7.38	9.05	E ₁	—	—	N.	N.	—

JUNIO DE 1871.

1	48.27	50.68	51.11	50.02	10.18	9.18	7.78	9.05	NC ₂	N ₂	N ₂	N.	Ll.	N.
2	50.97	49.06	49.17	49.73	10.98	12.78	12.18	11.98	N ₂	N ₂	N ₂	Ll.	—	—
3	50.18	54.25	55.48	53.30	11.58	11.98	12.78	12.11	N ₃	—	—	—	—	Ll.
4	55.40	55.03	50.03	53.49	13.38	10.58	9.78	11.23	—	NE ₂	E ₁	N.	N.	Np.
5	48.54	48.12	48.10	38.25	12.78	11.38	8.58	10.91	E ₂	E ₁	E ₁	Np.	Ll.	N.
6	48.14	49.66	51.35	49.73	12.18	9.98	8.78	10.51	NO ₁	NO ₂	NO ₁	G.	Ll.	—
7	52.38	55.30	57.58	55.09	11.78	7.58	8.98	9.45	NO ₁	NO ₂	—	Ll.	N.	Np.
8	58.20	59.95	61.18	59.78	10.58	6.78	7.38	8.25	NE ₁	NE ₁	NE ₁	Np.	N.	Np.
9	60.91	61.10	61.80	61.27	9.98	8.58	6.78	8.45	NO ₁	C	C	N.	N.	N.
10	59.32	61.86	61.90	61.03	10.58	7.78	8.98	9.11	E ₁	E ₁	E ₁	Np.	Np.	—
11	62.03	62.95	63.16	62.71	11.78	7.18	7.58	8.85	C	C	C	G.	D.	D.
12	63.66	63.96	63.71	63.78	9.18	6.88	8.98	8.25	E ₁	E ₁	E ₁	Np.	N.	N.
13	64.32	65.30	65.49	65.04	8.18	8.78	8.58	8.51	C	C	NO ₁	Ll.	Ll.	Ll.
14	66.37	66.84	66.91	66.71	10.98	6.58	7.78	8.45	NO ₁	NO ₁	—	Ll.	Ll.	Ll.
15	66.23	66.06	65.76	66.02	10.18	8.78	7.58	8.85	—	S ₁	S ₁	Ll.	Ll.	Np.
16	66.49	67.19	67.21	66.96	9.38	5.18	6.98	7.18	C	C	C	Np.	D.	D.
17	64.80	65.45	65.13	65.12	11.58	10.98	9.58	10.71	E ₁	E ₁	E ₁	D.	—	—
18	59.66	59.67	59.11	59.48	11.18	4.98	8.78	8.31	SE ₂	E ₂	E ₁	N.	N.	—
19	57.42	57.37	57.23	57.34	10.18	8.98	7.58	8.91	NE ₁	NE ₁	NE ₁	N.	N.	—
20	56.10	56.39	55.25	55.91	10.38	9.58	10.78	10.25	E ₁	—	—	G.	Ll.	Ll.
21	53.50	55.34	56.45	55.10	10.58	3.38	6.78	8.91	NO ₁	C	C	Ll.	Ll.	N.
22	58.37	61.07	61.21	60.92	9.58	3.98	3.78	5.78	C	S ₁	S ₁	Np.	D.	Np.
23	60.09	60.62	60.27	60.33	11.38	6.58	8.78	8.91	SE ₁	SE ₁	E ₁	Np.	N.	N.
24	59.70	59.95	59.61	59.72	10.78	9.18	6.53	8.85	E ₁	E ₁	—	N.	N.	Np.
25	59.04	59.51	58.87	59.11	9.18	3.98	8.78	7.31	—	—	—	Np.	N.	—
26	58.76	58.30	55.33	57.63	8.38	2.78	8.38	4.91	SE ₁	NE ₁	NO ₁	Np.	Ll.	N.
27	54.48	56.43	57.45	56.12	8.18	4.78	6.58	6.51	NO ₁	NO ₁	—	Ll.	Ll.	Np.
28	58.88	62.92	64.98	63.24	8.98	3.58	7.98	6.85	O ₁	O ₁	O ₁	Np.	N.	N.
29	65.13	67.14	66.00	66.09	9.10	6.78	9.18	8.39	NO ₁	NO ₁	NE ₁	Ll.	Ll.	N.
30	65.39	63.33	58.95	52.57	8.78	8.58	8.38	8.58	NE ₁	E ₂	E ₂	N.	D.	D.

JULIO DE 1871.

DÍAS.	BARÓMETRO REDUCIDO A. 0°				TERMÓMETRO CENTÍ- GRADC.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	700+	700+	700+	700+	8.58	6.98	5.78	7.11	E1	E1	E1	D.	D.	N.
2	61.52	61.48	61.53	61.51	8.58	6.98	5.78	7.11	E1	E1	E1	N.	N.	Np.
3	61.06	61.07	61.12	61.08	7.78	5.58	4.98	6.11	—	—	—	Np.	Np.	N.
4	60.40	60.48	60.59	60.49	8.58	6.98	6.18	17.25	—	—	—	Np.	Np.	N.
5	58.95	58.35	57.15	58.15	6.38	4.98	4.18	15.18	—	—	—	Np.	Np.	N.
6	56.55	56.67	55.67	56.26	7.58	6.18	3.88	17.38	—	—	—	G.	Ll.	N.
7	55.20	55.03	54.98	55.07	9.18	8.58	6.98	8.25	NE1	N2	N2	Ll.	—	N.
8	53.91	55.21	55.19	54.77	11.98	9.58	10.78	10.78	N3	N2	N2	—	—	Ll.
9	55.14	55.30	55.31	55.25	12.18	11.75	8.58	10.85	N2	—	N2	—	—	N.
10	54.11	50.39	51.22	51.91	10.38	7.98	6.78	8.38	—	—	—	—	N.	Ll.
11	50.23	63.72	64.92	59.62	10.18	7.38	3.88	8.65	NO1	NO1	NO1	Np.	Np.	Np.
12	65.06	66.17	66.36	65.86	9.38	9.18	5.78	8.11	N2	N2	NE1	Ll.	Ll.	Ll.
13	66.82	57.13	57.11	60.35	9.18	7.98	6.58	7.91	E2	E2	E2	—	—	N.
14	56.54	56.33	56.01	56.29	8.58	8.78	7.98	8.45	E1	E1	E1	N.	N.	—
15	55.02	54.56	54.39	54.99	9.58	7.78	6.98	8.11	NE1	NE1	C	—	—	—
16	53.07	52.66	50.44	52.06	9.38	10.18	12.18	10.58	C	N1	N1	Ll.	Ll.	Ll.
17	49.30	49.09	46.39	48.26	11.18	11.98	11.78	11.65	N2	N2	—	Ll.	Ll.	N.
18	47.72	52.53	56.05	52.09	12.58	6.98	8.58	9.38	N2	N2	—	—	—	Np.
19	56.68	58.79	60.62	58.70	10.58	3.98	6.18	6.91	—	C	—	—	—	D.
20	61.24	63.45	63.61	62.77	9.18	2.58	7.18	6.31	SE1	SE1	SE1	D.	D.	D.
21	63.91	65.13	66.13	65.09	9.98	2.78	5.18	5.98	E1	E1	E1	—	—	Np.
22	65.19	65.15	61.93	64.09	9.38	3.53	3.98	5.65	—	—	—	—	—	—
23	61.26	60.92	62.56	61.58	8.78	4.18	6.98	6.65	—	C	—	G.	—	—
24	63.02	68.22	71.05	67.46	8.38	5.18	5.98	6.51	—	—	—	N.	N.	—
25	69.21	69.59	67.27	68.69	9.98	5.78	6.58	7.45	—	E1	E1	Np.	—	D.
26	66.48	66.56	65.50	66.18	9.78	4.98	8.18	7.65	E1	—	—	D.	—	—
27	64.48	64.27	63.53	64.09	10.58	6.18	6.58	7.78	—	—	—	—	—	—
28	61.76	60.16	58.05	59.95	9.18	5.18	6.98	7.11	—	—	—	—	—	—
29	58.67	59.99	62.55	60.44	8.38	7.58	9.58	8.51	—	—	C	—	—	N.
30	62.94	63.67	64.78	63.80	8.78	6.38	7.78	7.65	C	C	NO1	Ll.	Ll.	—
31	62.28	61.60	61.72	61.37	8.58	9.58	7.38	8.51	NO1	NO1	NO1	Ll.	Ll.	—
31	61.56	61.32	60.83	61.24	9.18	8.38	6.58	8.05	O1	O1	O1	—	—	—

AGOSTO DE 1871.

1	63.10	63.35	62.86	62.94	8.18	4.58	2.38	5.05	E1	E1	E1	Np.	D.	D.
2	59.29	57.73	57.71	58.24	7.58	6.78	4.38	6.25	—	—	—	D.	D.	Np.
3	57.85	59.11	60.35	59.10	7.18	5.98	9.18	7.45	—	—	C	Np.	Np.	N.
4	60.42	64.70	65.94	63.69	9.58	4.18	7.58	7.11	O1	C	—	N.	D.	D.
5	65.28	65.36	65.00	65.21	8.78	4.98	6.18	6.65	N2	NO2	O1	G.	N.	Np.
6	64.48	64.46	63.85	64.26	7.98	5.78	5.18	6.31	O1	O1	—	Np.	Np.	N.
7	63.00	62.47	61.73	62.40	6.58	5.18	5.98	5.91	NO1	NO1	NO1	N.	N.	N.
8	60.48	59.75	58.87	59.70	6.78	6.58	5.98	6.45	N2	N2	N2	—	Ll.	Ll.
9	53.41	51.84	49.19	51.48	7.58	8.78	10.98	9.11	N2	N2	N2	Ll.	Ll.	Ll.
10	51.04	51.35	52.63	51.84	9.38	7.18	7.78	8.11	NO2	NO1	O1	N.	N.	Np.
11	52.25	51.63	48.34	50.74	8.78	4.58	9.98	7.78	NO1	N2	N2	Ll.	Ll.	N.
12	50.91	51.34	51.59	51.28	8.18	5.98	6.57	6.91	N2	N2	N2	Ll.	N.	N.
13	51.55	52.56	53.23	51.45	8.78	7.18	7.78	7.91	—	N1	NO1	Ll.	Ll.	Ll.
14	57.39	57.81	57.95	57.72	7.58	6.18	6.78	6.85	NO2	NO2	—	N.	N.	Ll.
15	58.29	58.79	59.15	58.74	7.18	4.58	5.78	5.85	NO2	NO2	NO2	Ll.	Ll.	—
16	59.03	59.31	59.61	59.32	7.98	6.98	6.38	7.11	NO2	N2	N2	—	—	—
17	59.24	60.65	59.95	59.95	9.18	7.58	6.78	7.85	N2	N2	N2	—	—	G.
18	59.05	58.92	59.67	58.88	9.58	8.38	6.78	8.25	N2	N2	N2	Np.	Ll.	Ll.
19	58.02	57.72	56.65	57.46	9.78	8.18	5.98	7.98	N1	N1	—	—	G.	N.
20	55.44	54.34	53.73	54.50	8.98	7.78	6.98	7.91	N2	N2	—	N.	Np.	Np.
21	53.17	53.15	52.82	53.05	10.18	5.38	6.38	7.31	NO2	NO1	NO1	Ll.	Ll.	Ll.
22	52.19	51.84	51.50	51.84	9.18	7.38	8.78	8.45	—	NO2	NO2	—	—	—
23	52.11	52.80	53.35	52.75	7.98	7.18	5.58	6.91	NO1	O1	O1	Np.	G.	N.
24	53.23	54.80	54.36	54.13	9.98	8.58	7.78	8.78	O1	—	—	Np.	Ll.	N.
25	53.63	53.32	53.39	53.45	9.98	8.58	7.78	8.78	NO1	N2	N2	Ll.	Ll.	N.
26	52.88	52.69	52.36	52.64	9.18	7.58	6.78	7.85	N2	—	—	Ll.	Ll.	—
27	53.04	53.32	53.63	53.34	7.58	6.78	5.98	6.78	NE1	NE1	NE1	—	N.	—
28	53.75	54.06	54.23	54.01	8.58	6.38	6.98	7.31	E1	E1	E1	Np.	—	—
29	54.47	55.75	56.35	55.42	8.18	6.58	5.78	6.85	—	—	—	—	—	—
30	56.44	57.25	57.55	57.08	8.58	6.78	5.98	7.11	E2	—	—	—	—	D.
31	58.99	59.53	62.63	60.38	7.78	6.38	5.58	6.58	SE1	SE1	SE1	—	D.	—

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	62.54	62.68	63.43	62.88	9.38	8.58	6.78	8.25	NO ₁	NO ₂	NO ₁	Np.	Np.	N.
2	62.99	63.25	63.98	63.41	10.98	10.18	7.18	9.45	—	—	NO ₂	—	—	—
3	65.63	64.22	64.66	64.17	11.58	7.18	7.98	8.91	—	NO ₁	—	—	—	—
4	64.42	64.95	65.15	64.84	10.58	7.77	6.98	8.45	—	—	—	—	—	—
5	64.34	64.47	63.46	64.09	9.78	5.58	7.98	7.78	O ₁	O ₁	—	N.	N.	—
6	62.56	61.58	60.54	61.56	9.18	6.58	5.78	7.18	—	—	E ₂	—	—	—
7	58.30	57.34	56.83	57.49	10.58	8.78	7.18	8.85	—	O ₂	—	Li.	—	—
8	54.17	54.16	53.55	53.89	9.98	7.58	6.98	8.18	SO ₂	SO ₃	—	—	—	Np.
9	53.54	54.05	54.31	53.90	10.58	9.78	7.98	9.45	—	—	E ₂	N.	—	—
10	54.33	54.74	55.09	54.72	10.18	8.58	6.78	8.18	—	—	SE ₂	—	—	—
11	55.10	55.46	56.17	55.58	10.78	9.58	7.38	9.25	—	SO ₂	—	—	—	D.
12	56.12	56.70	57.37	56.73	11.78	10.58	8.98	10.45	S ₃	SO ₁	E ₂	Np.	D.	D.
13	58.26	60.63	60.32	59.74	11.98	9.78	7.58	9.78	—	—	—	—	D.	Np.
14	59.06	58.32	57.28	58.22	13.18	11.58	8.78	11.18	—	—	E ₃	Np.	—	Np.
15	56.90	55.71	54.31	55.44	10.98	8.98	7.18	9.05	S ₁	NO ₁	—	Li.	—	D.
16	54.56	55.13	55.71	54.13	9.58	7.78	5.98	7.78	NO ₁	—	E ₂	N.	—	—
17	55.50	56.01	57.83	56.45	10.58	8.78	6.98	8.78	—	—	E ₂	—	—	N.
18	58.76	59.53	57.85	58.71	9.98	6.58	6.18	7.58	—	N ₂	NE ₁	N.	Np.	N.
19	56.64	55.50	54.67	55.60	8.78	7.98	7.58	8.11	N ₂	—	—	Li.	N.	Np.
20	54.70	54.92	55.37	55.00	10.58	8.78	6.58	8.65	—	—	—	Np.	N.	N.
21	55.38	55.86	58.57	56.60	11.78	9.58	7.98	9.78	NO ₁	NO ₁	—	—	—	N.
22	58.40	59.38	60.31	59.86	11.18	8.78	6.98	8.98	—	—	NO ₁	—	—	D.
23	60.38	61.36	63.04	61.59	9.98	7.58	6.18	7.91	—	—	—	—	D.	—
24	59.73	59.03	58.87	59.21	11.18	6.58	8.18	8.65	—	—	N ₁	—	—	Li.
25	55.19	59.86	60.30	59.45	9.98	7.38	8.58	8.65	—	—	—	G.	N.	N.
26	60.49	61.00	61.65	61.05	10.78	8.58	6.38	8.58	—	—	O ₁	N.	N.	—
27	62.42	62.45	63.21	62.69	9.58	11.98	—	—	O ₁	O ₂	—	—	—	—
28	61.91	63.30	64.24	63.15	15.58	8.78	9.18	11.18	—	—	—	D.	D.	D.
29	63.11	63.48	62.44	63.01	11.98	6.58	8.78	9.11	—	—	—	—	—	—
30	61.89	61.76	61.36	61.67	11.18	8.38	7.58	9.05	—	—	SO ₁	—	—	—

OCTUBRE DE 1871.

1	61.17	62.52	62.05	62.38	11.38	10.58	9.78	10.58	NO ₁	C	C	N.	N.	Np.
2	60.31	62.89	60.58	61.43	12.38	9.58	8.98	10.32	O ₁	O ₁	E ₁	Np.	D.	D.
3	59.79	59.93	59.57	59.73	12.78	10.78	12.18	11.91	—	—	NO ₁	—	—	N.
4	59.37	58.83	56.88	58.19	11.38	10.98	8.18	10.18	NO ₁	NO ₁	—	N.	—	—
5	56.40	57.08	57.19	56.89	10.58	8.78	9.72	9.71	—	—	O ₁	—	—	Li.
6	61.58	64.55	64.66	63.60	10.98	4.78	6.38	7.38	SE ₃	SE ₂	E ₁	D.	Li.	Np.
7	64.97	64.57	65.72	65.09	11.18	6.78	7.58	8.51	E ₂	O ₁	C	—	—	D.
8	65.59	62.21	61.30	63.03	11.98	9.18	6.98	9.38	C	NO ₁	NO ₁	—	N.	—
9	59.88	58.54	58.89	58.94	14.18	8.78	9.58	10.85	SE ₂	NO ₂	NO ₂	—	Li.	N.
10	58.98	60.30	62.86	60.71	11.98	8.18	11.35	10.51	NO ₂	NO ₁	C	—	Li.	Np.
11	63.01	63.81	60.68	62.50	10.78	7.18	9.58	9.25	—	C	NO ₁	Np.	—	N.
12	57.90	57.71	56.30	57.30	10.98	8.58	8.18	9.18	NO ₁	NO ₁	—	N.	G.	N.
13	55.18	54.90	54.29	54.79	11.98	7.58	7.18	8.91	—	—	O ₁	—	—	—
14	53.60	53.44	53.15	53.40	10.18	7.78	8.38	8.78	—	O ₁	—	—	—	—
15	53.44	53.73	54.56	53.91	11.18	9.58	10.98	10.58	NO ₂	NO ₂	NO ₂	Li.	—	—
16	57.28	58.85	61.03	59.05	11.78	8.58	10.58	10.31	NO ₂	—	NE ₁	—	Li.	N.
17	60.99	59.29	59.54	59.94	13.18	8.98	8.78	10.31	NE ₁	NE ₁	C	N.	N.	D.
18	59.50	59.54	57.90	58.98	10.78	8.38	11.53	10.25	—	—	N ₂	Li.	N.	N.
19	57.17	57.11	56.98	57.09	13.78	7.98	9.18	10.31	NO ₂	NO ₂	E ₁	N.	—	Li.
20	57.15	57.18	58.12	57.43	12.98	8.38	10.73	10.71	—	—	N ₁	Np.	Np.	Np.
21	57.50	57.62	56.85	57.32	13.78	9.98	11.53	11.78	NE ₁	NO ₁	NE ₁	—	—	—
22	56.07	56.98	57.50	56.85	14.58	8.98	10.38	11.31	—	NE ₁	—	G.	N.	N.
23	58.90	59.74	59.98	59.54	15.18	7.78	9.58	10.85	—	E ₁	E ₁	N.	—	—
24	59.87	60.48	58.00	59.45	14.18	9.58	10.78	11.51	SE ₁	SE ₁	SE ₁	—	—	Np.
25	57.80	58.00	57.64	57.81	13.88	7.58	8.58	9.85	O ₁	O ₁	O ₁	Np.	Np.	—
26	57.10	56.41	55.96	56.49	12.78	11.18	9.98	11.31	N ₂	N ₂	—	Li.	N.	—
27	53.83	52.52	51.71	52.69	13.98	8.78	10.53	11.11	N ₂	—	N ₂	—	—	Li.
28	50.55	51.76	53.23	51.85	11.18	10.18	9.58	10.31	—	—	—	—	—	—
29	59.11	57.10	54.69	56.97	13.98	10.78	10.18	11.65	NO ₁	NO ₁	NO ₁	—	—	G.
30	54.82	56.51	56.64	55.99	11.38	8.38	10.85	10.05	—	O ₁	O ₁	—	—	N.
31	57.14	57.62	57.98	57.53	10.78	9.58	8.78	9.71	O ₂	O ₂	O ₂	Li.	—	—

NOVIEMBRE DE 1871.

DÍAS.	BARÓMETR REDUCIDO A 0°				TÉRMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	°	°	°	°						
1	56.03	57.68	63.96	59.22	12.78	11.58	12.58	12.31	N ₂	NO ₁	E ₁	LI.	G.	Np.
2	65.62	66.49	64.41	65.51	15.78	10.18	14.78	13.58	SE ₁	SE ₁	E ₂	D.	D.	D.
3	59.80	60.08	59.28	59.72	23.98	15.78	17.98	19.25	E ₂	E ₂	E ₁	—	—	—
4	59.26	60.63	61.87	60.59	21.78	11.58	15.98	16.45	S ₂	S ₁	—	—	—	—
5	59.94	60.46	59.33	59.91	18.18	9.98	14.38	14.18	NE ₂	NE ₂	NO ₁	—	—	—
6	57.62	58.04	57.40	57.69	16.38	10.78	13.38	14.18	NO ₂	NO ₁	—	—	—	—
7	56.76	58.98	62.78	59.80	15.58	10.98	11.78	12.78	NO ₁	—	C	LI.	Np.	Np.
8	64.78	64.88	65.37	64.34	14.18	9.38	14.58	12.71	O ₂	O ₁	O ₁	Np.	Np.	Np.
9	62.63	62.54	63.81	62.99	16.18	9.98	14.78	13.65	SO ₂	C	C	D.	D.	D.
10	64.01	64.59	65.04	64.58	16.58	15.18	15.58	15.75	SO ₁	SO ₁	SO ₁	—	—	—
11	64.13	64.45	63.95	64.18	17.78	13.58	15.18	15.51	SE ₂	SE ₂	SE ₂	Np.	Np.	Np.
12	63.33	63.01	62.69	63.01	15.98	14.78	14.18	14.98	—	—	—	—	—	—
13	61.99	61.75	61.79	61.84	16.78	16.18	12.58	15.18	SE ₁	NE ₁	NE ₁	N.	N.	N.
14	60.88	61.31	61.41	61.20	18.98	16.58	13.78	16.45	NO ₂	NO ₂	NO ₁	—	—	—
15	60.82	59.44	59.03	59.61	13.18	14.58	12.78	15.18	O ₁	O ₁	O ₁	D.	D.	D.
16	59.24	60.09	61.56	60.30	16.78	13.98	12.18	14.31	—	—	—	—	—	—
17	62.62	62.04	61.97	62.41	20.18	16.58	14.78	17.18	O ₂	O ₂	O ₂	—	—	—
18	61.11	60.88	58.86	60.28	17.58	15.78	13.98	15.78	—	E ₁	NO ₁	—	—	—
19	58.12	58.42	58.50	58.28	17.18	14.58	12.78	15.85	NO ₁	NO ₁	—	Np.	Np.	Np.
20	57.84	57.90	57.92	58.89	15.98	13.78	12.18	13.98	—	—	—	Np.	Np.	Np.
21	58.06	56.17	59.54	57.92	15.38	12.18	13.78	13.78	—	C	—	—	—	—
22	58.15	58.82	58.06	58.67	16.58	14.78	12.98	14.78	NO ₂	NO ₂	NO ₂	D.	D.	D.
23	56.42	56.46	56.26	56.38	16.18	13.78	11.98	13.98	—	—	—	N.	N.	N.
24	55.50	57.07	56.72	56.43	14.98	10.58	11.78	12.45	NO ₁	—	NO ₁	N.	LI.	N.
25	57.54	58.15	55.22	56.97	11.98	9.58	8.78	10.11	O ₂	O ₁	O ₁	Np.	Np.	LI.
26	56.25	57.28	58.80	57.44	12.78	9.18	10.58	10.85	—	SO ₂	SO ₂	—	—	—
27	62.35	63.46	60.95	62.25	13.18	9.98	13.98	12.38	NO ₂	C	C	N.	N.	N.
28	58.44	59.88	61.01	59.78	15.18	12.98	13.58	13.91	O ₁	O ₁	NE ₁	—	—	—
29	61.42	61.33	59.71	60.82	17.78	13.18	12.38	14.45	O ₂	NO ₂	—	D.	D.	—
30	59.02	61.44	62.01	60.82	18.58	14.38	12.18	16.05	NO ₂	NO ₁	O ₁	—	—	Np.

DICIEMBRE DE 1871.

1	59.98	58.82	59.83	59.54	21.78	13.18	15.98	16.98	O ₂	C	NO ₂	D.	D.	D.
2	69.28	60.41	60.57	60.09	19.38	14.58	15.18	16.38	NE ₂	NE ₁	NE ₁	—	—	—
3	59.86	59.88	59.49	59.74	19.18	15.58	13.98	16.25	NE ₁	—	—	—	—	—
4	59.46	59.39	56.70	58.18	18.98	13.78	14.78	15.85	NO ₁	—	NO ₂	Np.	Np.	Np.
5	59.40	62.39	63.66	61.82	19.78	13.18	14.58	15.85	O ₁	SO ₁	E ₁	N.	N.	N.
6	63.69	63.34	62.93	63.32	16.98	12.18	10.98	13.38	—	O ₁	O ₂	D.	D.	D.
7	61.22	61.21	59.23	60.55	17.78	13.98	12.38	14.71	O ₂	NO ₂	NO ₁	Np.	Np.	Np.
8	60.02	60.77	61.05	60.35	18.58	15.18	15.78	16.51	O ₁	O ₁	NO ₁	—	—	—
9	57.64	56.74	54.94	56.37	16.18	12.58	13.98	15.25	NO ₁	NO ₁	NO ₁	N.	N.	N.
10	56.86	58.12	58.70	57.89	14.78	11.98	13.18	13.51	NO ₂	NO ₂	O ₂	LI.	LI.	LI.
11	59.45	59.97	61.27	60.23	12.58	11.38	14.78	12.91	O ₂	O ₂	—	N.	N.	N.
12	61.75	62.45	62.53	62.24	16.58	12.78	14.38	14.58	O ₃	—	E ₂	Np.	Np.	Np.
13	60.76	60.91	60.14	60.60	21.98	15.18	16.58	17.91	O ₁	—	NE ₁	D.	D.	D.
14	60.11	61.93	62.33	61.39	18.18	13.78	15.98	15.98	NE ₁	NE ₁	—	Np.	Np.	Np.
15	62.20	61.88	61.01	61.70	19.58	11.78	16.78	16.05	NE ₂	C	C	D.	D.	D.
16	60.13	61.59	62.65	61.46	16.78	14.18	14.38	15.11	NE ₁	—	O ₂	—	—	—
17	63.08	63.61	63.63	63.44	15.58	10.98	14.78	13.74	S ₁	S ₁	SO ₁	Np.	Np.	Np.
18	63.07	58.80	58.60	60.16	13.98	11.58	10.18	11.91	O ₁	O ₁	NO ₁	Np.	Np.	Np.
19	59.49	59.54	58.76	59.26	15.78	11.18	11.58	12.85	NO ₁	NO ₁	—	Np.	Np.	Np.
20	58.16	58.64	59.29	58.70	14.18	13.58	12.78	13.51	N ₂	N ₂	—	LI.	LI.	LI.
21	59.81	60.73	61.81	60.78	14.98	12.58	13.78	13.78	O ₁	SO ₁	O ₁	G.	G.	G.
22	64.09	64.24	60.99	63.11	16.78	12.18	15.58	14.85	SO ₁	SO ₂	C	Np.	Np.	Np.
23	56.42	56.70	54.76	55.96	17.58	11.98	13.58	14.58	SO ₃	C	—	Np.	Np.	Np.
24	54.14	53.82	51.99	53.32	14.98	13.38	14.98	14.46	N ₂	N ₂	O ₁	LI.	LI.	LI.
25	51.46	52.29	52.68	52.14	15.58	11.78	11.18	12.85	O ₁	O ₁	O ₁	N.	N.	N.
26	52.63	54.01	55.26	53.97	16.38	12.58	15.78	14.91	—	—	NE ₁	LI.	LI.	LI.
27	55.88	56.81	58.16	56.95	16.98	15.18	14.58	15.25	C	—	O ₁	Np.	Np.	Np.
28	58.43	59.07	60.05	59.18	16.78	13.58	12.98	14.45	SO ₁	SO ₁	SO ₁	Np.	Np.	Np.
29	59.72	60.26	61.97	60.65	18.58	15.78	13.38	15.91	S ₁	SO ₂	—	G.	G.	G.
30	58.80	59.79	61.60	59.96	15.98	13.18	11.78	13.05	O ₂	NO ₂	NO ₂	LI.	LI.	LI.
31	62.28	63.33	63.55	63.08	17.58	12.38	12.58	14.18	O ₁	O ₁	O ₂	Np.	Np.	Np.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Mod.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	57.07	57.67	57.94	57.56	20.0	13.2	14.6	15.93	S ₁	C	N ₂	Np.	D.	G.
2	58.29	59.30	64.91	60.83	13.8	10.0	15.6	12.47	O ₁	O ₂	O ₂	Np.	Ll.	Np.
3	67.03	64.93	63.38	65.11	13.6	11.2	15.0	13.27	O ₂	NO ₁	NO ₁	—	Ll.	Np.
4	61.40	60.92	60.15	60.82	14.4	14.8	16.8	15.33	O ₂	S ₂	O ₂	—	Ll.	Np.
5	59.64	61.70	61.70	61.01	17.6	11.0	15.6	14.73	S ₂	S ₁	O ₁	D.	G.	Np.
6	59.03	57.73	58.14	58.30	17.2	12.6	15.0	14.93	O ₂	O ₁	—	Np.	Ll.	Np.
7	58.35	58.48	57.69	58.17	13.2	13.6	14.8	15.53	O ₁	O ₁	NO ₂	Np.	Ll.	Np.
8	57.36	57.19	57.83	57.43	15.4	13.8	14.2	14.47	N ₂	N ₂	O ₁	Np.	Ll.	Np.
9	58.25	58.04	56.98	57.76	14.8	16.2	13.0	14.67	O ₂	C	C	D.	N.	Np.
10	56.27	59.18	61.44	58.96	14.4	13.0	13.6	13.67	N ₁	N ₁	SO ₂	Np.	Ll.	Np.
11	62.98	63.34	63.69	63.34	16.0	13.8	13.2	14.33	SO ₂	SE ₁	SE ₂	D.	N.	D.
12	62.15	61.63	58.10	60.63	16.6	11.8	15.0	14.47	SE ₂	SE ₁	E ₂	—	Ll.	Np.
13	56.89	57.67	58.31	57.62	20.6	15.2	16.0	17.27	NE ₁	NE ₁	NE ₁	—	Ll.	Np.
14	56.60	60.53	61.90	60.63	20.8	14.4	15.8	17.00	O ₁	O ₁	O ₁	Np.	Ll.	Np.
15	60.74	60.72	60.25	60.57	22.4	13.6	16.6	17.53	O ₁	SE ₂	E ₂	D.	Ll.	Np.
16	56.58	55.66	53.65	55.30	19.6	12.2	13.0	14.93	SE ₂	SE ₁	N ₂	—	Ll.	Np.
17	56.82	58.92	61.05	53.53	12.6	10.8	13.8	12.40	SE ₂	SE ₂	SE ₁	Np.	Ll.	Np.
18	62.91	62.32	60.52	61.92	14.0	10.0	12.6	12.20	O ₂	C	C	—	Ll.	Np.
19	57.98	57.39	55.33	58.21	13.2	10.4	16.4	13.33	N ₂	N ₁	N ₁	Ll.	G.	Np.
20	68.81	60.99	62.22	60.67	15.4	11.8	15.2	14.13	O ₁	O ₁	S ₁	Np.	D.	D.
21	63.46	63.77	62.76	63.33	13.8	12.0	15.6	15.47	S ₁	S ₁	E ₂	—	D.	—
22	58.41	59.33	59.53	59.16	20.2	11.4	17.0	16.20	E ₁	E ₁	E ₁	D.	—	—
23	60.89	61.79	61.80	61.83	13.0	11.0	14.6	14.53	—	—	SE ₂	—	—	—
24	60.21	61.30	61.66	61.06	13.8	12.6	16.0	15.80	NE ₁	NE ₁	NE ₁	—	Ll.	Np.
25	60.59	59.77	59.39	59.92	17.8	13.4	15.2	15.47	O ₂	NO ₁	NO ₁	—	Ll.	Np.
26	59.06	59.48	58.99	59.13	19.2	12.6	13.8	15.20	NO ₂	NO ₂	O ₁	Np.	—	—
27	57.93	58.18	57.88	58.00	17.0	12.0	12.6	13.87	O ₁	O ₁	O ₁	—	—	—
28	57.29	58.52	59.17	58.33	16.8	12.8	13.5	14.20	NO ₂	NO ₂	NO ₂	N.	G.	Ll.
29	59.38	60.30	61.52	60.40	13.2	11.6	14.4	13.07	N ₂	N ₂	—	—	G.	Ll.
30	61.62	62.48	62.28	62.13	15.6	11.0	14.2	13.60	NO ₂	NO ₂	—	—	G.	Ll.
31	62.61	62.63	61.77	62.34	15.0	11.6	12.8	13.13	O ₁	O ₁	NO ₁	D.	G.	D.

FEBRERO DE 1872.

1	61.13	61.15	59.75	60.68	15.2	12.6	13.8	13.87	O ₁	O ₁	O ₁	Np.	Np.	Np.
2	59.19	60.08	59.78	59.68	13.6	11.8	13.2	12.87	N ₁	C	C	Np.	D.	D.
3	58.73	58.59	57.83	58.39	15.4	13.8	13.0	14.07	SE ₁	SE ₁	SE ₁	D.	Np.	Np.
4	56.00	57.17	59.40	57.52	16.4	13.0	16.2	15.20	NO ₂	C	NO ₁	—	—	—
5	59.95	60.16	59.15	59.75	18.6	11.2	15.4	15.07	NO ₁	NO ₁	E ₂	—	D.	D.
6	54.74	57.66	56.90	56.43	22.0	14.4	15.6	17.33	NO ₂	E ₁	—	—	—	—
7	55.55	55.71	55.21	55.49	17.2	12.0	13.8	14.33	N ₂	N ₂	—	Np.	Np.	N.
8	55.41	56.60	57.33	56.63	15.0	12.8	13.6	13.30	NO ₁	NO ₁	O ₁	Np.	Np.	—
9	58.59	60.56	61.47	60.21	18.2	11.6	14.0	14.60	O ₁	C	E ₁	Np.	Np.	Np.
10	61.13	62.04	62.28	61.82	17.0	12.8	15.2	15.00	—	—	—	—	—	—
11	62.36	61.63	58.88	60.96	16.2	11.8	15.4	14.47	O ₁	O ₁	—	Np.	D.	D.
12	56.79	56.93	56.14	56.62	13.8	11.2	13.2	14.43	NE ₁	NE ₁	—	Np.	Np.	Np.
13	56.45	57.30	57.29	57.01	16.6	11.8	14.6	14.33	O ₁	O ₁	N ₂	Np.	G.	Ll.
14	57.64	58.32	59.58	58.51	15.6	13.2	14.4	14.40	C	C	C	—	Np.	Ll.
15	61.91	61.67	61.87	61.82	16.0	13.8	11.2	13.67	S ₂	C	SE ₁	Np.	—	D.
16	60.31	59.42	57.84	59.19	16.4	13.2	14.0	14.53	O ₁	O ₁	C	—	—	—
17	59.86	60.59	60.87	60.44	15.0	11.8	13.6	13.47	O ₂	—	—	N.	—	N.
18	60.43	58.39	58.89	59.24	16.4	12.6	15.8	14.93	NO ₁	—	NO ₁	—	Ll.	Np.
19	59.71	59.68	58.97	59.45	17.2	12.0	13.0	14.07	—	C	—	—	D.	—
20	57.84	57.16	55.88	56.96	15.0	11.4	14.4	13.60	O ₁	N ₁	N ₂	—	—	Ll.
21	55.71	55.68	56.09	55.83	15.6	12.8	15.2	14.53	N ₂	N ₂	N ₁	—	G.	Ll.
22	57.05	57.96	58.58	57.86	18.0	12.6	13.8	14.80	N ₁	—	N ₁	—	Ll.	Np.
23	57.43	58.40	58.97	58.27	19.6	12.4	14.4	15.47	NO ₁	C	E ₁	Np.	N.	Np.
24	58.34	58.83	58.84	58.63	18.2	13.6	15.8	15.87	O ₁	NO ₁	NO ₁	—	—	Np.
25	59.17	60.00	60.19	59.79	15.8	13.2	13.6	14.20	—	—	E ₁	—	—	D.
26	59.17	59.02	58.43	58.37	17.0	11.8	15.2	14.67	E ₁	E ₁	—	D.	D.	D.
27	57.95	57.63	57.45	57.63	16.4	15.0	17.0	16.13	—	—	—	—	—	—
28	55.53	55.43	56.34	55.95	20.8	15.2	15.8	17.27	NO ₁	C	C	N.	—	N.
29	59.15	59.88	60.19	59.74	18.0	13.6	16.4	16.00	—	—	—	—	—	—

MARZO DE 1872.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTI- GRAD.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	57.55	55.59	54.97	56.04	16.8	12.6	11.4	13.60	O ₁	O ₁	O ₁	Np.	Np.	Np.
2	54.12	53.03	52.41	53.19	16.0	13.8	12.6	14.13	NO ₁	NO ₁	NO ₂	N.	N.	N.
3	51.75	51.83	52.28	51.95	15.2	13.6	12.0	13.60	N ₂	N ₃	N ₃	Ll.	Ll.	Ll.
4	52.27	52.93	53.88	53.03	14.6	14.4	16.2	15.07	N ₃	—	—	—	—	—
5	56.04	55.76	56.41	56.07	16.0	16.4	16.8	16.40	—	N ₂	N ₂	N.	N.	N.
6	56.57	56.01	55.29	55.96	16.4	17.0	11.2	14.87	—	N ₂	O ₃	N.	N.	Ll.
7	54.01	56.24	58.05	56.10	11.6	11.0	11.8	11.47	NE ₁	NO ₁	SE ₁	Np.	G.	Np.
8	57.70	57.97	58.52	58.06	14.8	12.0	13.2	13.30	O ₁	O ₁	C	D.	G.	Np.
9	58.80	59.30	58.95	59.02	14.2	9.6	12.8	12.20	O ₂	O	C	Np.	N.	N.
10	58.42	58.25	57.88	58.18	14.6	13.8	13.2	13.87	O ₁	O	C	Np.	N.	Np.
11	58.17	58.42	59.18	58.59	16.0	14.2	14.6	14.93	O	O	C	Np.	Np.	Np.
12	58.44	58.23	58.68	58.45	17.6	14.4	15.0	15.67	—	C	—	—	—	—
13	58.51	57.37	58.39	58.09	17.2	15.0	14.4	15.53	—	C	—	—	—	—
14	56.81	57.42	57.52	57.25	16.8	13.6	16.0	15.47	NO ₁	NO ₁	NO ₁	D.	D.	D.
15	57.27	56.65	55.63	56.52	15.8	11.2	13.0	13.33	—	C	N ₂	N.	N.	N.
16	58.00	58.46	59.07	58.51	12.4	8.8	8.8	10.00	O ₁	O ₁	C	D.	D.	Ll.
17	58.59	59.33	60.02	59.31	14.2	11.0	8.6	11.27	SE ₁	SE ₁	E ₁	Np.	N.	N.
18	59.66	60.15	62.76	60.86	13.2	9.4	11.0	11.20	O ₂	O ₁	E ₂	Ll.	Ll.	Ll.
19	62.22	62.85	64.40	63.16	16.8	12.6	11.2	13.53	O ₁	SE ₁	E ₁	D.	D.	D.
20	63.47	63.55	63.34	63.45	16.0	12.2	11.6	13.27	NO ₁	NO ₁	E ₁	—	—	—
21	62.51	62.23	61.55	62.13	16.6	12.8	14.2	14.53	E ₂	E ₁	E ₁	—	—	—
22	60.98	61.73	62.03	61.57	17.6	11.8	12.2	13.87	E ₁	—	—	—	—	—
23	60.35	60.62	62.23	61.07	17.0	14.6	13.6	15.07	—	C	—	—	—	—
24	61.35	61.30	61.08	61.53	18.6	15.2	15.4	16.40	SE ₁	SE ₁	SE ₂	—	—	—
25	59.15	58.35	59.26	58.92	21.0	15.8	14.6	17.13	E ₂	E ₂	—	—	—	—
26	58.99	59.72	60.25	59.65	13.2	13.0	14.8	15.33	E ₁	E ₁	E ₁	—	—	—
27	60.33	58.36	59.05	59.41	17.4	19.6	14.6	17.20	NO ₁	E ₂	E ₂	—	—	—
28	57.91	59.52	61.49	59.64	16.2	12.6	12.2	13.67	N ₂	C	C	—	—	—
29	61.48	61.54	61.65	61.56	16.8	13.0	12.6	14.13	E ₂	—	—	—	—	—
30	60.82	59.73	59.72	60.09	17.2	15.8	13.8	15.60	—	E ₁	—	—	—	—
31	59.00	59.75	60.04	59.60	20.8	16.6	16.0	17.80	E ₁	E ₁	—	—	—	—

ABRIL DE 1872.

1	59.49	59.62	59.52	59.54	16.4	14.0	13.8	14.73	—	C	—	Np.	Np.	N.
2	59.26	59.14	60.60	59.67	15.0	12.6	13.4	15.67	E ₁	—	—	Np.	D.	D.
3	60.12	59.80	59.23	59.72	14.6	12.0	12.8	13.13	NO ₁	NO ₁	SE ₁	Np.	Np.	Ll.
4	58.42	59.04	59.49	58.65	14.0	10.6	11.2	11.93	—	—	NO ₁	D.	N.	N.
5	60.36	59.82	59.37	59.85	12.2	10.8	10.0	11.00	—	—	NO ₂	N.	N.	N.
6	58.58	59.03	59.69	59.10	12.8	12.0	10.6	11.30	SE ₁	—	SE ₁	Np.	G.	Ll.
7	60.04	60.59	61.54	60.72	14.6	10.4	12.2	12.40	SE ₁	—	E ₁	Np.	Np.	Np.
8	59.65	59.40	59.60	59.55	16.0	11.6	11.2	12.93	NE ₁	—	NE ₁	D.	D.	D.
9	59.00	58.98	60.17	59.38	12.8	10.4	10.2	11.13	N ₂	NO ₁	C	—	—	—
10	59.79	59.42	58.16	59.12	11.6	9.8	10.4	10.60	—	N ₂	N ₂	Ll.	Ll.	Ll.
11	57.70	57.65	57.51	57.62	13.0	11.8	9.6	11.47	—	—	N ₂	Ll.	Ll.	Ll.
12	57.11	57.17	56.87	57.05	12.2	10.6	9.8	10.87	—	N ₂	N ₂	Ll.	Ll.	Ll.
13	56.58	56.31	55.94	56.23	11.0	9.6	8.8	9.80	—	NO ₂	N ₂	Ll.	Ll.	Ll.
14	54.81	54.03	52.74	53.86	13.6	12.4	13.0	13.00	NO ₂	N ₃	N ₃	Ll.	Ll.	Ll.
15	51.14	52.41	58.15	53.90	13.6	7.8	7.2	9.33	NO ₂	N ₃	N ₃	Ll.	Ll.	Ll.
16	58.57	59.03	59.58	59.06	11.6	9.0	9.8	10.13	NO ₁	NO ₁	NE ₁	Np.	Np.	Np.
17	58.73	59.03	58.01	58.59	13.8	8.6	11.0	11.13	—	NO ₁	—	Np.	Np.	Np.
18	57.30	56.69	54.07	56.02	14.2	11.8	12.0	12.67	—	NO ₁	—	—	—	—
19	54.63	56.24	58.29	56.39	13.4	13.2	11.6	12.73	—	N ₂	—	—	—	—
20	58.48	58.73	59.08	58.76	13.0	11.8	10.4	11.73	NO ₁	NO ₁	—	—	—	—
21	59.33	62.92	64.33	62.36	18.2	6.6	7.8	9.20	SO ₁	E ₁	—	—	—	—
22	67.00	68.88	68.33	68.24	12.6	8.8	8.4	9.93	—	—	—	—	—	—
23	68.38	69.17	68.49	68.68	14.0	8.0	6.6	9.53	—	E ₁	—	—	—	—
24	66.29	67.29	66.55	66.71	12.8	9.6	9.4	10.60	—	E ₁	—	—	—	—
25	65.25	62.58	60.65	62.83	12.6	7.8	11.4	10.60	—	E ₂	E ₂	—	—	—
26	55.03	55.75	58.15	56.31	19.2	13.6	11.2	14.67	NE ₁	—	C	—	—	—
27	58.20	60.53	63.29	60.67	11.4	9.0	10.8	10.40	—	C	—	—	—	—
28	62.63	63.29	63.53	63.15	13.0	8.4	11.2	10.87	SE ₁	—	—	—	—	—
29	61.32	60.99	62.24	61.52	11.8	7.8	9.6	9.67	E ₁	E ₂	—	—	—	—
30	62.37	62.33	62.00	62.23	13.2	10.0	10.6	11.27	—	C	—	—	—	—

MAYO DE 1872.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	61.05	61.27	61.08	61.12	12.8	8.2	8.6	9.87	C					
2	60.59	59.55	56.89	58.84	12.0	6.6	8.4	9.00	N ₁	C	NE ₁	D. N.	D. N.	Np.
3	59.69	56.69	61.93	59.47	10.6	8.0	9.8	9.47	N ₃	N ₂	CE ₁	LL.	LL.	N.
4	60.76	60.26	59.29	60.10	11.0	7.0	7.6	8.58	C	C	CE ₁	Np.	Np.	N.
5	59.16	58.84	57.41	58.47	10.6	8.2	9.4	9.40	—	—	NE ₁	N.	N.	—
6	57.62	58.49	59.48	58.58	11.2	8.8	7.0	9.00	N ₂	E ₁	O ₁	LL.	LL.	—
7	58.74	58.67	58.37	58.60	11.8	8.0	8.6	9.47	E ₁	O ₁	O ₁	LL.	LL.	Np.
8	57.79	57.53	67.47	57.66	15.0	8.6	9.8	10.47	NO ₂	NO ₂	NO ₂	LL.	LL.	LL.
9	57.93	61.83	62.45	60.74	11.4	5.8	9.2	8.80	O ₁	E ₁	NO ₁	LL.	D.	LL.
10	60.69	54.42	54.56	56.56	10.6	10.2	8.0	9.60	NO ₁	N ₁	N ₁	LL.	LL.	LL.
11	53.87	53.90	53.69	53.82	11.8	8.6	8.2	9.54	—	—	—	LL.	LL.	LL.
12	54.37	55.12	57.48	55.66	11.4	10.0	9.6	10.33	C	C	C	N.	N.	—
13	60.59	59.15	58.75	59.50	11.0	9.8	9.2	10.00	—	—	—	—	—	—
14	59.31	60.79	61.70	60.60	10.4	7.8	10.0	9.40	NO ₁	NO ₁	C	—	—	LL.
15	61.52	63.17	62.72	62.47	11.4	8.2	8.6	9.40	C	E ₁	C	—	—	—
16	62.01	62.87	63.01	62.63	10.8	7.0	7.4	8.40	CE ₁	CE ₁	CE ₁	D.	D.	—
17	63.37	65.51	64.95	64.61	11.6	7.6	10.0	9.73	—	—	E ₂	Np.	—	D.
18	65.04	64.75	61.48	63.76	13.0	8.8	9.8	10.53	SE ₂	SE ₂	SE ₂	—	—	—
19	59.88	60.67	62.28	60.94	13.0	4.4	6.2	8.53	NE ₂	E ₁	CE ₁	—	—	—
20	62.28	62.97	63.45	62.92	10.6	7.8	8.4	8.93	NO ₁	NO ₁	CE ₁	—	—	LL.
21	63.70	63.73	63.59	63.67	10.2	6.6	5.4	7.40	NO ₁	C	CE ₁	N.	N.	D.
22	62.54	61.51	62.38	63.81	9.4	7.2	9.0	8.53	E ₁	—	C	G.	G.	N.
23	63.67	64.28	64.86	64.27	11.6	7.4	10.2	9.73	CC	CC	C	—	—	N.
24	64.08	63.80	64.77	64.22	10.8	9.6	10.8	10.40	NO ₁	NO ₁	E ₁	LL.	LL.	—
25	64.99	64.67	63.56	64.41	12.8	11.0	9.2	11.00	C	C	SE ₁	—	—	—
26	61.35	61.48	60.13	60.99	12.6	3.2	8.4	9.73	—	—	—	D.	D.	—
27	58.33	59.27	60.55	59.58	12.0	8.8	10.2	10.33	NO ₁	—	—	—	—	LL.
28	60.77	60.63	60.33	60.58	10.4	8.6	9.6	9.53	C	—	—	—	—	—
29	57.72	56.08	53.19	55.66	11.8	9.8	10.0	10.47	—	NO ₁	N ₂	—	—	LL.
30	53.42	55.84	56.30	55.19	11.6	9.2	8.4	9.00	N ₂	E ₁	NE ₁	—	—	—
31	56.39	56.99	57.09	56.82	11.6	8.0	8.2	9.27	C	C	C	—	—	—

JUNIO DE 1872.

1	58.39	63.35	63.07	61.60	11.6	6.4	7.6	8.53	C	C	C	N.	Np.	N.
2	62.56	62.51	62.12	62.40	11.0	8.2	8.8	9.33	—	NO ₁	NO ₁	Np.	D.	LL.
3	62.56	63.45	64.77	63.58	10.2	6.2	6.2	7.53	O ₁	C	—	—	—	D.
4	63.52	63.52	63.05	63.36	10.4	4.6	4.0	6.33	CC	CE ₁	—	D.	D.	D.
5	62.79	64.80	64.99	64.19	9.8	7.6	6.8	8.07	E ₁	E ₁	—	N.	N.	D.
6	64.79	64.57	64.46	64.61	8.6	7.2	5.4	7.07	—	—	—	D.	D.	D.
7	64.00	63.59	64.55	63.71	7.8	5.6	5.2	6.20	—	—	—	D.	N.	N.
8	63.13	63.08	62.72	62.93	7.0	5.2	6.0	6.07	—	—	—	D.	N.	N.
9	62.46	62.60	61.78	62.28	7.2	7.8	10.0	8.33	—	—	—	N.	G.	N.
10	60.69	60.53	60.26	60.45	10.8	9.4	8.8	9.67	N ₁	N ₂	N ₁	LL.	LL.	—
11	59.85	57.17	52.71	56.58	11.6	9.2	9.8	10.20	N ₂	N ₂	N ₂	—	—	LL.
12	52.69	53.30	56.31	54.10	11.4	8.2	11.0	10.20	N ₂	N ₂	NO ₁	N.	N.	LL.
13	57.03	52.37	45.74	51.71	10.8	12.6	10.8	11.40	N ₂	N ₂	O ₁	—	—	LL.
14	45.54	46.36	47.04	46.31	11.6	11.0	11.6	11.07	N ₂	N ₂	—	—	—	LL.
15	47.90	49.68	50.71	49.43	10.8	9.2	10.0	10.33	—	—	—	LL.	LL.	LL.
16	51.05	53.72	57.05	53.93	9.6	8.2	8.8	8.87	N ₁	N ₁	NO ₁	LL.	—	Np.
17	56.91	57.27	58.51	57.56	10.6	10.0	9.4	10.00	NO ₁	NO ₁	NO ₁	Np.	—	Np.
18	58.67	58.51	60.67	59.62	10.2	6.8	7.4	8.13	C	C	NO ₁	—	—	D.
19	60.63	62.09	61.42	61.58	9.0	5.0	6.8	6.93	CC	CC	CE ₁	—	—	—
20	60.85	61.25	61.07	61.06	7.8	5.4	3.6	5.60	E ₂	E ₂	E ₂	—	—	D.
21	60.46	60.57	60.13	60.39	7.6	3.2	2.6	4.47	E ₁	E ₁	E ₁	D.	—	D.
22	59.86	60.02	60.50	60.13	7.0	6.2	4.0	5.73	E ₁	—	—	—	—	D.
23	60.18	60.60	61.40	60.73	8.8	7.0	5.6	7.13	—	—	—	—	—	D.
24	61.64	61.89	62.03	61.85	7.6	6.8	3.4	5.93	—	—	—	—	—	D.
25	62.27	62.88	63.37	62.84	6.6	5.8	4.0	5.47	—	—	—	Np.	Np.	D.
26	63.80	63.47	64.20	63.66	8.2	6.6	2.8	5.87	—	—	SE ₁	D.	—	—
27	64.14	64.54	63.00	63.89	7.0	4.2	3.2	4.80	SE ₂	S ₂	S ₂	N.	N.	—
28	62.25	62.06	61.72	62.01	7.6	5.8	4.8	6.07	S ₃	—	—	—	—	—
29	60.89	60.19	59.43	60.17	9.0	8.2	8.8	8.67	NO ₂	NO ₂	N ₂	LL.	LL.	—
30	59.07	58.53	58.06	58.85	9.4	9.0	7.6	8.57	—	N ₁	N ₁	—	—	LL.

JULIO DE 1872.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	700+	700+	700+	700+	10.6	7.8	9.6	9.33	NO	NO	E	LI	N.	D.
2	58.67	59.59	61.72	59.99	9.8	7.0	8.8	8.53	C	C	C	D.	D.	Np.
3	62.00	63.74	64.01	63.25	9.6	3.8	3.8	5.73	—	—	—	N.	N.	N.
4	63.65	64.48	65.48	64.87	8.6	4.8	3.0	5.47	—	—	E	N.	—	—
5	64.93	64.72	64.67	64.77	7.0	1.8	0.6	3.13	NE	E	E	—	D.	—
6	64.29	63.53	60.91	62.91	8.2	3.4	6.2	5.93	NE	—	NE	—	Np.	LI.
7	58.39	56.81	55.90	57.03	6.6	6.2	8.8	7.20	E	—	—	—	N.	LI.
8	57.09	57.44	57.86	57.46	12.2	7.0	8.0	0.07	NE	NE	E	—	—	D.
9	57.95	59.14	60.58	59.22	12.8	6.0	5.2	8.00	C	C	E	—	—	N.
10	59.97	60.84	61.86	60.72	9.6	6.0	6.2	7.87	NE	NE	E	Np.	—	N.
11	63.75	63.89	63.12	63.59	9.0	6.6	6.0	7.20	E	E	E	—	D.	D.
12	62.52	62.41	62.41	62.45	8.3	6.6	7.0	7.80	E	E	—	D.	—	—
13	60.82	59.78	59.05	59.88	8.2	6.8	7.8	7.60	E	SE	SE	Np.	N.	Np.
14	58.67	58.72	58.42	58.60	9.6	8.8	7.4	8.60	NE	N	N	LI.	LI.	LI.
15	59.79	59.47	58.69	59.32	11.6	10.0	8.8	10.13	N	N	C	—	N.	G.
16	58.23	58.34	57.99	58.19	9.5	7.0	8.2	8.27	N	N	N	—	LI.	N.
17	57.29	56.22	56.10	56.54	13.0	9.6	9.0	10.53	N	N	N	—	—	—
18	55.52	55.30	56.10	55.64	9.6	8.8	8.0	8.80	NO	NO	NO	N.	—	LI.
19	56.42	55.80	56.37	56.36	11.2	11.0	9.6	10.60	—	—	—	—	—	—
20	58.21	58.98	59.12	58.80	10.0	7.2	7.6	8.27	C	C	C	Np.	Np.	Np.
21	59.58	60.06	60.32	59.99	8.6	7.8	7.0	7.80	—	NO	NO	LI.	LI.	LI.
22	60.64	60.90	61.30	60.95	7.8	7.0	5.6	6.80	—	—	NO	N.	N.	N.
23	60.98	62.36	63.52	62.29	6.6	5.8	4.8	5.73	—	—	NO	—	—	—
24	61.93	61.70	61.52	61.72	7.6	6.8	6.2	6.87	O	O	O	D.	D.	Np.
25	61.18	60.69	60.08	60.65	9.2	5.0	5.8	6.67	—	—	NO	LI.	LI.	LI.
26	60.75	61.94	64.03	62.24	7.4	6.4	7.6	7.00	NO	—	—	N.	N.	Np.
27	65.77	66.07	66.36	66.07	9.0	6.8	5.4	7.07	C	NO	—	—	—	—
28	66.94	66.09	64.92	65.98	9.0	5.4	4.6	6.60	—	E	E	D.	D.	D.
29	65.22	59.86	59.22	60.77	10.4	5.6	6.8	7.60	—	—	—	—	—	N.
30	60.51	61.18	61.18	60.96	12.0	6.8	8.0	8.93	E	—	—	—	N.	—
31	59.33	59.79	60.97	60.06	9.6	7.0	10.2	8.93	E	—	—	N.	—	—

AGOSTO DE 1872.

1	60.39	61.42	61.30	61.20	11.6	8.2	9.8	9.87	C	C	C	N.	N.	N.
2	61.24	62.91	64.01	62.72	10.6	7.6	8.8	9.00	—	—	—	—	—	Np.
3	64.12	64.96	64.74	64.61	9.8	4.2	4.0	6.00	E	E	E	D.	D.	Np.
4	63.84	63.68	63.30	63.61	8.6	4.8	4.2	5.37	—	—	—	N.	N.	D.
5	62.47	62.17	61.96	62.20	9.6	7.2	7.0	7.93	C	C	NE	—	—	—
6	61.49	61.23	60.37	61.03	9.0	9.8	10.6	9.80	N	N	N	LI.	LI.	N.
7	59.35	58.59	55.80	57.91	11.4	8.2	9.6	9.73	—	—	—	N.	N.	—
8	52.34	50.91	51.80	51.68	9.2	9.8	8.2	9.07	N	N	N	LI.	LI.	LI.
9	52.54	52.57	51.83	52.51	8.8	5.6	5.0	6.47	O	E	E	N.	N.	—
10	52.22	57.69	61.39	57.10	3.4	3.0	3.2	3.20	E	E	E	LI.	D.	D.
11	61.29	59.34	57.60	59.41	5.2	6.0	6.6	5.93	E	NO	NO	Np.	Np.	N.
12	54.77	54.29	51.39	53.48	9.4	7.8	8.6	8.60	NO	NO	N	LI.	N.	LI.
13	46.32	47.95	52.07	48.95	10.8	10.4	9.6	10.27	N	N	N	N.	—	—
14	53.00	53.96	53.70	53.55	9.6	7.3	8.2	8.33	—	—	—	—	LI.	LI.
15	53.37	57.32	59.73	56.81	10.4	9.6	10.0	10.00	O	O	C	LI.	LI.	N.
16	58.86	58.48	52.08	56.47	11.6	7.0	8.4	9.00	C	C	C	Np.	N.	LI.
17	51.57	51.47	51.21	51.42	8.8	8.0	9.4	8.73	NO	NO	N	N.	—	—
18	50.34	51.31	54.78	52.14	9.8	8.8	7.6	8.73	N	N	O	LI.	LI.	N.
19	55.55	56.78	57.32	56.55	7.8	6.6	7.2	7.20	O	O	O	—	—	—
20	58.57	55.75	52.92	55.75	11.0	7.2	9.8	9.33	N	N	N	N.	N.	LI.
21	52.42	53.35	54.32	53.53	10.8	9.0	9.6	9.80	NO	NO	O	—	—	N.
22	54.33	50.97	47.65	50.98	9.2	7.6	9.2	8.67	—	NO	N	—	—	—
23	58.48	48.37	50.41	49.29	9.8	5.0	7.6	7.47	O	NO	NO	—	—	LI.
24	50.66	51.43	54.53	52.21	8.8	7.2	7.8	6.0	NO	NO	E	LI.	N.	Np.
25	53.78	53.61	52.05	53.15	7.4	6.6	6.2	6.73	E	E	E	LI.	LI.	LI.
26	53.61	55.98	59.32	56.30	9.0	7.6	9.6	8.73	E	C	C	N.	N.	N.
27	59.59	59.55	58.66	59.20	9.8	8.4	7.8	8.67	NO	—	E	—	—	LI.
28	58.08	57.62	56.76	57.43	11.0	9.0	9.8	9.93	NE	N	N	—	—	LI.
29	57.23	53.13	59.94	53.45	9.4	7.4	3.0	8.60	N	—	O	Np.	N.	Np.
30	59.99	60.84	60.50	60.44	8.8	5.6	6.6	8.97	O	O	—	Np.	N.	N.
31	60.73	61.06	60.42	60.74	10.0	8.4	7.4	8.60	NO	NO	NO	G.	LI.	—

SEPTIEMBRE DE 1872.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSP.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o.	o.	o.	o.						
1	58.57	57.29	55.62	57.19	10.0	8.6	0	8.98	NO ₁	NO ₂	NO ₃	Ll.	Ll.	Ll.
2	54.52	54.14	56.49	55.05	9.4	9.0	7.4	8.60	NO ₂	NO ₁	NO ₃	Ll.	Ll.	Ll.
3	61.68	62.49	63.41	62.53	11.6	8.8	7.0	9.13	NO ₁	C	C	Ll.	Ll.	Ll.
4	64.33	62.57	60.26	62.39	11.0	5.8	8.6	8.47	NO ₁	NO ₂	NO ₃	Np.	D.	Ll.
5	59.25	59.29	61.64	60.06	10.2	9.2	7.6	9.00	C	NO ₂	NE ₁	Np.	Ll.	D.
6	61.33	62.11	62.39	62.11	8.8	7.6	7.4	7.95	C	C	C	Np.	Ll.	D.
7	61.69	62.17	61.66	61.84	10.8	4.0	8.6	7.80	NO ₁	NO ₁	NO ₁	Np.	D.	Ll.
8	61.03	60.42	59.73	60.39	9.4	8.2	10.0	9.20	N ₂	N ₂	N ₂	Ll.	Ll.	Ll.
9	58.27	57.31	57.45	57.68	10.6	10.8	9.4	10.27	NO ₂	N ₂	NO ₂	Ll.	Ll.	Ll.
10	56.79	57.68	58.87	57.78	12.2	8.8	10.6	10.53	NO ₂	NO ₂	—	N.	N.	Ll.
11	58.37	61.15	61.99	60.50	10.8	8.6	10.0	9.80	NO ₂	O ₂	O ₁	Np.	G.	Np.
12	62.20	63.63	66.66	64.16	11.8	9.6	8.0	9.80	—	SE ₁	E ₁	Np.	Np.	Np.
13	65.32	65.58	63.93	65.11	11.2	4.8	8.6	8.20	E ₁	C	C	—	N.	N.
14	63.46	63.97	64.02	63.82	12.0	6.6	10.2	9.60	—	NO ₁	—	—	G.	N.
15	65.22	62.08	58.07	61.11	13.2	11.0	9.8	11.33	O ₂	C	C	—	N.	Ll.
16	58.59	59.74	63.09	60.47	14.4	6.6	6.2	8.07	O ₁	O ₂	S ₁	N.	N.	D.
17	62.53	63.54	63.29	63.13	13.2	9.0	7.6	9.98	—	O ₁	O ₁	Np.	D.	G.
18	62.08	62.21	61.80	62.03	11.4	7.8	7.0	8.73	—	C	C	—	D.	G.
19	60.62	60.53	60.35	60.50	10.6	10.2	7.8	9.53	NO ₁	NO ₁	NO ₁	Np.	N.	Ll.
20	61.23	62.63	63.56	62.49	10.2	7.0	5.8	7.67	E ₂	O ₂	E ₂	—	D.	D.
21	62.26	61.49	60.24	61.33	12.8	8.2	7.2	9.40	O ₂	SE ₁	E ₂	Np.	D.	—
22	59.99	61.61	62.01	61.20	15.2	8.0	9.2	10.13	—	E ₂	E ₁	—	—	—
23	60.09	59.86	58.08	59.34	13.0	6.6	8.8	9.47	—	C	C	D.	D.	Np.
24	57.29	57.25	59.22	57.92	11.2	7.6	8.4	9.07	NO ₁	NO ₁	NE ₁	G.	N.	Ll.
25	58.71	60.36	60.75	59.94	10.2	8.6	7.8	8.87	O ₂	O ₂	O ₂	G.	G.	Ll.
26	60.77	62.52	63.11	62.10	10.8	6.6	8.4	8.60	O ₁	E ₁	C	Ll.	D.	Np.
27	58.89	62.32	62.27	61.16	12.0	8.0	8.8	9.60	O ₁	O ₁	N ₂	Ll.	N.	Ll.
28	61.83	61.71	61.43	61.67	10.4	7.4	7.0	8.27	O ₁	NO ₂	N ₂	—	N.	N.
29	59.84	59.45	56.79	58.69	11.6	7.8	8.6	9.33	NO ₁	—	O ₂	Ll.	—	G.
30	57.42	59.72	61.70	59.61	10.8	5.6	4.8	7.07	O ₂	O ₁	E ₂	Ll.	Np.	Np.

OCTUBRE DE 1872.

1	59.85	59.72	59.98	59.85	13.0	8.6	7.8	9.80	O ₁	O ₁	E ₁	D.	D.	D.
2	60.23	60.72	51.16	60.70	12.2	8.4	8.4	9.33	NO ₁	NO ₁	NE ₁	Np.	N.	D.
3	60.03	60.03	59.15	59.89	13.6	9.2	10.4	11.07	NE ₁	NE ₁	—	Np.	Np.	D.
4	58.88	59.57	59.79	59.41	12.4	9.6	13.8	11.93	—	C	E ₁	—	D.	—
5	59.14	58.21	55.12	57.49	20.0	12.8	10.6	14.47	E ₁	E ₁	C	—	Np.	N.
6	57.20	57.83	55.91	56.98	12.0	10.8	12.4	11.73	NO ₂	N ₂	—	—	Ll.	Ll.
7	52.00	50.54	52.33	51.64	14.6	13.6	11.8	13.33	NO ₁	C	—	—	N.	N.
8	50.84	54.94	57.53	54.44	11.6	9.8	11.0	10.80	N ₂	O ₂	NO ₂	—	G.	N.
9	59.00	58.89	58.57	58.82	11.4	10.4	12.0	11.27	O ₁	O ₂	NE ₁	Ll.	Ll.	—
10	58.10	57.33	58.10	57.84	13.8	10.2	8.6	10.87	NO ₁	NO ₁	—	Ll.	N.	—
11	57.41	58.35	59.43	58.40	14.8	12.6	10.8	12.73	—	—	—	Ll.	Ll.	—
12	57.99	57.99	55.69	57.22	13.0	12.2	12.4	12.53	NO ₂	—	NO ₁	N.	N.	—
13	57.64	58.71	60.17	58.84	14.8	11.0	12.2	12.67	NO ₁	NO ₁	O ₁	Ll.	D.	Np.
14	60.12	59.25	59.88	59.75	15.2	10.8	12.4	12.13	NO ₂	NO ₂	O ₂	Ll.	Ll.	N.
15	59.33	58.45	51.24	56.34	13.0	11.8	11.6	12.13	O ₁	NO ₂	N ₂	Ll.	Ll.	Ll.
16	56.49	57.50	56.04	56.66	11.0	8.2	10.0	9.73	N ₂	O ₁	C	Np.	Ll.	N.
17	55.70	54.34	55.20	55.08	12.2	9.6	11.0	10.93	O ₂	N ₂	NO ₁	Ll.	Ll.	Ll.
18	56.00	58.39	60.39	58.33	12.6	11.8	14.0	12.80	NO ₂	C	E ₁	Ll.	Ll.	Np.
19	61.13	62.35	62.22	61.90	17.0	9.8	12.6	13.13	—	C	—	Np.	D.	D.
20	62.01	61.84	60.65	61.33	19.2	13.0	14.8	15.67	—	—	—	D.	D.	—
21	59.39	58.91	58.09	58.80	17.8	11.8	12.2	13.93	E ₂	E ₁	NO ₁	Ll.	Ll.	N.
22	57.56	60.80	64.74	61.03	14.0	10.2	10.6	11.60	NO ₁	NO ₁	C	Ll.	Np.	D.
23	63.66	63.83	63.13	63.54	15.2	10.8	12.0	12.73	O ₁	C	—	Ll.	D.	—
24	61.64	61.36	60.24	61.08	15.6	12.8	11.4	13.27	—	O ₁	N ₁	Ll.	D.	Ll.
25	61.49	62.44	63.45	62.46	14.8	8.0	10.2	11.00	—	—	E ₁	Np.	D.	D.
26	63.25	63.98	64.82	64.02	12.8	7.6	10.0	10.13	SE ₁	SE ₁	E ₂	D.	D.	—
27	63.65	62.44	62.22	62.77	15.4	9.8	14.2	13.13	E ₂	E ₂	C	—	—	—
28	59.81	60.09	58.93	59.61	14.2	8.8	12.6	11.87	C	C	—	—	—	—
29	58.26	58.21	56.69	57.72	14.6	11.0	11.8	12.47	O ₂	NO ₂	—	Np.	—	Np.
30	56.38	55.17	55.07	55.54	10.2	9.4	9.0	9.53	O ₁	O ₁	—	Ll.	Ll.	E ₁
31	59.58	60.32	60.84	60.25	13.0	8.8	9.6	10.45	—	—	—	Ll.	N.	Np.

NOVIEMBRE DE 1872.

DIAS.	BARÓMETR REDUCIDO A 0°				TÉRMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	61.27	61.24	61.01	61.17	13.8	8.6	14.2	12.20	S ₂	C	C	Np.	D.	D.
2	60 03	59 45	59 56	59 68	15 4	8 8	11 6	11 93	O ₂	—	—	D.	N.	N.
3	59 79	59 60	58 91	59 43	13 0	9 8	10 6	11 13	NO ₁	NO ₁	N ₂	Np.	N.	Li.
4	56 68	56 36	59 15	57 40	11 2	9 6	11 8	10 87	N ₃	N ₃	NE ₁	Li.	Np.	Np.
5	59 13	59 57	56 61	59 44	15 2	9 0	13 4	12 53	SE ₁	E ₁	C	Np.	N.	N.
6	59 67	59 92	59 15	59 58	14 0	7 8	14 0	11 93	C	C	—	N.	N.	—
7	59 56	60 94	61 41	60 94	15 4	7 0	14 2	12 27	SO ₁	SO ₁	—	N.	D.	Np.
8	61 09	60 57	58 95	60 20	16 0	7 6	12 8	12 13	O ₁	O ₁	—	Li.	D.	Np.
9	58 81	58 99	59 28	59 03	11 6	11 8	10 4	11 27	N ₁	—	O ₁	Li.	G.	N.
10
11
12
13
14
15	57 41	57 87	58 25	57 84	10 8	8 8	13 6	11 07	NO ₁	NO ₁	O ₁	N.	N.	Np.
16	58 55	59 46	61 90	59 97	12 2	8 4	12 8	11 13	O ₁	O ₁	E ₁	Np.	D.	D.
17	60 70	61 57	61 45	61 17	13 0	7 8	14 2	11 67	—	—	O ₁	Np.	N.	N.
18	61 37	61 76	60 83	61 32	13 6	9 0	14 8	12 47	O ₂	O ₂	S ₁	N.	D.	D.
19	59 69	60 77	61 21	60 56	15 6	10 0	13 8	13 13	—	—	SE ₁	D.	—	—
20	62 03	61 96	60 83	61 61	16 2	9 6	13 0	12 93	O ₁	—	O ₁	—	—	—
21	61 50	62 72	62 39	62 20	16 6	9 2	13 4	13 07	E ₁	—	E ₁	—	—	—
22	61 80	61 93	61 54	61 76	19 8	11 0	14 2	15 00	O ₁	O ₁	E ₁	—	—	—
23	60 54	61 74	61 61	61 30	22 0	10 2	15 4	15 87	NE ₁	NE ₁	NE ₁	—	—	—
24	60 59	60 79	60 22	60 53	16 6	11 0	14 8	14 13	NO ₁	NO ₂	S ₁	G.	N.	N.
25	58 34	59 88	59 42	59 22	15 2	12 0	12 6	13 27	O ₁	O ₁	O ₁	Np.	N.	G.
26	59 35	59 88	59 97	59 73	13 8	10 6	15 8	13 40	—	C	—	—	Np.	D.
27	60 16	59 51	59 94	59 87	16 2	12 4	14 0	14 20	—	—	O ₁	D.	G.	N.
28	59 92	59 53	58 73	59 39	14 8	12 2	12 6	13 20	NO ₂	NO ₂	NO ₂	N.	N.	Li.
29	59 64	59 95	60 10	59 90	15 6	11 4	14 6	13 87	O ₁	O ₁	O ₁	Np.	N.	N.
30	60.09	61.45	61.95	61.16	14.8	10.8	14.2	13.27	—	—	SE ₁	N.	—	—

DIEMBRE DE 1872.

1	62.39	63.40	63.29	63.03	17.6	10.2	14.0	13.93	E ₁	E ₁	E ₁	D.	D.	Np.
2	62 66	63 07	62 47	62 73	21 8	9 0	15 4	15 40	C	C	E ₁	—	—	D.
3	61 46	61 91	59 60	60 99	18 6	9 8	16 2	14 87	S ₂	S ₁	E ₁	—	—	—
4	57 39	56 79	59 82	58 00	20 8	14 0	12 2	15 67	SO ₂	O ₁	N ₂	—	—	—
5	55 46	55 28	54 74	55 16	14 8	10 4	11 6	12 27	NO ₁	NO ₁	—	Np.	Np.	Li.
6	54 05	55 64	58 76	56 15	11 4	9 8	12 4	11 20	NO ₂	N ₂	C	Li.	Li.	Np.
7	56 83	56 66	59 30	57 60	12 8	9 2	12 0	11 33	NO ₂	—	O ₁	Np.	Li.	D.
8	59 45	60 17	60 17	59 93	16 0	9 6	13 0	12 37	S ₃	S ₂	SE ₁	D.	D.	—
9	59 72	60 69	61 18	60 53	19 8	13 0	16 2	16 33	O ₁	C	E ₁	—	—	—
10	60 68	61 46	59 68	60 61	21 8	15 0	16 2	17 67	—	—	—	—	—	—
11	56 81	57 22	58 06	57 36	18 6	15 4	18 2	17 40	NO ₂	E ₁	O ₁	—	—	—
12	58 65	58 87	59 02	58 85	22 6	14 6	16 8	13 00	O ₁	—	—	—	—	—
13	58 17	58 36	57 39	58 14	21 0	13 4	14 8	16 40	E ₁	—	—	—	—	—
14	57 36	56 88	57 43	57 22	15 2	12 4	13 2	13 60	NO ₂	NO ₁	—	Li.	N.	N.
15	57 74	57 74	57 81	57 70	14 8	14 2	13 4	14 13	O ₁	O ₁	—	Np.	Np.	Np.
16	58 24	57 84	56 97	57 63	15 8	12 0	13 2	13 67	—	—	C	—	—	—
17	57 86	58 61	59 08	58 50	14 4	11 2	11 6	13 40	O ₂	—	C	G.	N.	D.
18	59 61	59 28	59 87	59 59	18 8	12 6	15 0	15 47	O ₁	NE ₂	NE ₁	D.	N.	D.
19	59 92	60 85	61 10	60 62	16 8	12 2	15 4	14 80	NE ₁	E ₁	E ₁	Np.	N.	N.
20	60 09	59 66	60 22	59 99	18 6	13 8	15 2	15 37	E ₁	—	—	D.	N.	Np.
21	59 11	59 68	59 39	59 39	21 6	12 8	17 6	17 33	O ₁	—	O ₁	—	D.	N.
22	59 42	60 30	60 98	60 40	16 2	11 0	15 6	14 27	SE ₂	SE ₂	—	Np.	Np.	Np.
23	61 04	62 14	62 49	61 89	15 8	10 0	16 2	14 00	S ₂	—	C	—	—	—
24	60 47	60 35	59 25	60 02	17 0	10 6	16 0	14 53	O ₁	O ₁	O ₁	N.	N.	N.
25	57 60	55 02	52 57	55 06	14 8	13 2	14 0	14 00	NO ₁	O ₁	SE ₂	N.	N.	Np.
26	54 69	55 60	57 25	56 13	12 4	9 2	10 6	10 73	O ₁	O ₁	SE ₂	N.	G.	Li.
27	56 28	55 99	50 81	54 37	10 4	11 6	10 8	10 93	N ₂	N ₁	N ₂	Li.	N.	—
28	46 85	48 79	52 84	49 49	11 6	11 0	13 6	12 07	N ₃	N ₂	SE ₂	Li.	N.	—
29	55 72	55 59	53 68	55 00	14 8	12 4	13 2	13 47	O ₁	O ₁	O ₁	Li.	N.	—
30	55 75	52 24	52 24	53 41	12 8	12 6	14 4	13 27	N ₂	N ₂	O ₁	—	—	—
31	52.00	54.88	55.50	54.13	13.0	13.0	13.8	13.93	O ₂	O ₁	O ₂	—	—	—

Instrumentos.	ABRIL 24 DE 1872.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°	766.66	766.60	766.73	767.29	767.41	767.24	767.60	766.55	766.99
Termómetro centígrado.....	13.0	12.8	12.2	9.6	8.6	7.8	8.6	9.4	10.25
Vientos.....	C	C	E ₂	E ₂	E ₂	E ₂	E ₂	E ₂
Estado atmosférico	D.	D.	D.	D.	D.	D.	D.	D.
MAYO 4 DE 1872.									
Barómetro reducido a 0°.....	761.03	760.62	760.27	760.26	760.38	760.12	759.62	759.29	760.22
Termómetro centígrado.....	11.2	10.8	9.6	7.0	6.6	6.2	6.4	7.6	8.17
Vientos.....	C	C	C	C	E ₁	E ₁	E ₁	E ₁
Estado atmosférico	Np.	D.	D.	Np.	Np.	Np.	N.	N.
MAYO 14 DE 1872.									
Barómetro reducida a 0°.....	758.58	759.87	759.99	760.79	761.18	761.42	761.61	761.70	760.64
Termómetro centígrado.....	10.6	10.2	10.0	7.8	7.0	6.8	9.2	10.0	8.95
Vientos.....	NO ₁	NO ₁	NO ₁	NO ₁	NO ₁	C	C	C
Estado atmosférico	Ll.	N.	G.	N.	N.	N.	N.	N.
MAYO 24 DE 1872.									
Barómetro reducido a 0°.....	764.32	764.02	763.94	763.80	763.63	763.22	763.66	764.78	765.92
Termómetro centígrado.....	11.4	10.6	9.8	9.6	9.4	8.8	9.6	10.8	10.0
Vientos.....	NO ₁	NO ₁	NO ₁	NO ₁	C	C	C	E ₁
Estado atmosférico	N.	Ll.	Ll.	Ll.	Ll.	N.	N.	N.
JUNIO 3 DE 1872.									
Barómetro reducido a 0°.....	762.17	762.33	762.99	763.45	763.90	764.26	764.33	764.89	763.60
Termómetro centígrado.....	10.8	9.6	7.4	6.2	6.0	5.6	6.0	6.2	7.22
Vientos.....	O ₁	O ₁	O ₁	O ₁	O ₁	E ₁	E ₁	E ₁
Estado atmosférico	Np.	Np.	Np.	D.	D.	D.	D.	D.
JUNIO 13 DE 1872.									
Barómetro reducido a 0°.....	758.48	756.03	755.60	752.37	749.05	747.91	747.20	745.71	755.54
Termómetro centígrado.....	10.4	11.2	11.8	12.6	13.4	13.0	11.6	10.8	11.85
Vientos.....	N ₂	N ₂	N ₂	N ₂	N ₁	N ₁	N ₁	N ₂
Estado atmosférico	N.	N.	N.	N.	Ll.	Ll.	Ll.	Ll.

Instrumentos.	JUNIO 23 DD 1872.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°	759.53	759.91	760.04	760.60	760.80	761.02	761.19	761.40	760.56
Termómetro centígrado.....	9.0	8.4	8.2	7.0	6.6	5.8	5.2	5.6	6.97
Vientos.....	E ₁	E ₁	E ₁	E ₁	E ₁	E ₁	E ₁	E ₁
Estado atmosférico.....	N.	N.	N.	D.	D.	D.	D.	D.
JULIO 3 DE 1872.									
Barómetro reducido a 0°	763.86	763.75	763.61	764.12	764.32	764.64	765.00	765.45	764.85
Termómetro centígrado.....	10.2	8.4	6.6	5.2	3.8	3.4	3.6	3.8	5.62
Vientos.....	C	C	C	C	C	C	C	C
Estado atmosférico.....	Np.	Np.	Np.	D.	D.	D.	Np.	N.
JULIO 13 DE 1872.									
Barómetro reducido a 0°	761.09	760.48	760.84	759.77	759.66	759.62	759.37	759.05	759.92
Termómetro centígrado.....	9.2	7.6	7.4	6.8	6.4	6.0	6.6	7.8	7.22
Vientos.....	E ₁	E ₁	E ₁	SE ₁	SE ₁	SE ₁	SE ₁	SE ₁
Estado atmosférico.....	D.	D.	N.	N.	N.	N.	Ll.	Ll.
JULIO 23 DE 1872.									
Barómetro reducido a 0°	760.61	762.10	762.26	762.42	762.75	762.98	763.22	762.54	762.86
Termómetro centígrado.....	8.0	6.4	6.2	5.8	5.6	5.4	5.0	4.8	5.90
Vientos.....	NO ₂	NO ₂	NO ₂	NO ₁	NO ₁	NO ₁	NO ₁	NO ₁
Estado atmosférico.....	N.	N.	N.	N.	N.	Np.	Np.	Np.
AGOSTO 2 DE 1872.									
Barómetro reducido a 0°	760.92	761.47	761.76	762.75	762.88	763.01	763.85	764.01	762.58
Termómetro centígrado.....	11.2	10.4	8.8	7.6	7.4	6.8	8.2	8.8	8.65
Vientos.....	C	C	C	C	C	C	C	C
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	Np.	Np.
AGOSTO 12 DE 1872.									
Barómetro reducido a 0°	754.94	754.50	754.32	754.29	753.98	752.62	752.26	751.40	753.54
Termómetro centígrado.....	9.6	9.0	8.6	7.8	6.6	7.4	8.0	8.6	8.20
Vientos.....	NO ₂	NO ₂	NO ₂	NO ₂	N ₂	N ₂	N ₂	N ₂
Estado atmosférico.....	Ll.	Ll.	N.	N.	Ll.	Ll.	Ll.	Ll.

Instrumentos.	AGOSTO 22 DE 1872.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medie
Barómetro reducido a 0°.....	754.50	754.26	753.79	750.97	749.53	748.80	748.47	747.64	750.97
Termómetro centígrado.....	9.4	9.0	7.2	7.6	8.4	8.6	9.0	9.2	8.55
Vientos.....	NO ₂	NO ₂	NO ₃	N ₃	N ₃	N ₃	N ₃	N ₃
Estado atmosférico.....	N.	N.	Ll.	Ll.	Ll.	Ll.	Ll.	N.
SEPTIEMBRE 1.º DE 1872.									
Barómetro reducido a 0°.....	758.98	758.43	758.16	757.59	757.42	756.88	756.36	755.62	757.40
Termómetro centígrado.....	10.2	9.8	9.2	8.6	7.8	7.4	7.6	8.2	8.60
Vientos.....	NO ₁	N ₁	NO ₁	N ₂	NO ₂	NO ₂	NO ₃	NO ₃
Estado atmosférico.....	N.	Ll.	Ll.	Ll.	Ll.	Ll.	Ll.	Ll.
SEPTIEMBRE 11 DE 1872.									
Barómetro reducido a 0°.....	758.05	758.81	759.79	761.15	761.44	761.87	761.87	761.98	760.59
Termómetro centígrado.....	11.2	10.4	10.0	8.6	7.8	7.4	9.2	10.0	9.32
Vientos.....	O ₃	O ₃	O ₂	O ₂	O ₂	O ₁	O ₁	O ₁
Estado atmosférico.....	N.	G.	N.	Ll.	Ll.	N.	N.	Np.
SEPTIEMBRE 21 DE 1872.									
Barómetro reducido a 0°.....	762.50	762.09	761.62	761.48	761.25	760.94	760.60	760.24	761.54
Termómetro centígrado.....	13.0	12.4	10.8	8.2	7.0	6.4	6.8	7.2	8.97
Vientos.....	E ₂	E ₂	SE ₂	SE ₃	SE ₃	SE ₃	E ₃	E ₃
Estado atmosférico.....	D.	Np.	Np.	D.	D.	D.	Np.	Np.
OCTUBRE 1.º DE 1872.									
Barómetro reducido a 0°.....	760.11	759.58	759.63	759.72	759.37	759.66	759.91	759.98	759.74
Termómetro centígrado.....	13.2	11.6	10.8	8.6	6.4	6.0	7.2	7.8	8.95
Vientos.....	O ₁	O ₁	O ₁	O ₁	E ₁	E ₁	E ₁	E ₁
Estado atmosférico.....	D.	D.	D.	D.	Np.	Np.	D.	D.
OCTUBRE 11 DE 1872.									
Barómetro reducido a 0°.....	757.18	757.77	758.04	758.35	758.87	759.05	759.19	759.43	758.48
Termómetro centígrado.....	15.2	14.6	13.8	12.6	12.0	10.8	9.6	10.8	12.42
Vientos.....	NO ₁	NO ₁	NO ₁	NO ₁	NO ₁	NE ₁	NE ₁	NE ₁
Estado atmosférico.....	D.	D.	D.	N.	N.	N.	N.	N.

Instrumentos.	DICIEMBRE 30 DE 1872.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°	mm. 754.18	mm. 753.71	mm. 753.16	mm. 752.40	mm. 752.09	mm. 751.92	mm. 752.10	mm. 752.23	mm. 752.73
Termómetro centígrado.....	13.2	12.4	12.2	11.6	11.4	12.6	13.8	14.4	12.70
Vientos	N ₂	N ₂	N ₂	N ₂	N ₂	N ₂	NO ₂	O ₁
Estado atmosférico.....	N.	Ll.	N.	Ll.	Ll.	N.	G.	N.

ENERO DE 1871.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°						
1	56.22	55.47	57.28	56.52	15.0	13.0	14.2	14.1	O ₂	—	O ₂	N.	—	N.
2	54.67	57.28	54.23	55.39	16.0	14.0	14.8	14.9	—	—	—	D.	—	Np.
3	56.34	57.41	56.34	56.70	12.0	12.5	15.0	13.2	NO ₁	—	—	Ll.	—	—
4	60.16	60.28	60.22	60.22	15.0	15.0	14.0	14.7	NO ₁	SO ₁	NO ₁	N.	D.	—
5	56.98	55.91	58.65	57.18	17.6	14.0	15.2	15.6	O ₁	NO ₁	—	Np.	N.	Np.
6	56.16	50.17	54.16	53.50	15.4	13.2	15.4	14.7	—	—	N ₁	N.	—	—
7	56.16	60.16	50.42	55.58	13.0	13.0	13.0	13.7	—	—	—	Np.	—	Ll.
8	61.15	54.54	52.29	55.99	13.0	12.8	16.0	13.9	NO ₁	N ₁	N ₂	Ll.	—	Np.
9	55.10	55.22	55.28	55.20	15.4	15.0	14.0	14.8	NO ₁	NO ₁	—	N.	N.	—
10	54.17	53.28	54.29	53.91	15.0	13.4	14.4	14.3	NO ₁	N ₁	N ₂	D.	D.	N.
11	50.29	49.42	51.29	50.33	13.0	12.8	16.0	13.9	NE ₁	N ₂	NE ₁	Ll.	—	—
12	55.41	52.48	52.29	52.75	14.0	14.0	13.0	13.8	O ₂	N ₂	O ₂	Np.	—	Np.
13	57.22	54.92	56.41	56.18	15.0	12.6	14.8	14.1	N ₂	—	—	Np.	—	—
14	54.34	61.52	53.42	56.43	14.0	13.6	13.0	13.5	O ₂	O ₁	—	N.	—	—
15	62.27	62.33	57.16	60.59	14.0	14.0	11.6	13.2	O ₁	SO ₁	—	D.	—	—
16	63.59	61.90	63.79	63.09	17.6	14.0	15.4	15.7	S ₁	S ₁	E ₁	Np.	D.	N.
17	59.35	58.04	59.66	59.02	15.6	15.0	16.4	15.7	SO ₁	—	SO ₁	—	—	D.
18	59.17	53.91	59.48	59.19	18.6	14.8	17.8	17.1	—	—	—	—	—	D.
19	56.61	57.16	57.04	56.94	18.8	15.0	16.4	16.7	—	—	—	D.	—	D.
20	52.73	53.23	54.17	53.38	13.4	14.0	15.2	14.2	NO ₂	N ₁	—	N.	—	Np.
21	51.17	55.16	51.85	52.56	13.8	13.5	12.4	13.2	—	O ₂	O ₂	N.	—	Np.
22	58.78	60.28	56.53	58.53	15.4	11.8	15.0	13.4	O ₁	O ₁	—	Np.	D.	—
23	56.72	55.34	57.84	56.47	15.8	12.2	13.8	13.9	SO ₂	SO ₂	O ₁	N.	D.	Np.
24	46.43	47.54	49.42	47.80	12.2	11.6	11.6	11.8	N ₂	N ₂	N ₂	Ll.	—	Ll.
25	46.24	48.54	48.42	47.73	14.2	10.4	12.4	12.3	NE ₁	O ₂	N ₁	Np.	—	—
26	59.34	61.46	56.53	59.31	14.3	12.4	12.6	13.3	SO ₂	S ₁	SE ₁	Np.	D.	N.
27	62.21	62.15	62.90	62.42	16.8	12.8	12.6	14.1	—	—	SE ₁	—	—	D.
28	62.13	61.21	62.46	61.93	14.4	18.0	12.6	15.0	—	—	SE ₁	—	—	Np.
29	63.09	63.15	61.21	62.48	16.8	18.6	14.8	16.7	—	—	SO ₁	—	D.	—
30	56.35	53.05	62.09	57.16	19.2	14.0	15.0	16.1	—	—	O ₁	—	N.	—
31	54.17	57.16	52.29	54.54	15.0	12.6	15.0	14.2	O ₁	SO ₁	O ₂	N.	D.	Np.

FEBRERO DE 1871.

1	59.10	58.16	59.28	58.85	18.6	14.6	15.8	16.3	NO ₂	SO ₂	SO ₁	D.	Np.	D.
2	57.16	55.22	57.10	56.94	16.6	12.2	13.8	14.2	N ₂	N ₂	—	Np.	—	Np.
3	58.11	52.42	54.29	53.27	16.8	13.2	14.4	14.8	N ₂	N ₂	N ₁	N.	—	Np.
4	57.98	57.16	56.91	57.35	16.2	15.4	16.0	15.2	O ₁	S ₁	SE ₁	—	—	Np.
5	58.91	60.41	61.20	60.17	18.0	16.0	15.0	16.3	O ₂	SO ₁	N ₁	D.	D.	D.
6	59.79	60.16	56.6	58.70	20.0	14.0	14.2	16.1	—	—	O ₁	—	—	—
7	56.23	53.11	58.66	56.00	19.6	15.4	15.6	16.9	E ₁	SE ₁	—	—	—	D.
8	51.42	51.67	51.73	51.61	17.0	14.4	14.0	15.1	NO ₂	NO ₂	NO ₁	N.	—	N.
9	54.49	56.16	54.29	54.98	18.0	13.0	14.4	15.1	O ₂	O ₂	SO ₁	Np.	—	—
10	58.04	58.66	58.23	58.33	18.4	14.0	15.2	15.9	—	SE ₁	—	—	—	Np.
11	56.91	55.72	58.22	56.96	18.6	12.4	15.0	15.3	—	SO ₁	NO ₁	D.	D.	D.
12	56.85	57.16	57.28	57.10	19.0	13.4	15.2	15.9	O ₁	—	S ₁	Np.	—	Np.
13	56.85	57.72	57.28	57.28	19.0	14.0	15.4	16.1	—	—	O ₁	—	—	—
14	56.73	57.16	55.54	56.48	19.0	13.4	17.2	16.5	O ₂	—	—	—	—	—
15	55.41	55.28	56.16	55.62	17.2	12.2	14.6	14.7	—	—	—	—	—	—
16	55.48	54.67	55.78	55.31	17.6	14.0	14.2	15.3	NE ₁	NE ₁	NE ₁	—	—	—
17	56.35	57.98	50.67	55.00	17.8	14.6	14.8	15.7	E ₁	SO ₁	E ₁	Np.	—	—
18	59.79	60.16	58.41	59.45	19.0	13.0	14.8	15.6	SO ₂	—	—	D.	—	—
19	58.85	57.16	63.65	59.89	18.8	14.0	16.0	16.3	S ₁	—	S ₁	—	D.	D.
20	54.91	57.28	56.10	56.10	16.8	15.5	15.4	15.9	S ₁	S ₁	SO ₁	N.	—	Np.
21	55.48	56.60	55.84	55.99	17.2	16.2	12.6	15.3	—	SE ₁	NO ₁	D.	—	N.
22	57.22	60.28	56.53	58.01	15.8	12.0	13.0	13.6	NO ₂	N ₂	—	—	—	Np.
23	59.28	59.41	59.28	59.32	13.8	12.2	12.0	12.7	N ₂	—	N ₂	N.	—	N.
24	58.16	58.28	59.10	58.51	14.8	12.4	13.2	13.5	—	N ₁	—	—	—	—
25	56.98	56.22	57.16	56.79	14.8	12.0	15.2	14.5	N ₂	N ₂	—	Np.	—	Np.
26	54.61	55.66	54.17	54.31	14.0	14.0	14.4	14.1	—	—	—	N.	—	N.
27	55.16	55.22	55.63	55.35	14.0	15.6	14.6	14.3	N ₂	—	—	Ll.	—	Np.
28	53.11	53.23	53.79	53.04	15.0	13.6	13.6	14.1	NO ₂	NO ₂	N ₂	Ll.	—	Ll.

MARZO DE 1871.

DIAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ-GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	700+	700+	700+	700+	14.0	o	o	o						
2	52.23	51.73	52.23	52.06	14.0	13.0	14.0	13.7	N ₃	NO ₂	N ₃	N.	N.	N.
3	50.17	52.73	52.69	51.86	14.0	12.8	10.0	12.3	N ₁	N ₁	N ₁	Ll.	—	—
4	56.60	57.66	56.16	56.81	15.0	14.4	15.0	14.8	N ₂	N ₂	NO ₂	Ll.	—	—
5	56.66	56.72	57.04	56.81	14.8	12.2	15.4	14.1	SO ₁	SO ₁	N ₂	Ll.	Np.	Np.
6	58.48	56.16	58.22	57.62	16.4	14.8	14.8	15.3	SO ₂	—	SO ₁	Np.	D.	—
7	54.11	53.78	53.23	53.71	15.0	13.4	14.0	14.1	NE ₁	NE ₂	NE ₁	Np.	Np.	—
8	51.67	50.29	53.29	51.75	14.4	14.0	14.4	14.3	N ₃	N ₂	N ₂	Ll.	—	—
9	50.17	50.90	50.98	50.63	14.0	11.6	12.0	12.5	SO ₁	—	SO ₁	Ll.	—	—
10	47.05	48.67	47.11	47.61	11.0	10.0	11.0	10.7	O ₁	O ₂	O ₂	Ll.	Ll.	Ll.
11	55.97	56.21	53.78	55.32	12.2	10.0	10.6	10.9	NO ₂	N ₃	—	Ll.	Np.	Np.
12	50.28	53.54	52.72	52.18	12.0	12.0	10.0	11.3	N ₂	N ₂	—	Ll.	Ll.	Ll.
13	60.22	56.41	54.04	56.89	10.6	10.4	12.0	11.0	SO ₁	—	—	D.	N.	N.
14	63.65	64.27	60.22	62.71	14.6	12.2	14.4	13.7	—	—	SO ₁	—	D.	D.
15	63.08	61.03	64.15	62.75	15.0	14.8	15.4	15.1	NO ₁	—	—	Np.	N.	—
16	59.04	59.22	59.72	59.39	15.2	13.2	13.0	13.8	SO ₂	S ₁	—	Np.	N.	—
17	57.78	54.35	59.53	57.22	13.4	12.6	12.0	12.7	N ₁	N ₁	S ₁	Np.	Np.	Np.
18	51.23	51.29	50.35	50.96	14.4	13.0	12.8	13.4	N ₃	N ₂	N ₃	Ll.	Ll.	Ll.
19	52.54	53.29	52.29	52.71	12.0	12.4	14.0	12.8	N ₂	O ₂	N ₂	—	—	—
20	53.79	54.76	54.04	54.20	15.0	13.2	11.6	13.3	O ₂	O ₂	O ₂	Np.	Np.	—
21	55.91	56.15	56.09	56.03	12.2	12.0	13.0	12.4	O ₁	—	NO ₁	Np.	D.	Ll.
22	57.78	56.78	56.91	57.16	14.4	13.6	13.4	13.3	—	—	SO ₁	Np.	Ll.	Np.
23	54.54	50.66	59.29	54.83	11.6	10.8	10.0	10.8	N ₂	N ₃	SE ₁	Ll.	Ll.	Ll.
24	50.92	52.54	49.47	50.93	14.0	10.6	12.5	12.4	O ₂	N ₂	O ₂	Np.	Ll.	Ll.
25	44.43	43.05	48.73	45.40	13.4	10.2	10.4	11.3	N ₃	O ₂	NE ₂	N.	Np.	Np.
26	42.80	40.93	43.61	42.43	11.6	12.0	11.6	11.7	—	—	N ₂	Ll.	Ll.	Ll.
27	38.55	40.05	38.56	39.05	10.8	11.0	12.0	11.3	—	—	—	Ll.	Ll.	Ll.
28	58.60	55.05	49.79	52.81	11.0	12.0	10.2	11.1	O ₃	—	O ₃	Np.	Ll.	Ll.
29	51.60	52.85	53.54	52.66	14.0	12.6	11.8	12.3	NO ₁	O ₂	N ₃	Ll.	Ll.	Ll.
30	55.28	54.42	55.72	55.14	14.0	13.4	10.8	12.7	N ₂	N ₃	NE ₁	—	Ll.	Ll.
31	52.17	50.17	51.29	51.21	13.0	14.0	14.6	14.5	—	—	—	—	—	—

ABRIL DE 1871.

1	62.02	60.53	52.17	58.24	15.0	10.6	14.5	13.4	N ₂	S ₁	O ₂	Np.	Np.	Np.
2	55.16	58.41	54.29	55.95	14.0	12.0	13.0	13.0	NO ₂	NO ₂	—	—	—	—
3	60.78	60.53	59.41	60.24	15.0	10.6	12.4	12.7	O ₂	S ₁	NE ₁	—	D.	—
4	59.78	59.78	57.84	59.13	10.9	12.0	12.8	11.9	O ₁	—	—	—	—	—
5	60.16	60.43	59.47	60.02	14.0	13.0	10.4	12.5	—	—	—	—	—	—
6	59.84	60.41	57.41	59.22	13.8	10.8	10.0	11.5	SO ₁	—	S ₁	D.	Np.	D.
7	55.29	55.41	57.15	55.95	14.0	11.0	13.6	11.9	—	E ₁	—	Np.	—	—
8	56.28	56.34	55.65	56.09	10.8	10.4	11.2	10.8	N ₁	—	NE ₁	—	—	N.
9	56.16	56.78	56.91	56.62	14.0	10.0	12.6	12.2	NE ₁	—	E ₁	—	—	Np.
10	56.78	57.41	57.34	57.18	13.0	12.0	12.0	12.3	E ₁	—	S ₁	N.	—	Np.
11	56.16	56.28	57.91	56.73	14.0	12.0	12.4	12.3	—	NO ₁	E ₁	Np.	Np.	Np.
12	56.28	56.16	54.42	55.62	14.6	13.0	13.6	13.7	O ₁	NO ₁	—	Np.	Np.	Np.
13	56.78	56.78	57.28	56.93	13.2	12.0	14.0	13.1	N ₂	—	N ₁	Ll.	Np.	Np.
14	58.16	58.16	57.28	57.87	14.8	14.0	13.2	14.0	O ₁	O ₁	NO ₁	Np.	Np.	Np.
15	59.66	58.41	59.73	59.28	16.0	11.0	12.8	13.3	—	E ₁	SO ₁	—	D.	Np.
16	51.42	51.92	53.84	52.39	13.0	11.4	10.5	11.6	N ₃	NO ₂	N ₃	Ll.	Ll.	Ll.
17	55.41	54.78	55.47	55.22	12.4	13.0	12.4	12.6	NO ₂	—	—	Ll.	Ll.	Ll.
18	49.30	40.32	47.80	45.81	12.8	13.0	10.5	12.1	N ₃	—	—	Ll.	Ll.	Ll.
19	49.55	54.22	46.62	50.13	12.0	9.4	11.0	10.7	O ₂	NO ₁	NO ₃	Np.	—	—
20	56.21	51.66	54.66	54.18	10.2	10.2	10.2	10.2	N ₁	N ₃	N ₃	Ll.	Ll.	Ll.
21	49.31	53.96	48.36	50.54	9.0	5.8	5.6	6.3	NO ₁	NO ₂	NO ₁	Ll.	N.	—
22	54.72	54.28	54.34	54.45	10.4	9.0	5.9	8.4	NO ₂	O ₂	—	—	—	—
23	52.41	54.08	51.78	52.74	8.8	5.8	8.8	7.8	O ₃	—	O ₃	Np.	D.	Np.
24	58.40	57.53	56.02	57.32	9.4	10.0	6.4	8.6	S ₁	O ₁	O ₁	—	—	—
25	61.70	62.26	61.82	61.93	11.0	7.5	8.2	8.9	S ₁	S ₁	E ₁	D.	—	D.
26	62.32	62.32	62.95	62.53	10.0	6.2	7.2	7.8	S ₁	—	S ₁	—	—	—
27	62.26	62.26	61.95	62.13	10.5	8.0	7.6	8.7	—	—	—	—	—	—
28	63.02	63.26	62.39	63.06	12.0	9.0	9.0	10.0	—	—	—	—	—	—
29	62.40	62.52	63.32	62.75	11.8	9.6	9.2	10.2	SO ₁	—	—	—	—	—
30	62.40	61.52	63.26	62.33	12.4	11.0	9.2	10.9	O ₂	—	—	Np.	—	—

MAYO DE 1871.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	59.41	59.41	60.53	59.78	12.0	11.8	11.4	11.7	N ₁	N ₂	N ₁	Li.	Li.	Li.
2	53.42	55.48	57.47	55.46	12.0	11.0	10.0	11.0	O ₃	—	NO ₂	—	—	—
3	61.76	62.27	56.79	60.27	11.0	10.5	9.6	10.4	SO ₁	SO ₁	O ₁	—	Ni.	Np.
4	61.52	61.64	62.27	61.81	12.0	11.0	10.5	11.2	O ₂	O ₁	O ₁	N.	Li.	N.
5	58.47	61.65	61.76	60.63	11.0	10.4	10.0	10.5	—	SO ₁	—	—	Np.	N.
6	58.77	59.28	56.65	58.23	11.0	11.0	10.6	10.9	O ₁	O ₁	O ₂	—	—	—
7	61.03	60.53	60.90	60.82	11.4	11.0	10.2	10.5	O ₂	—	O ₂	Np.	D.	—
8	61.15	60.53	61.27	60.98	12.0	10.0	9.0	10.3	E ₁	S ₁	NO ₁	Np.	—	Np.
9	61.27	61.58	61.64	61.50	12.0	10.2	10.0	10.7	S ₁	—	E ₁	—	—	—
10	61.33	62.90	61.27	61.83	13.0	10.4	9.0	10.8	SO ₁	—	E ₁	—	—	N.
11	58.27	58.65	57.83	58.25	10.0	10.0	8.2	9.4	SE ₁	N ₁	—	N.	N.	—
12	57.03	53.59	58.96	56.53	11.8	10.4	10.0	10.7	NE ₁	E ₁	SE ₁	Np.	N.	—
13	61.76	61.60	52.30	55.22	10.8	11.6	10.0	10.8	N ₂	N ₂	E ₁	Li.	Li.	—
14	53.54	53.54	53.54	53.54	12.0	10.8	11.8	11.5	N ₂	SO ₁	N ₃	—	—	Li.
15	59.97	59.65	59.71	59.78	11.6	10.6	9.2	10.5	N ₁	N ₁	SO ₁	N.	—	Np.
16	59.21	59.21	59.77	59.40	10.4	10.0	9.6	10.0	NE ₁	E ₁	N ₂	Np.	D.	Li.
17	56.53	57.90	57.33	57.25	12.6	9.6	9.6	10.6	SE ₁	SE ₁	S ₂	—	D.	N.
18	59.54	59.20	58.77	59.10	12.8	8.8	9.4	10.3	—	—	S ₁	—	—	D.
19	59.91	59.09	59.59	59.53	12.6	10.0	11.4	11.3	—	—	SE ₁	—	N.	Np.
20	56.51	55.78	57.77	56.35	10.6	9.4	10.2	10.1	N ₁	—	N ₂	N.	—	N.
21	55.16	57.25	55.84	56.08	10.0	10.0	9.2	9.7	SE ₁	—	S ₁	Li.	—	N.
22	54.91	55.91	54.47	55.10	9.2	8.4	7.8	8.5	S ₁	—	—	Np.	—	—
23	59.71	58.71	58.83	59.08	9.6	9.8	8.5	9.3	—	SE ₁	—	D.	—	—
24	53.78	51.54	57.40	54.24	10.6	10.0	9.4	10.0	N ₂	E ₂	NE ₂	N.	Li.	—
25	55.28	55.78	54.22	55.09	9.8	8.6	9.4	9.3	NE ₁	NE ₁	NO ₂	—	N.	Li.
26	56.21	56.77	57.27	56.75	10.0	9.6	8.4	9.3	S ₂	S ₁	E ₁	Np.	—	—
27	52.22	50.79	52.73	51.93	10.4	10.0	9.2	9.9	NE ₁	E ₃	—	N.	Li.	—
28	51.10	50.55	51.60	51.08	10.4	12.2	11.0	11.2	E ₁	N ₂	NE ₂	Li.	—	Li.
29	51.04	60.84	51.05	54.31	10.0	10.4	11.2	10.5	N ₂	N ₂	—	Np.	—	Np.
30	54.16	50.55	53.73	52.81	10.6	10.2	10.2	10.3	NE ₁	N ₂	NE ₁	N.	N.	Li.
31	46.67	45.24	49.79	47.23	11.2	10.2	9.2	10.2	N.	NE ₁	SE ₁	Li.	Li.	N.

JUNIO DE 1871.

1	43.80	42.80	42.86	43.15	9.2	10.0	9.4	9.6	NO ₂	NE ₃	NE ₃	Li.	N.	Li.
2	44.74	43.80	47.92	45.49	10.8	10.0	9.0	9.9	NE ₂	—	—	—	—	—
3	46.17	47.79	42.80	45.59	11.6	10.0	10.6	10.7	NO ₂	E ₁	NO ₂	Np.	—	—
4	52.42	52.54	52.72	52.56	12.8	12.0	10.6	11.8	N ₂	N ₁	NE ₃	—	Np.	—
5	51.48	52.66	52.72	52.29	12.2	11.0	10.4	11.2	—	—	—	N.	Li.	—
6	47.17	47.17	43.73	47.69	11.2	10.4	10.4	10.7	NE ₁	NE ₂	—	—	—	—
7	50.67	53.66	47.85	50.73	11.4	10.6	10.0	10.5	—	O ₁	E ₁	N.	N.	—
8	57.21	58.71	56.83	57.58	10.2	9.6	9.2	9.7	NO ₁	—	O ₁	Np.	—	—
9	60.21	60.77	59.90	60.29	9.4	9.0	8.8	9.1	N ₂	NE ₁	N ₁	N.	—	—
10	60.03	59.59	60.90	60.17	11.4	10.0	9.2	10.2	NO ₁	O ₂	NE ₁	Np.	Li.	Np.
11	59.27	60.27	58.77	59.44	9.2	8.4	8.4	9.2	NE ₁	NE ₁	O ₁	Li.	Np.	N.
12	64.14	60.28	63.76	62.73	10.4	10.8	8.4	9.9	NE ₁	NE ₁	NE ₁	Np.	Np.	Np.
13	63.08	62.76	62.76	62.37	10.0	10.0	11.6	10.5	O ₁	O ₁	NO ₂	—	Li.	Li.
14	63.27	61.70	63.89	62.95	10.4	10.4	9.2	10.0	N ₂	N ₁	NO ₂	N.	Li.	N.
15	54.22	59.77	53.66	55.83	9.8	7.6	11.0	9.5	O ₁	SO ₁	N ₂	Np.	Li.	Li.
16	66.25	66.88	65.51	66.21	9.2	5.4	7.4	7.3	O ₁	O ₁	S ₁	—	D.	Li.
17	66.75	66.75	66.75	66.75	10.0	8.8	9.0	9.3	NE ₁	SE ₁	E ₁	N.	—	—
18	61.64	57.71	63.82	61.06	9.0	8.8	9.0	8.9	SE ₁	SE ₂	E ₁	Np.	—	—
19	56.40	56.27	55.78	56.15	8.8	10.0	8.2	9.0	NE ₂	E ₂	E ₂	N.	D.	—
20	55.72	54.72	54.28	54.91	10.6	10.4	10.0	10.3	N ₂	N ₂	NE ₁	Li.	—	Li.
21	53.34	53.84	53.78	53.65	8.8	9.0	9.2	9.0	O ₂	O ₂	O ₂	—	—	—
22	59.16	59.20	57.59	58.63	7.2	6.0	7.0	6.7	NO ₂	SE ₁	—	Np.	D.	Np.
23	60.76	61.39	60.76	60.97	5.4	6.0	5.6	5.7	S ₂	S ₂	—	—	—	—
24	62.15	64.13	62.38	62.89	6.0	5.0	4.6	5.2	S ₁	—	—	D.	—	D.
25	66.25	63.25	63.75	63.42	4.0	7.0	5.0	5.3	—	S ₁	—	—	—	—
26	67.44	56.96	60.84	61.73	3.4	3.4	7.0	5.9	O ₁	NO ₂	—	Np.	Li.	N.
27	52.03	52.59	54.59	53.07	3.4	3.4	5.4	5.4	NO ₂	—	NO ₂	Li.	Np.	Np.
28	53.02	61.14	55.15	58.10	8.0	6.4	5.4	6.6	O ₂	O ₂	O ₂	—	—	—
29	62.76	63.45	63.13	63.11	9.6	7.5	7.6	8.2	O ₁	NO ₂	NO ₁	N.	Li.	Li.
30	64.14	64.26	64.26	64.23	11.0	10.0	8.8	8.8	SO ₂	S ₁	O ₁	Np.	D.	—

JULIO DE 1871.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	700+	700+	700+	700+	7.5	8.4	8.0	8.0	S ₂	S ₁	S ₄	D.	D.	N.
2	60.77	68.77	63.11	61.55	10.4	10.8	6.6	9.3	SE ₁	—	S ₁	N.	—	—
3	61.21	61.89	60.52	61.21	8.6	7.6	7.6	7.9	SE ₁	—	—	—	—	—
4	62.89	62.45	63.01	62.78	8.6	8.4	7.0	8.0	SE ₂	SE ₁	E ₁	Np.	Np.	—
5	59.90	59.83	61.58	60.45	7.6	8.0	8.0	7.9	NE ₂	NE ₂	—	N.	Ll.	—
6	55.03	53.03	56.46	54.84	10.2	10.4	9.0	9.9	—	NE ₂	NE ₁	—	—	—
7	53.72	53.72	53.28	53.57	9.8	10.0	7.8	9.2	—	N ₃	—	Ll.	Ll.	Ll.
8	52.78	51.28	52.91	52.32	10.4	10.4	9.8	10.2	N ₄	N ₂	N ₄	—	—	—
9	55.66	54.16	53.66	53.83	9.8	9.4	9.4	9.5	—	NO ₁	NE ₂	N.	N.	—
10	48.79	45.80	51.78	48.79	9.0	5.5	8.4	7.6	N ₂	NO ₂	—	Ll.	N.	—
11	60.90	58.77	59.96	59.88	9.4	10.4	7.8	9.2	N ₄	N ₃	O ₂	—	—	—
12	54.16	55.10	57.52	55.59	10.6	8.6	7.4	8.9	NO ₂	SO ₁	SE ₁	—	—	—
13	58.40	60.02	58.76	59.06	8.6	5.2	5.6	6.5	SE ₁	S ₁	SE ₂	Np.	Np.	—
14	55.09	53.34	52.28	53.57	7.6	9.6	10.0	9.1	SE ₂	NE ₁	SE ₄	Ll.	Ll.	—
15	51.78	50.73	49.29	50.60	10.4	9.8	10.2	10.1	NE ₂	NE ₂	NE ₂	—	—	Ll.
16	46.79	48.73	45.80	47.11	10.0	10.0	10.5	10.2	NE ₄	SE ₁	SE ₂	Ll.	—	—
17	45.30	50.92	56.03	50.75	10.2	8.0	7.0	8.4	NO ₁	O ₂	SO ₁	—	N.	Np.
18	56.52	57.52	55.03	56.36	10.0	7.5	8.4	8.6	O ₁	O ₁	NO ₂	Np.	Np.	Ll.
19	57.02	56.52	67.50	63.35	10.0	5.4	5.0	6.8	—	—	O ₁	—	—	D.
20	65.01	65.13	66.13	65.42	6.8	5.0	5.5	5.8	O ₁	S ₁	—	—	D.	Np.
21	64.51	63.51	60.02	62.68	8.2	5.4	8.0	7.2	O ₁	—	O ₂	Ll.	—	Ll.
22	58.90	59.52	62.01	60.14	9.2	6.6	7.4	7.7	SO ₂	S ₂	—	Ll.	Np.	Np.
23	62.89	64.01	69.00	65.30	7.8	6.6	7.2	7.2	O ₂	S ₁	S ₁	Np.	D.	—
24	68.94	69.00	69.00	68.98	5.8	5.6	7.4	6.3	S ₁	—	S ₂	—	—	—
25	63.88	69.00	69.06	68.98	9.0	5.4	7.4	7.3	—	—	S ₁	—	Np.	—
26	67.00	65.01	65.01	65.67	7.0	7.4	7.0	7.1	—	—	SO ₁	N.	—	—
27	63.95	62.01	60.08	62.01	9.4	7.0	6.6	7.7	O ₁	S ₂	—	—	D.	—
28	58.96	59.02	61.02	59.67	8.6	7.6	7.6	7.9	SE ₁	SE ₂	NE ₁	—	N.	—
29	61.40	61.95	61.89	61.75	8.8	7.6	8.6	8.0	N ₁	N ₂	O ₂	—	—	Ll.
30	62.95	63.89	63.01	63.28	8.3	8.0	7.6	8.0	SO ₂	O ₂	N ₂	—	Np.	N.

AGOSTO DE 1871.

1	61.95	63.57	63.18	62.88	8.2	5.5	5.5	6.4	S ₂	S ₂	S ₁	Np.	Np.	Np.
2	61.89	59.02	56.90	59.29	8.0	6.0	8.0	7.3	SE ₁	—	N ₂	Np.	—	Np.
3	55.91	57.52	59.14	57.52	8.8	6.2	7.2	7.4	SO ₂	NO ₂	NO ₂	Np.	—	Np.
4	59.08	62.07	5.6	5.4	NO ₂	NO ₂	—	—	—
5	65.07	65.01	65.01	65.03	7.3	7.0	8.0	7.4	O ₂	NO ₁	O ₁	N.	Np.	N.
6	65.01	64.89	61.95	63.95	7.5	8.2	8.0	7.9	—	N ₂	N ₂	—	Np.	—
7	58.90	54.91	49.73	54.51	9.0	8.4	10.0	9.1	N ₄	N ₂	N ₂	—	Ll.	—
8	51.72	46.67	46.43	48.27	10.2	10.6	11.0	10.6	—	O ₂	—	—	—	—
9	47.11	43.68	52.22	47.67	10.8	10.6	10.8	10.7	—	—	—	Ll.	—	—
10	44.24	49.04	53.71	49.00	9.6	7.4	5.8	7.6	O ₁	O ₂	O ₂	Np.	Np.	Ll.
11	53.15	54.09	48.53	51.92	7.4	5.4	3.6	5.5	O ₂	NE ₂	SE ₁	—	N.	—
12	53.66	48.79	47.79	50.08	10.0	10.0	10.0	10.0	N ₄	—	NE ₄	N.	—	N.
13	47.79	51.41	53.91	51.04	10.0	10.0	8.8	9.6	NE ₁	NE ₁	NE ₁	—	Np.	Np.
14	54.04	54.66	57.52	55.41	11.6	9.2	8.6	9.8	E ₁	E ₁	N ₄	—	Ll.	N.
15	56.09	54.72	54.97	54.93	7.0	10.4	8.4	8.6	N ₁	N ₂	N ₁	Ll.	—	—
16	51.78	53.28	51.72	52.26	10.0	9.8	10.8	10.2	NO ₂	NO ₂	N ₂	—	Np.	—
17	47.73	44.86	51.04	47.88	10.4	9.2	8.6	9.4	NO ₃	NO ₂	NO ₃	Ll.	Ll.	Ll.
18	52.97	51.97	49.16	51.37	8.6	5.6	6.6	6.9	NO ₄	O ₂	O ₂	Np.	—	N.
19	51.65	56.21	63.38	57.08	6.2	4.2	4.8	5.1	O ₂	O ₁	SO ₁	Np.	Np.	—
20	64.13	64.63	60.02	62.93	7.0	7.0	3.0	7.3	—	NO ₄	O ₂	—	—	—
21	60.46	39.18	64.51	54.72	8.4	7.0	8.6	8.0	—	—	—	Ll.	Ll.	—
22	63.90	65.07	67.00	65.32	9.4	7.0	8.4	8.3	NO ₁	S ₁	E ₁	Ll.	N.	—
23	66.88	65.07	67.38	66.44	9.0	7.6	9.0	8.5	NO ₁	—	NE ₁	Np.	—	Np.
24	64.76	62.82	59.40	62.33	10.0	8.0	8.6	8.9	E ₁	SO ₁	N ₁	—	Np.	N.
25	54.78	56.40	56.40	55.86	9.4	8.6	9.0	9.0	N ₄	NO ₃	N ₄	N.	—	Np.
26	53.91	56.02	56.03	55.32	9.0	7.2	8.6	8.3	—	O ₂	—	Ll.	—	—
27	57.83	57.96	57.03	57.60	8.6	8.4	7.8	8.3	NO ₁	NO ₁	O ₁	Np.	—	—
28	56.96	62.06	65.95	61.66	9.2	6.2	7.4	7.6	O ₂	S ₂	S ₁	—	—	D.
29	66.88	69.06	69.62	68.52	9.0	5.4	6.8	7.1	S ₂	—	S ₂	D.	—	—
30	68.81	69.06	69.00	68.56	10.0	6.6	9.0	8.5	O ₁	—	—	—	—	—
31	67.63	67.25	66.01	66.98	11.0	7.6	6.4	8.3	SO ₁	SO ₁	S ₁	—	—	Np.

SEPTIEMBRE DE 1871.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO. ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	65.89	64.57	65.45	65.80	10.2	7.0	8.4	8.5	S ₁	S ₁	S ₁	Np.	D.	Np.
2	65.26	64.39	63.01	64.22	10.2	7.2	7.8	8.4	NO ₁	SO ₁	O ₁	Np.	—	Np.
3	59.83	60.90	62.51	61.08	9.0	8.0	7.4	8.1	NO ₁	SO ₂	NO ₂	—	—	Np.
4	62.95	64.01	65.13	64.03	8.4	6.4	7.4	7.4	O ₁	SO ₁	O ₁	—	—	—
5	66.51	66.51	65.89	66.30	7.6	6.8	8.4	7.6	O ₁	O ₁	O ₁	N.	—	—
6	63.32	62.01	56.52	60.62	9.0	7.0	7.6	7.9	NO ₁	NO ₁	N ₁	—	—	—
7	53.97	53.91	54.09	53.99	7.6	9.0	6.8	7.8	NO ₁	NO ₁	O ₂	—	—	—
8	54.03	54.65	59.64	56.11	8.0	5.4	6.2	6.5	O ₂	SO ₂	SO ₁	Np.	—	—
9	60.46	63.01	64.19	62.55	8.6	5.8	6.0	6.8	SO ₂	S ₁	—	—	—	—
10	64.01	61.95	62.51	62.82	5.6	7.4	8.0	7.0	O ₁	—	S ₂	—	—	—
11	61.33	61.89	64.01	62.41	10.4	8.0	7.4	8.6	S ₁	N ₁	E ₁	D.	D.	—
12	64.20	64.82	64.89	64.64	10.3	8.6	9.8	9.6	N ₁	N ₁	NE ₁	Np.	D.	D.
13	64.76	61.39	61.95	63.70	10.0	9.4	8.0	9.1	N ₂	N ₂	NE ₂	—	—	—
14	59.90	58.40	57.40	58.57	5.8	9.4	9.2	8.1	N ₂	N ₂	—	—	—	—
15	56.77	54.91	52.99	54.84	10.0	8.2	9.2	9.1	SE ₁	NE ₁	—	—	—	—
16	52.66	53.78	55.91	54.12	11.6	9.0	8.4	9.7	NE ₂	E ₂	—	—	—	—
17	56.65	57.27	58.90	57.61	12.2	10.0	5.8	9.5	NO ₁	N ₂	N ₁	Np.	—	—
18	58.77	59.83	60.40	59.67	5.9	5.7	5.6	5.7	N ₁	O ₂	O ₁	—	—	—
19	61.21	61.82	61.89	61.64	10.1	8.6	9.4	9.4	NO ₁	SO ₁	SO ₁	—	—	—
20	61.70	62.89	63.89	62.33	10.3	8.0	9.4	9.2	E ₁	—	S ₁	Np.	D.	D.
21	64.52	63.76	60.77	63.02	13.4	8.4	9.4	10.4	E ₁	S ₁	—	D.	D.	Np.
22	57.59	57.77	58.90	58.09	12.0	9.2	8.4	9.9	O ₂	SO ₂	—	Np.	N.	Np.
23	59.83	61.89	64.61	62.11	9.6	7.0	8.0	8.2	—	—	O ₁	Np.	N.	Np.
24	63.32	63.39	63.95	63.55	10.4	7.2	8.6	8.7	—	S ₂	N ₂	D.	D.	N.
25	63.45	58.02	56.09	59.19	5.7	7.0	6.0	6.2	N ₁	NE ₃	NE ₃	N.	N.	N.
26	59.90	52.82	63.89	62.30	9.4	5.6	10.0	8.3	E ₂	S ₁	S ₃	LL.	D.	D.
27	64.14	64.14	64.70	64.33	8.0	10.0	11.3	9.9	SE ₃	S ₂	E ₁	D.	D.	—
28	64.33	64.70	64.26	64.45	9.8	9.6	9.4	9.6	SO ₂	SO ₁	O ₁	—	—	—
29	63.64	64.20	62.76	63.53	11.0	9.8	9.9	10.2	N ₁	NO ₂	NE ₁	Np.	N.	N.
30	60.09	60.71	61.27	60.69	10.0	9.8	10.8	10.2	N ₂	N ₂	O ₁	N.	—	Np.

OCTUBRE DE 1871.

1	61.52	63.89	63.76	63.06	12.8	8.0	10.0	10.6	O ₂	O ₂	NE ₁	Np.	D.	Np.
2	63.46	63.65	63.64	63.58	14.0	9.8	9.8	11.2	—	—	O ₂	D.	N.	—
3	60.53	59.66	60.65	60.28	11.6	10.0	10.0	10.5	N ₂	N ₂	O ₂	N.	—	N.
4	58.65	53.77	58.65	58.69	10.0	8.0	10.0	9.3	NO ₂	O ₂	SO ₂	G.	—	—
5	58.14	59.14	58.02	58.43	6.8	5.6	6.2	6.2	S ₂	SO ₂	SO ₂	—	—	—
6	61.89	64.01	60.14	62.01	8.2	6.2	8.2	7.5	O ₂	O ₁	—	Np.	D.	Np.
7	64.26	64.94	64.94	64.71	10.5	6.8	7.0	8.1	—	—	NO ₂	—	—	—
8	63.82	65.89	62.89	63.53	9.4	8.8	10.0	9.4	N ₃	O ₂	SO ₂	N.	N.	—
9	61.70	62.45	61.95	62.03	11.4	7.0	9.0	9.1	O ₂	SO ₂	—	—	D.	D.
10	61.64	61.76	62.89	62.10	13.0	8.4	9.4	10.3	O ₁	N ₂	N ₂	D.	—	N.
11	62.76	62.76	56.90	60.81	11.0	9.0	9.0	9.7	NO ₂	N ₃	O ₂	Np.	LL.	—
12	53.84	51.78	53.97	53.20	9.2	9.0	8.8	9.0	N ₃	—	O ₂	LL.	LL.	—
13	55.91	57.58	60.64	58.04	9.6	5.6	6.6	7.3	O ₃	O ₁	—	Np.	D.	LL.
14	60.90	58.02	54.03	57.65	9.6	6.8	6.0	7.5	N ₂	N ₁	N ₃	Np.	N.	N.
15	53.72	53.47	53.28	53.49	10.0	7.0	9.2	8.7	N ₃	—	N ₂	LL.	LL.	Np.
16	55.16	60.77	61.27	59.07	10.4	5.9	11.4	9.2	O ₂	NO ₁	O ₂	Np.	—	—
17	61.52	61.21	59.77	60.83	15.0	10.0	14.4	12.1	NO ₂	S ₁	S ₂	Np.	D.	—
18	59.53	59.65	56.65	58.61	12.4	10.4	10.6	11.1	N ₂	N ₂	N ₃	LL.	LL.	—
19	54.48	54.66	55.22	54.79	12.0	10.4	10.4	10.9	—	—	NO ₂	—	N.	N.
20	56.53	57.77	58.71	57.67	11.0	10.0	10.0	10.3	N ₁	E ₁	E ₂	—	—	—
21	58.53	53.09	57.21	57.94	10.0	10.0	11.6	10.5	E ₁	S ₂	—	Np.	D.	—
22	57.66	57.91	59.03	58.20	15.2	11.8	12.8	13.3	O ₁	O ₁	O ₂	—	N.	—
23	53.34	58.65	60.77	59.25	14.0	9.6	10.4	11.3	O ₂	NO ₂	NO ₂	—	D.	—
24	66.65	60.65	56.59	61.30	11.6	10.0	13.0	11.5	N ₁	N ₁	NE ₁	—	N.	Np.
25	56.53	56.53	55.04	56.03	12.0	11.0	12.0	11.7	N ₂	N ₃	NE ₃	N.	—	—
26	54.54	53.15	54.22	53.91	12.0	10.6	10.8	11.1	NE ₂	NO ₃	N ₃	—	—	—
27	54.10	54.09	45.63	51.29	12.0	11.2	10.8	11.3	—	N ₃	N ₄	—	—	—
28	45.68	47.79	53.84	49.10	9.5	10.0	11.0	10.2	NO ₂	NO ₃	N ₂	LL.	Np.	—
29	53.78	46.79	55.91	52.16	10.0	9.6	8.8	9.5	N ₃	N ₃	N ₃	LL.	LL.	—
30	51.84	53.97	54.91	53.57	9.4	7.4	9.8	8.9	N ₃	N ₃	N ₃	Np.	Np.	—
31	54.78	54.91	54.84	54.84	11.0	9.0	10.2	10.1	—	NO ₃	N ₂	Np.	—	—

NOVIEMBRE DE 1871.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°						
1	700+	700+	700+	700+	11.5	10.0	12.0	11.2	NO ₂	NO ₂	O ₃	N.	Li.	Np.
2	57.71	58.79	64.64	60.37	18.0	10.0	12.0	11.7	O ₂	S ₁	S ₃	Np.	D.	D.
3	66.51	67.01	66.69	66.74	18.0	12.0	14.0	14.1	NE ₁	O ₁	O ₂	D.	—	Np.
4	64.77	63.77	61.40	63.31	16.4	18.0	18.0	12.7	O ₂	—	O ₁	Np.	N.	D.
5	60.28	61.52	60.91	60.90	14.0	11.0	18.0	14.1	O ₂	—	—	N.	N.	—
6	60.72	60.28	60.41	60.47	18.0	11.4	14.0	14.5	O ₁	—	—	N.	D.	—
7	59.04	59.28	55.91	58.08	18.0	12.4	12.0	14.1	O ₂	NO ₂	N ₂	D.	N.	N.
8	56.08	56.65	62.76	58.43	11.0	10.9	10.6	10.7	NO ₁	O ₁	O ₂	Li.	Li.	Np.
9	63.52	64.14	63.70	63.79	13.4	9.6	12.0	11.7	N ₂	—	NO ₁	Np.	D.	—
10	63.27	62.90	58.91	61.69	13.2	12.0	13.8	13.3	—	N ₁	N ₂	—	N.	—
11	58.97	59.65	59.77	59.46	11.8	10.2	10.6	10.9	NO ₂	NO ₂	O ₂	Li.	—	—
12	60.53	61.76	61.76	61.55	13.6	8.0	10.6	10.6	O ₁	O ₁	N ₂	D.	D.	Li.
13	58.15	59.65	59.34	59.05	10.2	11.0	13.4	11.5	N ₂	N ₃	N ₁	Li.	N.	Ni.
14	59.04	59.78	59.47	59.43	16.4	14.5	12.8	14.6	NO ₁	O ₁	E ₁	Np.	Ni.	N.
15	59.28	59.22	58.84	59.11	15.5	12.0	13.2	13.6	NO ₁	O ₁	NO ₁	D.	—	Li.
16	58.84	60.15	61.15	60.05	12.5	10.2	12.0	11.6	O ₁	O ₂	O ₁	Np.	N.	Np.
17	60.91	58.97	62.52	60.80	13.6	10.0	12.6	12.1	O ₂	—	S ₁	Np.	N.	Np.
18	62.90	62.96	62.46	62.77	14.2	11.0	13.0	12.7	—	—	N ₁	—	—	Np.
19	62.91	62.83	61.27	62.10	16.0	12.8	15.6	14.8	O ₁	—	SO ₁	—	N.	—
20	58.04	59.28	56.97	58.10	18.0	11.4	11.8	13.7	O ₂	—	NO ₁	—	—	N.
21	57.28	57.97	58.59	57.95	18.4	11.0	13.0	14.1	N ₂	—	—	Li.	Np.	Np.
22	59.84	60.08	62.52	60.80	14.0	11.0	13.0	12.7	—	—	NO ₂	Np.	N.	N.
23	61.88	62.52	61.09	61.81	14.8	10.6	12.4	12.6	NO ₂	—	O ₁	—	N.	—
24	58.98	56.97	55.60	57.12	15.5	11.4	10.0	12.3	O ₂	—	—	D.	—	Li.
25	54.98	55.72	51.91	54.20	13.0	10.0	8.2	10.4	N ₁	N ₃	—	Np.	—	—
26	54.66	58.65	60.97	57.86	12.4	10.2	11.0	11.2	O ₂	—	NO ₁	Np.	Np.	Np.
27	60.97	61.15	61.59	61.24	13.2	10.0	13.4	12.2	—	—	—	N.	—	—
28	60.34	60.53	59.84	60.24	14.6	11.2	15.0	13.6	—	O ₁	N ₁	Np.	N.	—
29	60.22	60.41	60.53	60.39	16.6	11.4	12.4	13.5	—	—	O ₁	—	Np.	—
30	60.22	60.34	59.34	60.13	15.8	12.0	12.9	13.6	NO ₂	—	N ₁	—	—	—

DICIEMBRE DE 1871.

1	59.78	60.18	59.91	59.91	16.2	13.0	14.0	14.4	N ₂	NO ₂	O ₁	N.	N.	N.
2	59.60	59.72	59.66	59.66	17.0	13.0	14.6	14.9	NO ₂	NO ₁	N ₂	Np.	D.	D.
3	59.48	58.98	58.16	58.87	19.2	14.0	15.4	16.2	O ₁	—	—	N.	N.	—
4	57.04	57.28	58.28	57.53	16.0	12.4	15.0	14.5	—	—	NO ₂	Np.	N.	—
5	58.72	60.91	63.38	60.99	14.6	11.9	15.0	13.8	O ₂	—	S ₂	D.	—	—
6	63.80	64.08	63.52	63.80	15.2	10.0	14.4	13.2	—	S ₁	S ₁	—	D.	D.
7	61.83	61.52	60.47	61.27	15.0	11.0	14.8	13.8	—	—	SO ₂	Np.	Np.	—
8	59.66	60.97	60.08	60.22	16.0	10.6	11.6	12.7	—	NO ₁	N ₂	—	—	—
9	57.41	56.09	54.66	56.05	12.2	10.4	11.6	11.4	NE ₂	O ₁	O ₃	Ni.	Li.	N.
10	54.54	56.77	57.71	56.34	11.4	9.0	11.0	10.5	O ₂	O ₂	SO ₁	Np.	D.	Li.
11	57.35	59.15	60.15	58.94	12.8	9.8	12.6	12.7	—	O ₁	S ₂	N.	D.	N.
12	60.41	61.59	62.02	61.34	15.0	9.8	14.2	13.0	NO ₂	—	—	Np.	D.	Np.
13	62.65	62.41	61.46	62.17	17.6	12.0	14.4	14.7	O ₂	S ₂	O ₂	D.	D.	D.
14	61.46	61.93	61.27	61.35	14.4	12.2	16.0	14.2	—	SO ₁	S ₁	—	—	—
15	61.65	61.83	61.58	61.69	16.0	11.0	11.5	12.3	NO ₂	O ₁	O ₁	Np.	—	N.
16	61.40	61.48	62.02	61.63	14.0	11.0	12.8	12.6	O ₂	—	—	—	—	—
17	61.40	63.02	62.52	62.31	13.0	11.6	12.2	12.3	—	NO ₁	NO ₂	N.	—	—
18	62.40	60.93	58.34	60.56	12.4	12.0	13.4	12.6	NO ₂	NO ₂	N ₂	—	—	—
19	56.78	56.84	54.85	56.16	13.6	12.8	13.0	13.1	N ₃	N ₃	NE ₂	Li.	N.	—
20	54.29	55.42	56.47	55.39	13.4	11.8	13.4	12.9	—	NO ₁	O ₂	—	N.	—
21	58.72	60.97	62.52	60.74	15.4	11.6	12.8	13.3	O ₂	O ₁	—	Np.	—	Np.
22	62.35	62.91	61.90	62.38	17.0	11.4	13.0	13.8	—	—	—	—	—	Np.
23	57.78	54.92	62.46	58.39	15.0	12.2	12.8	13.3	NO ₂	N ₂	N ₂	Li.	N.	Np.
24	52.60	51.48	48.95	51.00	12.8	12.2	13.4	12.8	NO ₁	—	NO ₂	Li.	—	Li.
25	59.25	59.91	54.42	57.87	15.0	12.0	12.8	13.3	NO ₂	N ₂	E ₂	Np.	N.	Np.
26	56.59	56.84	56.91	56.61	12.4	12.6	13.6	12.9	NE ₂	N ₂	E ₁	—	N.	Np.
27	58.22	58.22	58.72	58.39	15.0	12.9	16.4	14.8	E ₁	SE ₁	O ₁	D.	N.	Np.
28	58.60	60.28	59.78	59.55	16.4	12.4	15.0	14.6	O ₂	O ₂	SO ₁	Np.	N.	Li.
29	59.48	59.84	58.47	59.26	17.0	12.0	12.0	13.7	—	—	N ₂	—	Np.	N.
30	57.34	59.41	61.47	59.57	13.6	11.0	12.5	13.4	O ₁	—	O ₁	—	—	—
31	61.27	62.58	59.28	61.13	14.4	12.0	13.0	13.8	N ₂	—	—	N.	D.	—

ENERO DE 1872.

Días	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADÒ ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	700+	700+	700+	700+	o	o	o	o	O ₂	O ₂	NO ₂	N.	N.	Nil.
2	59.28	58.33	56.41	58.01	14.6	13.0	12.0	13.20	O ₁	—	O ₁	Np.	Np.	Np.
3	56.34	58.65	63.64	59.54	14.2	10.0	12.2	12.15	N ₂	N ₂	O ₂	Nil.	Li.	N.
4	63.39	63.58	63.39	63.45	12.4	11.0	13.2	12.20	N ₂	N ₂	O ₂	Li.	N.	—
5	61.83	60.28	59.97	60.69	12.4	12.8	13.0	12.72	N ₂	NO ₂	—	Li.	N.	—
6	60.78	61.39	59.47	60.55	16.2	11.8	12.0	13.33	O ₁	O ₁	N ₁	Np.	—	—
7	56.22	56.41	52.92	55.48	15.4	12.0	13.6	13.67	N ₃	N ₃	NO ₂	Li.	Li.	—
8	52.92	52.85	54.54	53.44	13.8	13.0	12.6	13.13	NE ₁	—	—	N.	N.	—
9	57.41	58.53	58.58	58.16	15.0	11.0	13.8	13.27	NO ₂	NO ₂	O ₂	Np.	D.	Np.
10	56.91	55.54	59.65	57.37	12.6	11.2	11.8	11.87	N ₂	N ₂	O ₂	N.	Np.	—
11	61.96	63.58	63.46	63.00	14.5	10.0	14.4	13.00	O ₂	O ₂	O ₁	Np.	—	—
12	63.15	63.77	61.21	63.69	17.4	12.8	16.0	15.40	SO ₂	S ₂	O ₁	D.	D.	—
13	58.47	58.72	63.15	60.11	14.8	12.8	14.0	12.87	S ₁	—	NO ₁	Np.	—	—
14	59.60	59.66	60.34	59.37	16.6	13.8	14.8	15.07	NO ₂	O ₁	O ₁	N.	N.	N.
15	60.60	60.91	60.91	60.81	18.2	12.0	12.2	14.13	O ₂	O ₂	SO ₃	Np.	D.	Np.
16	58.22	55.79	50.55	54.85	18.8	13.2	11.6	15.53	N ₂	N ₂	O ₁	N.	N.	N.
17	53.34	56.34	61.21	57.03	12.8	8.5	12.0	11.10	NO ₂	NO ₁	O ₁	Nil.	—	Np.
18	62.02	62.14	56.65	60.27	13.2	10.6	10.6	11.47	O ₁	NO ₁	N ₃	—	—	Li.
19	56.34	55.98	57.53	56.62	13.8	10.8	13.0	12.53	NO ₂	NO ₂	O ₂	N.	Np.	Np.
20	58.72	60.28	61.46	60.15	16.0	12.0	13.6	13.87	O ₁	O ₂	O ₂	Np.	D.	—
21	62.21	63.89	62.77	62.96	16.6	12.0	15.0	14.52	O ₂	O ₂	SO ₁	D.	D.	—
22	62.71	63.21	62.39	62.77	16.8	12.4	14.2	14.47	O ₃	NO ₁	O ₁	—	—	D.
23	62.15	61.77	61.39	61.77	15.8	12.4	15.0	14.40	SO ₂	—	SO ₁	Np.	Np.	—
24	61.21	61.77	60.91	61.80	15.4	11.8	13.2	13.47	O ₃	SO ₁	O ₂	Np.	D.	N.
25	59.41	58.34	58.58	58.76	12.0	12.6	13.2	12.60	NO ₁	NO ₁	O ₁	Nil.	Nil.	Np.
26	58.16	58.84	58.84	58.47	15.8	12.0	13.2	13.67	O ₂	O ₁	—	Np.	N.	N.
27	58.78	58.84	57.84	58.49	17.0	12.2	13.2	14.13	—	—	S ₁	—	D.	Np.
28	58.85	57.78	57.91	57.51	13.4	13.0	12.2	14.51	NO ₁	—	N ₃	—	N.	N.
29	57.34	57.84	58.41	57.86	12.8	12.0	12.6	12.47	N ₃	N ₁	O ₁	N.	—	Li.
30	59.28	59.34	58.78	59.13	13.8	12.4	13.6	13.27	N ₂	N ₃	—	—	—	Np.
31	58.66	60.41	60.34	59.80	13.2	12.2	15.0	14.13	O ₂	SO ₂	S ₁	Np.	N5.	Np.

FEBRERO DE 1872.

1	60.04	59.84	56.34	58.74	17.4	12.2	12.2	13.93	SO ₂	SO ₁	N ₂	D.	D.	Li.
2	56.91	60.53	61.03	59.43	14.6	11.0	12.8	12.80	O ₂	O ₂	O ₁	Np.	N.	N.
3	60.28	60.47	58.41	59.72	10.0	12.4	14.0	14.47	O ₂	—	O ₂	N.	D.	—
4	57.10	57.41	58.34	57.62	16.8	13.0	14.8	14.87	—	—	SO ₁	Np.	D.	Np.
5	60.04	60.84	61.39	60.76	17.8	12.8	14.0	14.87	—	SO ₁	S ₁	D.	D.	D.
6	60.41	60.04	58.41	59.62	18.8	13.6	14.6	15.60	—	—	O ₁	—	—	N.
7	56.41	55.91	54.67	55.66	18.8	16.4	13.8	16.33	S ₁	S ₁	O ₂	—	—	N.
8	54.05	54.29	55.42	54.58	16.8	12.0	12.6	13.80	O ₂	O ₂	—	N.	Np.	Np.
9	57.23	59.41	61.39	59.36	15.0	12.0	12.2	13.07	—	NO ₂	NO ₁	Np.	N.	N.
10	61.39	61.39	61.39	61.56	13.6	11.2	12.8	12.53	NO ₂	—	O ₂	N.	N.	N.
11	61.21	61.27	59.47	60.65	15.2	12.6	12.2	13.33	N ₂	N ₁	NO ₁	Ni.	G.	Ni.
12	58.16	57.47	55.84	57.16	15.4	13.0	12.6	13.67	N ₁	NO ₁	N ₁	N.	N.	N.
13	55.29	54.98	54.42	54.90	14.0	12.4	11.6	12.67	N ₂	N ₂	N ₂	—	—	N.
14	55.42	57.54	61.15	58.14	13.0	11.2	11.4	11.87	O ₂	O ₂	SO ₁	Li.	Li.	Np.
15	61.39	63.14	61.39	62.14	13.6	9.0	12.8	11.30	—	G ₁	N ₂	D.	D.	Np.
16	58.41	55.54	55.54	56.50	15.0	11.2	11.8	12.67	N ₂	NO ₂	O ₁	N.	N.	Np.
17	56.41	57.03	51.06	54.83	13.0	11.0	10.4	11.47	NO ₁	NO ₁	NO ₁	Li.	Li.	Np.
18	57.91	54.42	56.41	56.25	10.6	11.8	13.4	11.93	NE ₂	N ₃	O ₂	Li.	Li.	Np.
19	57.78	59.41	59.03	58.74	15.6	11.4	12.0	13.00	NO ₂	O ₂	SE ₁	Np.	Np.	Np.
20	58.28	58.41	54.54	57.08	15.4	12.2	10.4	12.67	NO ₂	NO ₁	NE ₂	N.	—	Li.
21	54.23	55.17	54.85	54.75	14.8	12.6	12.4	13.27	N ₂	O ₁	S ₁	—	—	Li.
22	55.23	56.78	57.41	56.47	15.6	12.2	13.2	13.67	S ₁	—	—	Np.	Np.	Np.
23	56.79	58.16	58.28	57.74	19.0	14.4	14.0	15.80	—	—	SE ₁	D.	D.	D.
24	58.04	58.04	58.16	58.03	17.6	14.6	13.0	15.07	—	E ₁	—	—	—	Np.
25	57.91	58.16	58.84	58.30	18.0	13.0	18.6	16.53	O ₁	—	SO ₁	Np.	Np.	Np.
26	58.04	50.78	60.66	59.49	15.4	12.8	15.0	14.47	NO ₁	NO ₁	O ₁	—	—	N.
27	57.73	61.46	59.16	59.45	19.0	10.8	15.0	14.93	—	O ₁	S ₁	D.	D.	D.
28	56.73	57.16	58.16	57.53	21.0	10.6	10.8	14.13	—	—	SE ₁	—	—	N.
29	57.91	58.66	57.34	57.97	15.4	15.0	10.4	15.60	—	—	O ₁	N.	N.	—

MARZO DE 1872.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTI- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	700+	700+	700+	700+					NO ₁	N ₂	NO ₂	N.	D.	Ll.
2	56.22	55.85	52.48	54.85	15.0	10.4	12.8	12.73	NO ₁	N ₂	NO ₂	Np.	Ll.	Ll.
3	51.85	52.42	53.48	52.58	13.6	10.3	10.4	11.43	NO ₁	NO ₁	N ₁	Ll.	Ll.	Ll.
4	51.42	47.43	46.43	48.43	10.4	12.8	12.6	11.93	—	N ₂	N ₂	—	—	—
5	46.31	47.31	50.24	47.95	13.6	13.0	14.0	13.53	N ₂	—	—	—	—	—
6	51.17	51.11	52.11	51.46	14.8	15.0	15.0	14.93	—	—	—	—	—	—
7	51.49	50.56	50.31	50.79	15.1	15.0	12.2	14.10	—	—	O ₁	—	—	Ll.
8	52.42	56.53	58.15	55.70	11.4	10.6	11.2	11.07	N ₁	NO ₁	S ₁	—	Np.	Np.
9	59.41	60.53	59.65	59.86	13.2	10.6	10.4	11.40	NO ₂	O ₁	E ₁	Np.	Np.	N.
10	59.41	60.03	60.09	59.84	13.8	10.6	10.2	11.53	N ₂	—	O ₁	—	D.	—
11	58.41	60.03	61.03	59.82	11.8	10.4	11.4	11.20	—	N ₁	—	N.	N.	—
12	61.27	61.27	59.78	60.77	14.4	10.6	14.0	13.00	NO ₁	—	NO ₁	—	Ni.	Ni.
13	59.16	58.66	57.22	58.35	9.4	10.9	10.6	10.30	NO ₁	NO ₁	O ₁	—	N.	N.
14	57.04	57.04	57.28	57.22	10.8	13.8	10.7	11.73	—	NE ₂	E ₁	—	N.	—
15	57.10	57.22	54.79	56.37	15.6	13.2	10.7	13.17	N ₂	O ₂	N ₁	Np.	Np.	—
16	55.48	57.53	57.28	56.76	13.0	9.6	10.4	11.00	—	O ₂	—	—	—	Np.
17	58.53	59.21	58.77	58.84	12.8	9.0	9.4	10.40	—	O ₁	NE ₂	—	—	N.
18	58.97	61.21	63.64	61.27	13.0	5.9	12.0	10.30	NE ₁	S ₁	S ₁	N.	D.	Np.
19	63.77	64.89	65.64	66.77	15.4	11.4	10.4	12.40	O ₂	—	—	D.	—	Np.
20	66.95	66.88	66.51	66.78	11.4	11.2	12.0	11.53	SO ₁	—	SE ₁	—	—	Np.
21	65.15	66.95	63.88	65.31	14.0	10.4	13.6	12.67	S ₂	O ₁	S ₁	Np.	N.	—
22	63.52	63.27	62.46	63.43	18.0	12.4	11.4	13.93	N ₂	NE ₁	SO ₁	D.	—	D.
23	62.65	63.27	63.83	62.92	15.0	12.2	14.0	13.73	S ₂	SO ₁	S ₁	Np.	D.	—
24	62.59	62.71	60.27	62.86	16.6	10.6	13.8	13.67	S ₂	S ₁	SE ₁	D.	D.	—
25	62.59	60.91	60.53	61.34	16.6	12.2	12.4	13.73	NE ₂	SE ₂	O ₁	—	—	—
26	59.79	60.60	60.97	60.45	19.0	13.4	12.2	14.87	O ₂	O ₁	O ₁	—	—	—
27	60.41	60.72	60.53	60.55	18.6	10.4	12.2	13.73	SE ₁	—	SE ₂	—	—	—
28	60.04	60.41	61.46	60.64	15.0	12.0	11.6	12.87	O ₂	O ₁	S ₁	—	—	N.
29	61.65	62.23	63.02	62.30	15.0	11.4	11.6	12.67	O ₂	O ₁	SO ₁	Np.	Np.	—
30	62.15	62.96	61.85	62.31	14.8	11.6	12.6	13.00	—	O ₂	O ₂	—	D.	Np.
31	61.15	61.09	61.46	61.23	14.6	13.4	11.5	13.17	—	SO ₂	O ₂	—	Np.	N.

ABRIL DE 1872.

1	60.91	60.72	60.22	60.62	10.2	12.8	10.6	11.20	S ₁	O ₁	O ₁	Np.	N.	Np.
2	60.72	60.47	60.78	60.66	10.9	13.0	10.4	11.43	O ₁	S ₁	—	—	D.	—
3	60.18	60.78	60.34	60.43	11.6	11.6	10.8	11.33	N ₁	NO ₁	O ₂	Np.	Ll.	—
4	57.41	56.53	56.10	56.68	12.0	11.0	11.2	11.40	N ₂	N ₂	NO ₁	N.	Ll.	—
5	56.22	59.76	62.70	59.56	10.0	9.8	10.0	9.93	N ₂	SO ₂	O ₁	Ll.	Np.	—
6	62.39	62.52	62.39	62.43	12.0	10.6	12.0	11.53	O ₁	SO ₁	E ₁	Np.	D.	D.
7	62.77	62.27	62.39	62.48	14.6	12.8	11.2	12.87	E ₁	SO ₂	—	D.	—	—
8	62.21	61.83	61.58	61.87	16.2	10.2	10.2	12.20	SO ₁	SO ₁	O ₁	—	—	Np.
9	60.28	60.53	56.58	59.11	13.6	10.4	11.0	11.67	O ₂	N ₂	N ₂	Np.	N.	Ll.
10	55.04	53.35	53.54	53.98	11.0	12.2	11.4	11.53	N ₂	NO ₂	N ₂	Ll.	Np.	Ll.
11	55.54	54.04	54.04	54.54	11.0	10.3	11.8	11.03	N ₁	—	N ₂	N.	N.	Ll.
12	52.66	53.42	51.66	52.58	10.5	12.4	10.4	11.10	—	N ₂	O ₁	—	Ll.	—
13	53.16	54.66	52.66	53.83	10.4	10.4	11.4	10.73	N ₂	—	N ₂	—	Np.	N.
14	52.48	51.92	49.49	51.30	12.4	10.4	12.0	11.60	N ₂	—	N ₂	—	Ll.	—
15	52.67	50.79	50.55	51.34	10.5	9.6	11.0	10.37	N ₂	O ₂	—	Np.	Np.	—
16
17
18
19
20
21
22	57.65	67.76	11.4	9.2	SE ₁	S ₂	Np.	D.
23	66.70	57.41	67.70	63.94	14.5	14.8	9.6	12.97	S ₁	S ₁	—	D.	Np.	Np.
24	67.20	67.26	67.52	67.26	10.8	8.4	8.8	9.33	E ₁	—	—	N.	N.	N.
25	66.38	66.45	61.77	64.87	12.0	10.6	9.2	10.60	—	E ₁	—	Np.	Np.	N.
26	60.53	58.53	58.71	59.26	11.0	10.0	9.4	10.13	O ₁	—	E ₁	D.	D.	D.
27	59.91	62.02	64.33	62.09	12.0	11.0	8.6	10.53	S ₁	O ₁	SE ₂	Np.	Np.	D.
28	63.96	64.64	64.39	64.33	10.6	9.4	8.4	9.47	S ₂	S ₂	—	D.	D.	D.
29	63.39	63.58	63.77	63.58	13.0	9.2	8.6	10.27	—	—	—	—	—	—
30	63.46	63.64	63.89	63.66	13.2	9.4	5.5	9.37	E ₁	S ₁	S ₁	—	—	—

MAYO DE 1872.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	700+	700+	700+	700+										
2	60.47	62.58	61.70	61.58	11.0	8.8	9.0	9.60	S ₁	S ₁	S ₁	D.	D.	D.
3	60.27	58.77	58.65	59.23	10.4	10.0	10.0	10.13	NO ₂	S ₂	N ₃	Np.	—	N.
4	60.91	61.15	60.59	60.90	10.5	10.0	10.0	10.33	SE ₂	E ₂	E ₂	—	Np.	Np.
5	61.89	61.58	59.27	60.75	10.2	10.0	8.6	9.60	NO ₂	O ₁	NE ₂	—	—	Np.
6	58.65	57.15	56.65	57.48	10.6	10.0	8.8	9.80	NE ₂	E ₁	N ₃	N.	Ne. II.	LL.
7	58.53	59.21	59.27	59.00	10.6	9.4	8.4	9.47	N ₂	O ₁	O ₁	Ne. II.	Np.	Np.
8	54.78	57.77	55.40	57.57	11.0	9.4	8.0	9.47	N ₂	O ₁	E ₂	—	—	N.
9	60.71	60.65	60.77	60.71	10.0	9.6	8.0	9.20	NE ₂	SE ₁	S ₁	—	—	Ne. II.
10	57.77	57.82	52.78	55.96	10.0	9.0	9.6	9.53	N ₂	NE ₂	NE ₂	—	—	LL.
11	53.16	53.10	53.16	53.14	11.0	10.2	10.2	10.47	N ₂	SE ₂	SE ₁	LL.	LL.	LL.
12	53.92	57.47	59.83	57.07	12.6	11.0	8.2	10.60	SE ₂	O ₁	S ₁	Np.	G.	N.
13	59.63	60.15	58.21	59.43	10.0	9.8	10.4	10.07	O ₂	NO ₁	N ₃	LL.	LL.	LL.
14	58.15	61.27	62.89	60.77	11.0	9.6	8.6	9.73	NO ₁	—	S ₁	Np.	LL.	N.
15	62.77	63.89	63.45	63.20	10.4	8.2	7.4	8.67	O ₁	SO ₁	S ₂	—	—	N.
16	63.27	61.89	63.39	62.35	10.0	7.4	5.6	7.67	S ₂	S ₂	S ₂	—	—	D.
17	63.70	66.76	67.38	65.95	10.4	5.8	7.4	7.87	—	S ₂	—	D.	—	D.
18	67.26	67.26	63.95	66.16	10.0	5.6	5.4	7.00	—	—	S ₃	—	—	—
19	61.70	61.70	61.39	61.76	10.8	5.8	8.0	8.20	S ₁	E ₁	SE ₁	—	—	—
20	61.64	61.77	62.45	61.95	11.0	5.8	7.4	8.07	NO ₂	O ₁	O ₁	Np.	D.	Np.
21	63.14	63.77	64.01	63.64	10.0	7.8	7.2	8.33	N ₁	N ₂	NE ₂	—	—	N.
22	60.15	59.77	61.44	60.52	9.6	9.8	10.0	9.80	N ₃	N ₂	NO ₂	—	—	Np.
23	63.14	63.77	63.14	63.53	10.6	5.9	10.4	8.97	N ₁	N ₂	N ₂	—	—	LL.
24	61.09	61.52	63.02	61.83	10.8	11.6	10.6	11.00	N ₂	O ₁	O ₁	LL.	LL.	LL.
25	63.89	64.08	63.96	63.98	12.0	11.0	11.2	11.40	NO ₁	N ₂	N ₁	—	—	N.
26	63.46	62.64	60.77	62.29	11.6	11.7	9.6	10.97	—	N ₁	E ₁	Ni.	N.	—
27	58.65	58.65	58.59	58.63	10.6	10.4	10.8	10.60	SE ₂	NO ₁	—	—	—	LL.
28	58.65	56.65	57.65	57.65	11.0	10.0	11.0	10.67	N ₃	N ₃	—	—	—	N.
29	55.66	53.66	50.17	53.16	11.0	10.3	10.4	10.57	—	—	—	—	—	LL.
30	50.14	51.72	56.28	52.71	11.6	10.0	9.0	10.20	N ₂	NO ₂	E ₁	Np.	Np.	Np.
31	56.28	50.79	58.90	55.32	10.4	10.0	7.6	9.33	N ₁	NO ₂	SE ₂	—	—	Np.

JUNIO DE 1872.

1	59.83	60.27	60.65	60.25	8.0	9.4	10.0	9.13	SE ₂	N ₂	N ₁	Np.	LL.	LL.
2	57.85	57.27	60.90	58.47	9.6	10.0	8.6	9.40	N ₂	N ₃	O ₁	LL.	—	LL.
3	60.71	62.39	63.77	62.29	10.4	8.6	8.2	9.07	O ₂	N ₁	—	Np.	—	N.
4	64.14	63.77	62.89	63.60	10.0	8.4	6.6	8.33	SO ₁	NE ₁	—	—	D.	Np.
5	63.26	63.95	65.95	64.39	10.0	5.4	5.6	7.00	N ₂	E ₁	S ₁	—	—	—
6	65.20	64.01	66.01	65.07	9.8	5.4	6.6	7.27	S ₁	S ₁	—	D.	N.	—
7	64.95	64.38	62.77	64.03	8.6	5.6	9.6	7.93	E ₂	O ₁	N ₂	—	—	Ni.
8	61.77	61.21	60.15	61.04	10.0	10.4	10.2	10.20	N ₃	N ₂	N ₃	—	—	LL.
9	59.21	59.21	56.65	58.36	10.2	10.2	10.8	10.40	—	N ₂	N ₂	—	—	LL.
10	56.22	56.10	56.04	56.12	10.4	10.3	11.6	10.77	N ₄	—	—	—	—	—
11	56.04	54.66	47.79	52.33	11.8	10.8	9.6	10.73	N ₃	N ₁	—	—	LL.	—
12	38.69	49.64	56.94	48.22	10.8	11.0	9.8	10.53	NO ₂	N ₂	N ₂	Np.	N.	N.
13	55.28	48.85	39.64	47.92	9.6	9.8	10.8	10.07	NE ₂	N ₃	N ₂	LL.	LL.	LL.
14	40.69	41.74	41.43	41.23	10.0	10.4	8.8	9.93	N ₃	N ₃	NO ₂	LL.	Ne.	—
15	43.92	47.85	49.41	47.06	8.6	9.0	8.6	8.73	NO ₂	NO ₁	N ₂	Np.	N.	N.
16	50.97	53.28	53.90	52.73	9.4	9.2	8.6	8.73	NO ₂	NO ₂	NO ₂	Np.	Np.	Np.
17	55.84	56.90	56.53	56.42	9.8	9.6	7.0	8.30	NO ₂	NO ₂	—	Np.	—	—
18	59.50	60.02	60.02	59.93	8.6	7.5	9.0	8.37	N ₂	N ₂	—	—	—	—
19	58.33	61.40	64.14	61.43	9.0	5.4	5.6	6.67	O ₂	S ₁	S ₂	—	D.	D.
20	64.01	64.55	64.64	64.39	7.8	5.4	6.4	6.53	S ₂	S ₂	—	D.	D.	—
21	63.51	62.35	60.46	62.31	8.8	6.6	6.4	7.27	—	S ₁	SE ₂	—	—	Np.
22	61.95	60.90	59.96	60.94	7.0	7.0	3.6	7.53	SE ₂	E ₁	N ₂	Np.	Np.	Np.
23	59.90	57.27	61.02	59.40	8.3	8.6	8.0	8.47	N ₂	N ₁	N ₁	Ni.	N.	—
24	64.45	65.45	65.51	65.14	5.8	5.4	5.6	5.60	N ₁	S ₂	SO ₂	Np.	D.	Np.
25	58.01	63.57	63.19	63.26	7.3	6.0	5.0	6.27	S ₂	S ₂	S ₂	D.	D.	D.
26	65.39	64.01	64.51	64.64	8.5	7.0	7.5	7.67	—	—	—	—	—	—
27	63.89	63.45	63.09	63.43	8.5	5.6	10.0	8.03	O ₂	—	SE ₂	—	—	Np.
28	62.77	63.27	60.15	62.06	10.2	9.4	10.0	9.37	E ₁	SE ₂	NE ₂	N.	LL.	LL.
29	58.77	57.96	57.77	58.16	9.0	7.0	7.0	8.67	N ₂	NE ₂	—	Np.	N.	N.
30	57.21	58.96	57.90	58.02	10.2	7.5	8.4	8.70	NE ₂	E ₁	E ₁	N.	—	Np.

JULIO DE 1872.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	59.90	61.89	63.33	61.01	9.4	5.6	5.8	6.93	E ₁	E ₂	SE ₁	Np.	Np.	Np.
2	57.82	61.89	63.33	61.01	9.4	5.6	5.8	6.93	SE ₁	S ₁	S ₁	Np.	Np.	Np.
3	59.90	60.45	63.37	61.24	8.4	7.6	6.0	7.33	SE ₁	S ₁	S ₁	Np.	Np.	Np.
4	62.94	64.33	64.19	64.01	8.0	7.2	6.0	7.07	SE ₁	S ₁	S ₁	Np.	Np.	Np.
5	64.39	61.81	65.14	60.45	9.6	8.0	5.4	7.67	N ₁	N ₁	NE ₁	Np.	Np.	Np.
6	61.52	56.23	63.44	60.40	10.4	7.4	6.2	8.00	N ₂	N ₁	NE ₂	Np.	Np.	Np.
7	61.52	56.90	58.82	58.08	7.4	7.6	8.4	7.30	N ₂	N ₂	NE ₂	Np.	Np.	Np.
8	62.01	53.33	59.35	48.40	7.0	6.4	7.4	6.93	N ₂	N ₂	NE ₂	Np.	Np.	Np.
9	55.53	57.90	58.90	57.44	5.6	7.0	7.4	6.67	NE ₂	NE ₂	NE ₁	Np.	Np.	Np.
10	55.98	59.27	57.90	57.72	5.8	8.0	8.4	7.40	E ₂	E ₂	NE ₂	Np.	Np.	Np.
11	64.94	64.51	60.52	63.82	7.8	5.8	6.6	6.73	S ₁	S ₁	S ₁	Np.	Np.	Np.
12	61.02	64.44	62.46	62.64	7.0	6.6	6.2	6.60	N ₂	N ₂	NE ₂	Np.	Np.	Np.
13	62.94	62.14	63.01	62.70	7.0	7.0	6.4	6.80	N ₂	N ₂	NE ₂	Np.	Np.	Np.
14	60.90	58.32	58.97	59.56	7.6	8.6	7.6	7.93	NE ₂	NE ₂	NE ₂	Np.	Np.	Np.
15	58.27	57.65	57.90	57.94	10.6	10.4	8.6	9.37	N ₂	N ₂	N ₂	Np.	Np.	Np.
16	57.47	57.27	54.04	56.26	7.2	8.6	11.4	9.07	N ₂	N ₂	N ₂	Np.	Np.	Np.
17	54.98	55.54	55.60	55.37	11.4	10.4	11.0	10.83	N ₂	N ₂	N ₂	Np.	Np.	Np.
18	55.72	56.16	55.72	55.87	10.4	10.4	9.5	10.10	N ₂	N ₁	S ₁	Np.	Np.	Np.
19	56.34	56.46	58.02	56.94	8.0	6.6	6.8	7.13	S ₁	S ₂	S ₁	Np.	Np.	Np.
20	60.33	61.02	60.97	60.77	7.8	6.2	7.6	7.20	SE ₁	SE ₁	N ₁	Np.	Np.	Np.
21	61.02	61.02	60.90	60.98	7.8	8.0	9.0	8.27	N ₂	N ₂	N ₂	Np.	Np.	Np.
22	60.83	60.96	60.90	60.90	9.2	7.8	8.5	8.50	SE ₁	SE ₂	SE ₁	Np.	Np.	Np.
23	60.90	60.90	60.90	60.90	8.5	8.2	8.3	8.50	N ₂	SE ₁	SE ₂	Np.	Np.	Np.
24	60.83	60.90	58.73	60.15	9.0	8.0	9.5	8.33	NE ₁	NE ₁	NE ₂	Np.	Np.	Np.
25	56.22	53.78	54.09	54.70	9.5	9.5	9.0	9.33	NE ₂	SE ₁	SE ₂	Np.	Np.	Np.
26	55.40	64.26	67.63	62.43	7.8	5.8	7.0	6.87	SE ₂	SE ₂	O ₁	Np.	Np.	Np.
27	68.13	68.97	67.38	67.86	8.0	5.6	8.4	7.33	O ₁	O ₂	SO ₁	Np.	Np.	Np.
28	66.76	66.82	65.83	66.47	9.8	9.2	9.2	9.40	N ₂	N ₁	SO ₁	Np.	Np.	Np.
29	64.77	65.27	64.83	64.96	10.0	9.0	9.4	9.47	O ₁	O ₂	SO ₁	Np.	Np.	Np.
30	64.01	62.83	60.46	62.43	8.8	7.0	7.6	7.30	E ₂	N ₂	N ₂	Np.	Np.	Np.
31	59.90	59.40	62.45	60.58	8.6	8.4	8.4	8.47	SE ₁	SE ₁	N ₂	Np.	Np.	Np.

AGOSTO DE 1872.

1	60.95	60.02	62.95	61.31	7.4	7.0	8.0	7.47	NE ₁	SE ₁	S ₂	Np.	Np.	Np.
2	62.01	62.01	64.01	62.77	7.2	6.6	7.2	7.00	N ₁	NO ₁	S ₂	Np.	Np.	Np.
3	64.04	64.34	64.94	64.44	7.0	8.2	7.6	7.60	S ₁	S ₁	S ₂	Np.	Np.	Np.
4	64.49	63.39	63.51	63.96	7.6	8.2	6.6	7.47	N ₂	N ₂	S ₁	Np.	Np.	Np.
5	61.39	59.33	56.33	59.19	7.8	9.2	9.6	8.37	N ₂	N ₂	N ₂	Np.	Np.	Np.
6	66.20	57.21	56.27	59.89	10.0	10.2	9.4	9.37	N ₂	N ₁	N ₂	Np.	Np.	Np.
7	57.27	54.72	51.28	54.42	10.0	10.0	10.4	10.13	N ₁	S ₁	N ₂	Ne. ll.	Np.	Np.
8	45.80	50.97	51.77	49.51	10.4	7.8	3.2	7.13	SE ₂	SE ₁	N ₂	Np.	Np.	Np.
9	53.27	55.77	56.01	55.02	6.2	4.4	3.6	4.73	S ₂	S ₁	S ₂	Np.	Np.	Np.
10	55.27	56.33	59.39	57.00	6.8	4.2	4.4	5.13	S ₂	S ₂	N ₂	Np.	Np.	Np.
11	60.45	57.14	51.29	56.29	9.0	5.8	5.4	6.40	N ₂	NE ₂	NE ₂	Np.	Np.	Np.
12	50.91	53.34	48.91	51.05	9.3	7.8	10.2	9.27	N ₂	N ₂	N ₂	Np.	Np.	Np.
13	47.17	48.79	50.79	48.92	10.6	9.4	9.6	9.37	N ₂	NO ₂	N ₂	Np.	Np.	Np.
14	50.79	50.79	51.90	51.16	10.0	9.6	3.4	9.33	N ₂	N ₂	N ₁	Np.	Np.	Np.
15	53.78	56.90	50.85	53.84	10.0	10.0	9.8	9.93	N ₂	N ₁	N ₁	Np.	Np.	Np.
16	60.77	58.42	53.30	57.70	10.6	10.0	9.0	9.37	N ₂	NE ₂	NE ₂	Np.	Np.	Np.
17	54.22	53.84	46.91	51.66	10.0	9.2	8.6	9.27	NO ₂	NO ₂	N ₂	Np.	Np.	Np.
18	46.79	47.47	54.15	49.47	9.6	3.0	7.4	8.33	NO ₂	NO ₂	O ₂	Np.	Np.	Np.
19	54.90	59.21	56.90	57.00	9.6	7.5	8.6	8.57	NO ₂	NO ₂	N ₂	Np.	Np.	Np.
20	51.34	49.73	49.79	50.29	9.4	10.4	10.0	9.33	N ₂	N ₂	N ₂	Np.	Np.	Np.
21	50.27	52.53	54.15	52.32	7.0	6.8	6.6	6.30	O ₂	S ₁	S ₁	Np.	Np.	Np.
22	53.03	38.98	45.04	45.08	8.0	9.0	8.0	8.33	N ₂	N ₂	NO ₂	Np.	Np.	Np.
23	44.98	44.54	43.65	46.06	8.6	7.6	9.6	8.60	NO ₂	NO ₂	SO ₁	Np.	Np.	Np.
24	49.53	54.15	56.15	53.28	7.2	6.2	6.6	6.67	O ₁	SO ₁	N ₂	Ne. ll.	Np.	Np.
25	57.02	57.64	54.39	56.35	7.8	5.2	4.2	5.73	S ₁	S ₂	S ₂	Np.	Np.	Np.
26	54.15	57.14	59.14	56.81	6.8	6.0	7.0	6.60	S ₁	S ₁	SE ₁	Np.	Np.	Np.
27	53.96	59.64	58.08	58.39	8.6	6.6	7.6	7.60	N ₂	NE ₁	NE ₂	Np.	Np.	Np.
28	56.52	54.53	53.90	54.93	8.2	7.4	3.6	8.07	N ₂	N ₂	N ₂	Np.	Np.	Np.
29	54.40	56.53	61.14	57.36	7.8	8.0	5.8	7.20	N ₂	NO ₂	O ₁	Np.	Np.	Np.
30	60.90	62.14	60.02	61.02	9.0	5.6	3.6	7.73	NO ₂	O ₂	N ₂	Np.	Np.	Np.
31	57.46	55.90	53.09	55.43	3.4	3.8	9.6	8.93	N ₂	N ₂	N ₂	Np.	Np.	Np.

SEPTIEMBRE DE 1872.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	700+	700+	700+	700+	0	0	0	0						
2	52.84	49.79	48.04	49.56	9.0	10.0	7.0	8.67	N ₂	N ₂	N ₂	Ll.	Ll.	N.
3	55.46	56.83	57.97	56.75	9.0	9.5	8.0	8.89	NO ₂	—	N ₂	—	—	Np.
4	55.96	57.14	57.90	57.00	8.8	7.0	7.0	7.60	NO ₂	O ₂	—	—	Np.	N.
5	61.89	58.96	60.85	57.23	8.4	8.5	9.2	8.70	N ₂	N ₂	—	Np.	N.	—
6	63.89	57.33	63.95	61.70	9.4	9.5	8.4	9.10	N ₂	O ₂	O ₁	Ll.	Np.	N.
7	63.89	63.89	64.01	63.73	9.4	9.0	8.4	8.93	NO ₁	NO ₁	SO ₁	Ll.	D.	D.
8	63.27	63.89	60.02	62.39	10.4	9.0	8.4	9.27	N ₂	N ₂	N ₂	Np.	—	Ll.
9	58.40	58.40	54.28	57.03	9.0	9.0	9.8	9.27	N ₂	N ₂	—	Ll.	—	—
10	54.16	54.22	54.28	54.22	11.0	10.5	10.2	10.57	N ₂	N ₂	NO ₂	—	—	N.
11	56.71	58.46	62.01	59.06	10.2	8.5	7.6	8.77	NO ₂	NO ₂	NO ₂	Np.	—	Ll.
12	63.89	64.89	65.95	64.91	8.8	9.0	8.6	8.80	N ₂	O ₂	O ₂	—	—	Np.
13	65.70	65.89	62.33	64.64	10.0	9.0	9.6	9.53	N ₂	O ₂	O ₂	—	—	N.
14	61.77	61.89	61.95	61.37	8.8	9.0	8.8	8.87	N ₂	O ₁	N ₂	Ll.	D.	N.
15	60.83	57.27	56.77	58.29	10.0	10.0	9.8	9.33	NE ₂	O ₂	N ₂	N.	N.	Np.
16	59.77	62.01	64.01	61.93	9.4	8.0	8.0	8.47	S ₁	O ₂	O ₂	Np.	D.	D.
17	63.89	64.89	64.45	64.41	9.8	9.0	8.4	9.07	O ₁	N ₂	N ₂	—	N.	N.
18	64.83	62.83	61.77	62.98	9.6	9.5	10.0	9.70	O ₂	N ₂	N ₂	Ll.	—	Ll.
19	61.70	61.83	58.83	60.79	10.6	9.5	10.0	10.03	N ₂	—	O ₂	Ll.	D.	Np.
20	59.83	64.01	64.64	62.83	10.0	8.0	7.4	8.47	O ₂	S ₁	S ₂	—	—	D.
21	64.27	64.89	63.51	64.22	11.4	9.0	8.0	9.47	O ₂	O ₂	S ₂	D.	—	D.
22	62.58	63.01	63.01	62.87	11.6	8.0	7.8	9.13	S ₁	O ₁	S ₁	—	—	Np.
23	62.27	61.89	57.90	60.69	12.4	9.0	9.0	10.13	O ₁	O ₁	S ₂	—	—	N.
24	55.90	57.37	56.83	56.70	9.8	9.2	7.0	8.67	N ₂	N ₂	O ₂	N.	N.	—
25	56.71	57.90	57.90	57.50	11.2	9.0	8.4	9.53	SO ₁	N ₂	N ₂	Np.	N.	—
26	59.77	62.39	62.77	61.64	11.6	9.0	9.4	10.00	O ₂	O ₂	N ₂	—	—	Np.
27	62.70	61.77	59.77	61.41	11.0	10.0	10.0	10.33	N ₂	O ₂	N ₂	—	—	Ll.
28	59.65	60.77	60.27	60.23	10.4	10.0	10.2	10.20	N ₂	N ₂	N ₂	G.	Ll.	Np.
29	58.71	57.27	52.90	56.29	10.6	10.0	9.2	9.93	N ₂	N ₂	N ₂	Np.	N.	N.
30	54.34	61.02	62.39	59.25	10.0	8.0	10.0	9.33	—	SO ₁	N ₂	Np.	N.	Np.

OCTUBRE DE 1872.

1	62.77	61.83	58.77	61.12	11.6	10.0	9.8	10.47	SO ₁	NO ₂	N ₂	Np.	Np.	N.
2	57.77	58.71	59.21	58.50	10.8	10.4	9.6	10.27	N ₂	N ₂	N ₂	Np.	N.	—
3	59.47	61.09	58.65	59.74	12.8	11.0	11.0	11.60	N ₂	N ₂	N ₂	—	—	—
4	60.04	56.65	61.64	59.44	16.5	10.6	11.8	12.97	SO ₂	NO ₂	N ₂	Np.	Np.	—
5	58.65	58.55	54.66	57.29	10.4	11.4	10.2	10.67	N ₂	N ₂	N ₂	Np.	—	—
6	51.34	57.65	48.29	52.49	12.4	10.4	10.4	11.07	N ₂	N ₂	N ₂	—	—	—
7	49.07	51.40	54.84	51.77	12.8	8.4	10.6	10.60	NO ₂	N ₂	N ₂	Ll.	Ll.	Np.
8	55.84	56.77	55.66	56.09	10.6	10.0	11.6	10.73	N ₂	O ₂	N ₂	Ll.	—	N.
9	54.22	57.65	60.65	57.51	10.4	10.2	11.0	10.53	O ₂	N ₂	N ₂	Ll.	—	—
10	60.47	60.40	60.65	60.51	12.4	7.6	11.6	10.53	NO ₂	SO ₂	SO ₁	Np.	—	Np.
11	58.16	58.47	57.15	57.93	15.0	12.0	11.2	12.73	O ₁	N ₂	NE ₂	—	—	—
12	56.59	56.59	55.60	56.26	11.8	10.8	11.4	11.33	N ₂	NO ₁	N ₂	N.	—	—
13	56.03	56.68	57.71	56.81	9.4	9.8	10.2	9.80	N ₂	N ₂	N ₂	Ll.	—	—
14	57.15	57.65	57.15	57.32	10.6	10.4	10.8	10.60	N ₂	N ₂	N ₂	Ll.	—	—
15	57.03	57.15	38.69	50.96	11.4	10.4	11.0	10.93	NO ₁	N ₂	N ₂	—	—	Ll.
16	54.72	55.78	52.84	54.45	10.0	9.6	10.0	9.87	N ₂	O ₂	N ₂	—	—	—
17	50.23	51.16	54.28	51.89	10.6	10.4	9.8	10.27	NO ₂	N ₂	N ₂	Np.	N.	N.
18	56.65	58.65	60.65	58.65	12.0	10.4	11.2	11.20	N ₂	NO ₂	N ₂	Np.	Np.	Ll.
19	62.63	63.02	63.64	63.10	13.2	12.0	11.4	12.20	N ₂	N ₂	O ₂	Np.	N.	Np.
20	63.89	63.46	62.52	63.12	13.4	13.0	14.0	13.43	O ₂	O ₂	O ₂	Np.	—	—
21	60.65	60.96	60.14	60.58	15.0	12.5	11.0	12.83	N ₂	O ₂	N ₂	—	—	—
22	57.05	62.52	64.70	61.42	11.8	11.6	11.0	11.47	NO ₂	N ₂	O ₂	N.	—	L.
23	64.09	65.77	64.77	64.83	10.4	9.6	10.6	10.20	O ₁	N ₂	N ₂	Np.	N.	—
24	63.71	61.64	59.71	61.69	11.6	10.2	10.8	10.87	N ₂	O ₂	O ₂	Np.	N.	—
25	61.59	63.77	64.33	63.25	12.4	7.0	7.0	10.0	O ₁	N ₂	O ₂	Np.	N.	—
26	64.52	65.64	65.77	65.31	12.6	11.4	12.0	12.00	O ₂	O ₂	O ₂	Np.	N.	Np.
27	62.32	65.39	62.52	63.48	16.2	11.8	13.2	13.73	O ₂	O ₂	O ₂	Np.	D.	D.
28	62.39	60.27	59.41	60.69	11.8	9.0	12.4	11.07	—	SO ₁	N ₂	Np.	N.	—
29	58.41	58.03	53.78	56.74	12.0	10.0	9.8	10.60	NO ₂	N ₂	N ₂	Np.	N.	Np.
30	58.22	55.33	54.90	54.58	10.8	8.6	9.4	9.60	O ₂	NO ₂	N ₂	—	—	—
31	56.16	60.27	61.70	59.33	11.0	8.0	10.4	9.80	N ₂	—	NO ₁	—	—	D.

NOVIEMBRE DE 1872.

Días.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.				VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	62.52	62.64	62.65	62.60	12.2	9.2	10.0	10.47	NO ₁	O ₁	NO ₁	Np.	D.	Np.
2	60.41	60.63	59.77	60.28	14.0	10.0	10.6	11.53	O ₁	N ₂	NO ₁	Np.	N.	N.
3	59.71	58.65	57.65	58.63	10.2	10.0	10.6	10.27	N ₂	N ₂	NO ₁	Np.	N.	N.
4	54.66	52.66	59.77	55.70	10.0	19.6	11.0	10.53	N ₂	O ₁	O ₁	Np.	N.	N.
5	59.71	60.27	59.90	59.96	12.0	9.0	10.0	10.33	NO ₂	O ₁	NO ₁	Np.	N.	N.
6	60.09	59.59	60.21	59.96	12.6	11.0	11.6	11.73	N ₁	NO ₁	SO ₁	Np.	N.	Np.
7	60.55	62.64	62.77	61.98	13.0	10.2	11.8	11.67	O ₂	S ₁	S ₁	Np.	N.	D.
8	62.58	62.70	59.77	61.68	14.2	9.0	9.4	10.87	SO ₂	O ₁	NE ₂	D.	D.	Nig.
9	58.09	58.15	57.27	57.84	11.8	10.0	10.2	10.67	NE ₂	NO ₁	O ₁	D.	N.	Np.
10	56.21	57.58	53.02	57.27	10.4	7.0	8.0	8.47	O ₂	O ₂	SO ₁	Np.	N.	Np.
11	58.01	62.39	44.68	55.26	10.8	8.5	10.6	9.97	NO ₂	N ₂	N ₂	Np.	N.	N.
12	46.64	48.91	51.46	49.00	10.3	5.6	9.6	8.67	N ₂	NO ₂	NE ₂	Np.	Np.	Np.
13	51.54	49.79	43.74	48.36	9.8	10.0	10.3	10.20	N ₁	N ₂	NE ₃	Np.	N.	N.
14	42.69	41.75	52.28	45.57	11.4	9.8	9.2	10.13	NE ₂	N ₂	NO ₃	Np.	N.	N.
15	52.60	57.27	59.21	56.36	9.8	9.6	9.8	9.73	NO ₂	N ₁	O ₁	Np.	N.	Np.
16	60.97	62.77	64.64	62.79	11.0	10.2	10.6	10.60	O ₁	O ₁	N ₁	Np.	D.	D.
17	63.89	64.58	64.77	64.41	14.0	10.0	11.0	11.67	O ₂	O ₁	S ₁	Np.	N.	N.
18	63.52	62.64	60.65	62.27	14.8	9.8	11.6	12.07	O ₂	O ₁	O ₁	Np.	N.	Np.
19	60.53	60.71	13.4	8.6	O ₂	O ₂	Np.	Np.
20	63.96	62.77	63.77	63.50	13.5	9.0	10.8	11.10	SO ₁	O ₁	NO ₁	Np.	N.	N.
21	63.96	64.64	64.58	64.39	14.0	10.2	10.6	11.60	O ₁	O ₁	NO ₁	Np.	N.	N.
22	64.39	64.39	64.39	64.39	8.4	11.8	14.0	11.40	SO ₂	O ₁	S ₁	Np.	N.	Np.
23	65.27	63.14	62.64	63.02	15.0	10.4	11.4	12.27	O ₂	SO ₁	SO ₁	Np.	N.	N.
24	61.96	61.46	60.03	61.15	11.8	10.4	13.2	11.80	N ₂	N ₁	N ₁	Np.	Ne.	Np.
25	59.91	60.03	59.15	59.70	13.0	10.2	12.0	12.07	NO ₁	NO ₁	O ₁	Np.	N.	Np.
26	58.47	59.09	59.03	58.86	13.8	10.6	12.8	12.40	O ₂	O ₁	Np.	N.	Np.
27	59.03	59.03	57.41	58.49	11.0	10.4	12.8	11.40	N ₁	NO ₂	N ₂	Np.	N.	N.
28	58.41	58.71	60.40	59.17	10.0	9.2	10.4	9.37	NO ₄	NO ₃	N ₂	Np.	Np.	N.
29	61.70	62.27	61.70	61.89	11.2	9.0	11.4	10.53	O ₂	O ₁	NO ₂	Np.	G.	N.
30	61.96	61.52	61.52	61.67	11.6	10.2	12.0	11.27	NO ₂	Np.	N.	N.

DICIEMBRE DE 1872.

1	58.97	61.96	62.02	60.98	11.8	11.2	13.0	12.00	NO ₁	NO ₁	NO ₁	Np.	G.	Np.
2	63.15	63.89	63.53	63.29	17.0	12.8	14.8	14.87	SO ₂	SO ₁	O ₂	Np.	N.	D.
3	62.52	62.59	59.28	61.46	18.4	13.4	12.8	14.87	O ₂	O ₁	N ₁	D.	N.	G.
4	58.16	56.28	50.55	55.00	14.2	12.6	11.4	12.73	N ₂	N ₂	N ₂	Np.	N.	N.
5	51.42	52.66	50.67	51.58	14.0	11.8	10.8	12.20	NO ₂	N ₂	N ₂	Np.	N.	N.
6	50.55	52.78	56.28	53.20	12.0	9.8	11.0	10.93	N ₂	O ₂	NO ₂	Np.	Np.	Np.
7	54.22	52.72	57.27	54.74	11.6	10.4	11.2	11.07	N ₂	NO ₂	O ₂	Np.	N.	N.
8	59.42	63.64	63.77	62.28	14.0	10.2	11.4	11.87	O ₂	SO ₂	S ₁	Np.	D.	Np.
9	62.33	62.52	63.64	62.85	13.4	11.4	12.8	12.53	Np.	N.	N.
10	64.27	64.64	63.14	64.02	15.8	10.2	12.2	12.73	SO ₁	SO ₂	O ₁	Np.	D.	N.
11	59.84	59.41	59.41	59.55	15.0	11.2	14.0	13.40	O ₂	SO ₁	O ₂	Np.	N.	Np.
12	59.28	60.25	60.41	59.99	16.8	11.4	13.6	13.93	Np.	N.	D.
13	59.78	59.78	56.41	58.66	16.6	13.4	12.0	14.00	NO ₁	NO ₁	N ₃	D.	N.	N.
14	56.28	56.41	54.72	55.80	14.0	11.6	11.8	12.47	O ₁	NO ₂	O ₂	Np.	N.	N.
15	56.78	58.21	58.21	57.73	14.6	9.8	11.8	12.07	O ₂	SO ₁	SO ₁	Np.	N.	D.
16	58.15	58.15	56.00	57.46	11.6	10.4	11.6	11.20	N ₁	NO ₁	N ₃	Np.	N.	N.
17	56.03	60.77	61.27	59.86	12.6	9.0	13.0	11.53	NO ₃	O ₁	S ₃	Np.	D.	Np.
18	61.52	61.77	61.70	61.60	15.0	9.5	11.0	11.33	SO ₂	S ₁	SE ₁	Np.	N.	N.
19	60.91	61.39	63.52	61.94	15.8	11.4	13.6	13.60	NO ₂	O ₁	E ₁	Np.	D.	D.
20	63.27	63.83	63.46	63.52	17.0	11.6	12.4	13.67	O ₂	Np.	N.	N.
21	62.15	62.27	61.09	61.84	17.8	12.0	12.0	13.93	NO ₁	Np.	N.	N.
22	60.28	61.83	61.64	61.10	16.0	10.4	12.4	12.93	N ₂	O ₂	Np.	N.	N.
23	61.15	63.52	63.89	62.69	15.6	12.2	13.2	13.33	O ₂	Np.	N.	Nig.
24	62.65	62.77	59.41	61.28	16.8	12.4	12.8	14.00	NO ₂	NO ₂	N ₃	Np.	N.	N.
25	56.34	52.35	50.67	52.12	13.0	12.4	11.0	12.13	NO ₃	N ₃	NO ₂	Np.	N.	Np.
26	51.10	52.54	53.78	52.47	12.0	11.8	10.0	11.33	O ₂	NO ₂	Np.	N.	N.
27	54.10	52.60	46.67	51.12	11.0	12.0	11.0	11.33	N ₂	N ₂	Np.	N.	N.
28	43.57	46.68	52.78	47.67	11.8	9.6	11.0	10.80	N ₁	N ₁	Np.	N.	N.
29	54.66	53.72	50.54	52.97	12.4	10.0	12.4	11.60	NO ₁	N ₂	N ₂	Np.	N.	N.
30	50.49	51.10	50.55	50.71	12.0	11.4	12.0	11.80	N ₁	Np.	N.	N.
31	51.42	53.54	52.04	52.35	14.8	11.4	11.3	12.67	Np.	N.	N.

ENERO DE 1871.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Med.	2½ h	9 h.	21 h	Med.	Máx	Min	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o						
1	57.43	58.92	58.56	58.30	15.9	15.3	14.6	15.27	o	o	N.	N.	S.	N.	N.	N.
2	56.83	56.91	57.26	57.00	19.0	18.6	17.1	18.23			N.	S.	N.	—	—	—
3	58.68	57.37	61.85	59.50	14.0	12.8	17.1	14.63			N.	N.	—	—	—	Li.
4	61.92	62.15	61.11	61.73	20.9	15.3	15.9	17.57			S.	E.	S.	Np.	Np.	N.
5	59.81	59.83	58.47	59.37	20.9	15.3	19.6	18.60			—	S.	—	D.	—	N.
6	62.06	58.83	17.1	18.4			—	N.	NNE.	—	—	Li.
7	56.47	54.91	55.93	55.77	17.8	14.0	16.5	16.10			OSO.	C	NE.	Li.	N.	—
8	58.16	59.59	59.76	59.17	17.8	14.6	14.6	15.67			SE.	N.	N.	Np.	—	—
9	54.04	59.28	58.77	57.56	25.3	17.1	23.4	21.93			NE.	C	—	—	—	Np.
10	58.88	58.69	54.35	57.14	19.0	14.6	17.8	17.13			N.	N.	SSE.	N.	—	—
11	49.70	49.70	57.06	52.15	15.9	14.0	15.3	15.07			SE.	N.	N.	Li.	Li.	—
12	59.75	62.46	62.24	61.43	16.5	10.9	17.8	15.07			O.	N.	—	Np.	D.	—
13	50.82	58.08	58.78	58.89	20.3	15.3	15.3	16.97			N.	C	NO.	N.	N.	N.
14	59.33	60.58	63.67	61.26	14.0	14.0	15.3	14.43			NO.	S.	S.	Np.	D.	Np.
15	63.05	67.92	67.45	66.14	16.5	14.0	14.0	14.83			S.	S.	S.	Np.	D.	—
16	57.09	65.97	62.39	61.82	16.5	13.4	15.3	15.07			S.	—	—	D.	—	Ni.
17	61.52	61.70	62.46	61.89	17.1	15.3	14.6	15.67			—	—	SE.	—	—	N.
18	61.84	62.68	60.05	61.52	19.0	14.6	18.4	17.33			SSE.	S.	S.	—	—	D.
19	57.93	57.21	57.35	57.40	19.6	17.4	14.0	17.00			S.	S.	SE.	—	—	Ni.
20	55.02	55.54	54.77	55.11	20.9	15.9	14.6	17.15			SE.	SE.	N.	Np.	Np.	Li.
21	50.61	56.34	61.23	56.03	14.3	13.4	15.3	14.33			N.	N.	NE.	Li.	Li.	—
22	45.73	64.54	63.82	58.03	17.8	12.8	16.8	15.80			—	C	S.	Li.	D.	Np.
23	62.60	59.53	54.82	58.98	17.8	12.1	14.6	14.83			S.	S.	N.	Np.	Li.	Li.
24	62.46	60.66	61.85	61.65	15.0	14.6	16.4	15.33			N.	N.	N.	Li.	Li.	N.
25	60.68	63.04	61.11	54.94	16.5	12.6	13.0	14.05			S.	C	SO.	N.	N.	Np.
26	63.61	61.85	65.90	63.78	17.4	12.8	13.6	14.60			S.	—	—	N.	—	—
27	65.88	65.65	66.38	65.97	15.8	13.9	13.9	14.53			SSE.	S.	S.	D.	D.	N.
28	65.53	64.83	64.27	64.87	16.6	14.5	15.6	15.37			S.	—	—	—	—	Np.
29	63.98	63.20	61.04	62.74	13.6	16.6	13.5	16.23			SSE.	SSE.	S.	—	—	Ni.
30	58.79	57.20	57.61	57.86	20.4	16.0	15.6	17.33			S.	S.	NO.	Li.	D.	Li.
31	58.44	62.30	62.63	61.11	19.1	12.6	14.5	15.40			S.	N.	N.	Np.	—	D.

FEBRERO DE 1871.

1	62.43	61.81	60.99	61.74	18.5	11.5	17.9	15.97			S.	NO.	Np.	Np.	D.
2	58.99	60.44	61.97	60.46	19.3	13.0	20.5	17.60			N.	N.	—	—	Np.
3	58.99	57.98	59.53	58.83	22.9	18.8	17.8	19.83			N.	N.	N.	N.	N.	G.
4	60.63	60.47	61.48	60.86	14.4	13.6	13.5	13.83			SSE.	SO.	SO.	Li.	Li.	Np.
5	62.33	63.74	64.40	63.49	17.4	15.0	13.9	15.43			S.	S.	S.	Np.	D.	N.
6	63.30	63.06	61.71	62.69	17.0	16.4	17.9	17.10			—	—	—	D.	D.	D.
7	58.07	56.35	62.48	58.93	18.4	17.0	19.1	18.17			—	—	SO.	—	—	—
8	54.49	56.00	57.99	56.16	20.5	16.3	15.4	17.40			—	—	NE.	Np.	N.	N.
9	58.14	59.50	62.00	59.88	17.6	12.9	15.3	15.27			—	—	S.	D.	D.	Np.
10	62.44	62.18	61.89	62.17	18.4	14.8	14.3	15.83			—	—	SSE.	—	—	Np.
11	59.69	61.20	60.66	60.51	17.4	16.8	16.9	17.03			S.	—	—	—	N.	Np.
12	61.29	61.45	60.68	61.14	19.3	13.1	13.1	16.53			SSE.	—	SSE.	D.	D.	Np.
13	61.22	60.98	61.11	61.10	20.6	15.8	18.4	18.27			—	S.	SSE.	Np.	Np.	N.
14	60.34	60.42	58.30	59.63	19.6	17.0	16.3	17.63			SSE.	SSE.	NNE.	—	—	N.
15	57.87	58.54	58.23	58.21	19.6	15.9	18.8	18.10			—	N.	N.	Np.	N.	—
16	57.41	58.05	58.44	57.96	21.8	16.6	16.8	18.40			N.	N.	SO.	—	—	Np.
17	59.30	61.18	61.63	60.70	18.8	17.4	14.6	16.93			S.	S.	S.	D.	D.	N.
18	61.61	65.73	62.87	62.73	16.8	15.4	15.5	15.90			S.	—	—	—	—	Np.
19	61.77	60.62	61.05	61.14	18.4	15.8	16.1	16.77			ESE.	ESE.	—	—	—	Np.
20	53.11	58.49	56.69	57.76	15.3	13.9	14.6	14.60			S.	SO.	SSE.	Li.	N.	Np.
21	56.15	57.02	59.85	57.14	0.9	3.6	3.6	13.20			SO.	SO.	N.	Np.	D.	N.
22	60.63	63.48	62.90	62.33	15.3	11.5	17.9	14.90			S.	NE.	NNE.	—	—	—
23	57.67	61.61	61.61	60.22	21.6	12.5	20.0	18.03			N.	G.	N.	—	—	D.
24	61.40	56.59	60.49	59.49	20.3	15.6	19.0	18.30			S.	N.	O.	—	—	Np.
25	59.72	54.84	61.55	58.70	19.8	13.5	13.3	17.20			N.	C	NE.	—	—	D.
26	58.73	60.12	60.02	59.62	21.8	17.1	20.4	19.77			N.	N.	N.	—	—	N.
27	55.12	59.59	58.81	57.84	18.9	14.0	13.0	16.97			—	—	NNO.	Li.	D.	Li.
28	58.22	57.33	57.51	57.68	19.4	15.4	16.4	17.07			—	NO.	N.	Np.	—	Li.

MARZO DE 1871.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Máx	Min	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o						
1	56.43	50.99	56.88	56.76	18.3	16.0	15.8	16.70			N ₁	N.	NE.	N.	N.	LI.
2	55.32	56.31	59.46	57.08	16.3	15.9	18.9	17.03			N ₂	N.	N.	LI.	N.	D.
3	60.78	61.52	60.50	60.98	19.0	15.8	19.6	18.13			NE.	N.	N.	Np.	Np.	Np.
4	59.84	60.86	63.45	61.45	21.8	12.8	14.3	16.30			N.	S.	S.	Np.	Np.	Np.
5	61.20	60.95	59.46	60.53	16.1	10.1	14.6	13.60			S.	S.	N.	Np.	Np.	Np.
6	57.87	55.66	55.75	56.42	14.9	12.4	16.9	14.73			S.	S.	N.	Np.	Np.	Np.
7	56.29	56.08	54.80	55.72	22.5	19.0	12.4	17.97			N.	N.	N.	Np.	Np.	Np.
8	54.44	54.09	52.54	57.35	13.5	13.4	12.9	13.27			N.	N.	N.	Np.	Np.	Np.
9	52.31	52.67	58.66	54.54	12.0	10.3	9.0	10.43			N.	N.	N.	Np.	Np.	Np.
10	60.04	60.35	57.45	59.34	14.3	10.6	13.5	12.80			N.	N.	N.	Np.	Np.	Np.
11	55.51	55.33	57.68	56.17	14.3	13.6	14.1	14.00			N.	N.	N.	Np.	Np.	Np.
12	59.26	59.49	67.70	62.15	13.0	7.6	10.0	10.20			N.	N.	N.	Np.	Np.	Np.
13	68.15	68.40	64.55	67.03	14.3	9.5	12.5	12.10			N.	N.	N.	Np.	Np.	Np.
14	64.44	62.04	63.32	63.26	15.6	12.9	12.3	13.60			N.	N.	N.	Np.	Np.	Np.
15	63.17	63.29	62.32	62.92	15.5	11.6	13.3	13.13			N.	N.	N.	Np.	Np.	Np.
16	61.56	60.48	56.68	59.57	15.4	13.3	13.8	14.17			SE.	SE.	N.	Np.	Np.	Np.
17	57.42	57.48	57.51	57.47	14.6	15.0	17.1	15.57			N.	N.	N.	Np.	Np.	Np.
18	57.33	58.41	57.52	58.75	17.9	14.5	13.0	15.07			N.	N.	N.	Np.	Np.	Np.
19	58.26	59.19	59.63	59.02	13.1	10.6	12.8	12.17			N.	N.	N.	Np.	Np.	Np.
20	59.26	59.44	59.87	59.52	13.1	11.8	12.8	12.57			N.	N.	N.	Np.	Np.	Np.
21	61.32	63.14	61.20	61.88	14.6	8.9	14.6	12.70			N.	N.	N.	Np.	Np.	Np.
22	58.68	55.18	53.35	55.78	15.5	13.0	15.9	14.80			N.	N.	N.	Np.	Np.	Np.
23	54.80	56.98	49.46	53.74	15.4	9.0	11.6	12.00			N.	N.	N.	Np.	Np.	Np.
24	50.16	47.99	48.83	48.99	19.9	16.3	14.4	15.53			N.	N.	N.	Np.	Np.	Np.
25	46.55	45.16	44.19	45.30	15.3	8.9	12.9	13.70			N.	N.	N.	Np.	Np.	Np.
26	43.42	56.75	53.58	51.25	15.5	10.5	11.5	12.50			N.	N.	N.	Np.	Np.	Np.
27	58.16	60.35	57.70	58.73	11.5	8.9	11.8	10.73			N.	N.	N.	Np.	Np.	Np.
28	56.80	58.41	59.39	58.20	14.1	13.3	13.0	13.47			N.	N.	N.	Np.	Np.	Np.
29	59.41	59.41	58.41	59.07	19.3	19.3	16.5	18.37			N.	N.	N.	Np.	Np.	Np.
30	57.28	57.74	59.52	58.18	19.3	16.3	18.0	17.93			N.	N.	N.	Np.	Np.	Np.
31	56.40	55.79	56.28	56.15	21.4	18.0	16.0	18.47			N.	N.	N.	Np.	Np.	Np.

ABRIL DE 1871.

1	36.55	57.33	57.86	57.21	19.2	15.4	14.8	16.50			NNE ₁	NO ₂	NO ₁	Np.	Np.	Np.
2	59.41	61.93	64.13	61.82	16.8	9.6	11.8	12.73	7.6		SO ₁	SO ₂	NE ₁	Np.	D.	D.
3	63.38	64.74	64.80	64.30	14.3	8.0	10.4	10.90	3.6		S ₁	S ₂	S ₁	Np.	Np.	Np.
4	61.67	60.66	61.42	61.25	13.5	10.0	11.6	11.70	5.6		S ₂	E ₂	S ₁	Np.	Np.	Np.
5	61.39	63.08	64.01	62.82	13.6	11.8	11.1	12.17	7.8		S ₁	S ₂	S ₁	Np.	Np.	Np.
6	63.48	63.45	59.35	62.29	13.0	10.8	10.4	11.40	8.3		S ₂	C	S ₂	Np.	Np.	Np.
7	59.02	58.64	61.00	59.55	12.9	11.0	11.4	11.77	6.1		S ₁	C	NE ₁	Np.	Np.	Np.
8	60.60	61.50	60.87	60.99	14.1	11.5	7.8	11.13	7.0		S ₂	C	NE ₁	Np.	Np.	Np.
9	60.49	60.55	61.04	60.69	15.4	11.6	13.0	13.33	8.7		S ₁	C	SO ₁	Np.	Np.	Np.
10	61.74	61.79	60.70	61.41	15.3	11.5	15.0	13.93	7.1		S ₁	C	SO ₁	Np.	Np.	Np.
11	57.72	57.05	57.59	57.48	16.8	12.5	14.6	14.63	8.8		NE ₁	C	SO ₁	Np.	Np.	Np.
12	59.05	60.86	60.88	60.26	17.1	14.3	17.9	16.43	11.7		SO ₁	C	ENE ₁	Np.	Np.	Np.
13	60.68	64.50	61.18	65.45	17.9	15.5	15.3	16.23	11.8		ENE ₁	C	NE ₁	Np.	Np.	Np.
14	60.87	63.07	64.00	62.64	17.1	13.0	12.3	14.13	7.5		SO ₁	C	S ₂	Np.	Np.	Np.
15	63.07	60.60	56.90	59.14	15.5	8.8	14.4	13.57	4.8		SO ₁	C	NE ₁	Np.	Np.	Np.
16	56.59	56.72	60.36	57.92	15.8	13.5	13.5	14.27	9.7		S ₁	N	NE ₁	Np.	Np.	Np.
17	59.78	59.42	54.65	57.95	14.1	13.0	13.3	13.47	11.7		N	N	NE ₁	Np.	Np.	Np.
18	51.64	52.43	51.50	51.86	14.1	15.0	13.0	14.03	11.8		N ₂	O ₁	O ₂	Np.	Np.	Np.
19	57.13	58.99	60.49	58.99	12.8	8.8	11.3	10.97	5.5		N ₂	O ₁	O ₂	Np.	Np.	Np.
20	56.66	55.67	52.78	55.03	12.5	10.6	8.3	10.47	6.9		N ₂	O ₁	O ₂	Np.	Np.	Np.
21	54.19	62.74	57.73	58.22	6.4	8.1	9.0	7.83	5.1		NO ₁	N	N ₁	Np.	Np.	Np.
22	58.86	59.68	56.45	58.32	10.5	8.4	8.1	9.00	6.2		NO ₁	N	N ₁	Np.	Np.	Np.
23	56.19	57.82	61.26	58.25	9.9	7.4	6.8	8.03	3.2		NO ₁	N	N ₁	Np.	Np.	Np.
24	60.93	64.59	63.00	63.74	8.6	3.8	7.8	6.40	0.3		NO ₁	C	NE ₁	Np.	Np.	Np.
25	65.24	63.41	63.32	63.93	9.1	4.3	6.3	6.63	-0.2		SO ₁	C	NE ₁	Np.	Np.	Np.
26	64.39	64.36	64.19	64.31	10.3	6.8	6.5	7.20	-0.2		SO ₁	C	NE ₁	Np.	Np.	Np.
27	64.14	64.26	65.57	64.65	13.6	4.5	9.4	9.83	0.9		SO ₁	C	NE ₁	Np.	Np.	Np.
28	66.27	65.65	64.24	65.62	12.5	5.9	10.4	9.60	4.2		SO ₁	C	NE ₁	Np.	Np.	Np.
29	64.52	66.60	64.54	65.22	11.5	6.5	9.5	9.30	5.0		SO ₁	C	NE ₁	Np.	Np.	Np.
30	64.54	64.30	63.13	63.93	11.8	7.5	10.4	9.50	5.8		SO ₁	C	NE ₁	Np.	Np.	Np.

MAYO DE 1872.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Máx.	Min.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o						
1	62.78	65.16	58.75	61.56	12.9	12.9	14.1	13.30	10.8		N ₀	N ₂	N ₁	Ni.	LI.	LI.
2	58.17	56.41	59.93	58.17	13.9	15.0	10.0	12.97	6.3		NO ₁	N ₁	NNO ₁	Np.	LI.	LI.
3	62.38	64.61	64.99	63.99	11.3	7.9	8.9	9.37	5.3		NNE ₁	N ₀	N ₂	Np.	LI.	LI.
4	64.86	64.98	64.76	64.86	11.3	11.1	10.1	10.33	6.1		N ₁	N ₀	ONO ₀	Ni.	EL.	Np.
5	63.95	63.68	60.22	62.61	13.1	10.5	11.0	11.53	9.4		O ₀	O ₂	N ₁	N ₁	N ₁	LI.
6	60.16	61.64	63.79	61.86	13.0	9.6	9.1	10.37	6.2		S ₀	C ₀	N ₁	N ₁	N ₁	LI.
7	63.61	61.70	63.84	63.05	12.5	6.9	8.9	9.43	4.1		C ₁	S ₁	N ₁	Np.	Np.	Ni.
8	63.11	63.89	64.63	63.88	12.1	7.3	9.5	9.63	5.5		S ₀	S ₀	N ₁	Np.	Np.	Ni.
9	64.40	63.85	63.57	63.94	11.9	8.5	9.0	9.80	6.1		S ₀	S ₀	S ₀	N ₁	Ni.	Ni.
10	62.62	62.24	61.20	62.02	10.5	10.0	10.4	10.30	10.0		S ₀	S ₁	S ₁	N ₁	Ni.	Ni.
11	59.92	61.53	61.98	61.14	9.8	9.8	10.3	9.97	7.1		S ₁	S ₁	S ₁	Ni.	Ni.	Ni.
12	60.24	58.14	56.30	58.22	12.5	8.6	12.4	11.23	6.6		N ₁	C ₂	N ₁	N ₁	N ₁	Np.
13	55.29	56.72	59.79	57.26	11.8	11.6	13.3	12.23	10.2		N ₁	C ₂	N ₁	N ₁	N ₁	Np.
14	56.97	58.16	63.51	59.54	13.4	11.6	10.1	11.70	6.2		N ₂	S ₁	SO ₀	LI.	LI.	LI.
15	63.47	63.73	62.61	63.27	11.0	9.1	11.1	10.40	6.2		SO ₀	S ₁	SO ₀	LI.	LI.	LI.
16	62.22	61.45	59.66	61.11	11.6	9.9	11.6	11.03	6.3		N ₀	S ₀	N ₀	N ₁	N ₁	Np.
17	60.86	62.51	7.8	8.6	3.5		SO ₀
18	61.74	62.12	63.23	63.68	11.8	7.9	7.8	9.17	3.2		S ₁	S ₀	D.	D.	Ni.
19	62.44	62.36	61.32	62.36	7.9	5.0	6.0	6.30	2.1		S ₀	C ₁	Ni.	Ni.	Ni.
20	59.23	55.94	58.62	62.04	10.4	10.1	9.9	10.13	7.2		N ₁	N ₁	N ₁
21	57.37	56.77	57.53	58.93	10.1	8.9	9.6	9.53	7.0		S ₁	S ₀	N ₁	N ₁	N ₁
22	57.72	58.75	62.22	57.22	10.8	10.3	10.5	10.53	5.6		S ₁	S ₁	N ₀	N ₁	N ₁	N ₁
23	62.68	62.24	59.97	59.56	13.5	8.6	11.0	11.03	5.4		N ₀	C ₁	N ₂	Np.	N ₁	Np.
24	58.42	58.57	56.61	58.12	6.2	6.8	9.3	11.57	7.3		N ₁	NO ₁	N ₁	LI.	LI.	LI.
25	59.03	60.13	60.97	59.62	8.4	7.8	7.8	8.00	4.5		N ₁	N ₁	N ₁	LI.	LI.	LI.
26	61.28	59.53	57.72	60.04	7.8	10.9	12.1	10.27	6.7		N ₁	N ₁	N ₁
27	56.39	54.43	54.62	59.17	12.8	12.5	14.4	13.23	10.5		N ₂	N ₂	N ₁	Np.	Np.	N ₁
28	54.94	55.40	55.40	55.14	13.8	12.9	12.5	13.07	10.0		N ₁	N ₁	N ₁	N ₁
29	55.07	55.56	56.58	40.55	24.13	4.2	4.2	12.70	10.0		N ₁	N ₁	N ₁	N ₁	N ₁
30	58.87	57.06	52.46	56.34	11.5	9.8	9.1	10.13	4.7		NNE ₁	N ₁	N ₁	N ₁	LI.	LI.
31	49.93	48.99	43.79	56.13	12.8	12.6	11.3	12.23	3.0		N ₂	NO ₁	N ₁	LI.	LI.

JUNIO DE 1871.

1	47.98	51.19	51.88	50.35	10.0	8.9	11.4	10.10	7.7		N ₂	N ₂	N ₂	N ₁	Np.	LI.
2	51.21	46.92	50.34	49.49	12.1	12.6	11.1	11.33	9.0		N ₂	N ₂	N ₂	LI.	LI.	Np.
3	51.23	55.50	57.72	54.83	11.9	11.5	12.3	11.90	9.7		N ₂	N ₂	N ₂	Np.	LI.	LI.
4	57.33	57.36	56.52	57.07	13.3	12.8	13.8	13.30	3.0	
5	55.16	54.51	51.34	53.67	14.3	12.3	12.3	12.97	9.9		LI.	LI.
6	49.17	48.19	50.28	49.21	11.4	12.8	9.5	12.13	6.9		N ₁	N ₀	N ₀	N ₁	LI.	ML.
7	53.44	56.98	59.88	56.76	12.9	9.1	10.1	10.70	7.3		N ₁	LI.	Np.
8	59.60	61.63	62.45	61.23	11.3	11.6	9.8	10.90	6.1		SO ₁	C ₁	N ₁	LI.	Np.
9	62.96	63.95	62.63	63.18	11.4	10.3	9.6	10.43	4.7		NNE ₀	N ₁	LI.	Np.
10	62.59	61.24	60.62	61.43	10.8	9.1	9.0	9.63	6.1		SSO ₀	SO ₀	NE.	N ₁	Np.	N ₁
11	60.39	61.68	60.63	63.10	10.4	8.0	5.9	8.10	3.1		NNO ₂	C ₁	ONO ₀	LI.	D.	D.
12	67.98	67.59	65.28	66.95	9.5	7.5	8.1	8.37	5.5		ENE ₁	C ₁	NNO ₀	LI.	Ni.	Np.
13	65.79	67.41	67.59	66.93	11.3	11.5	8.5	10.43	3.8		NNO ₁	NNO ₁	C ₁	N ₁	N ₁	N ₁
14	66.66	64.62	57.25	62.84	10.4	11.5	11.5	11.13	9.6		NNO ₀	NNO ₀	N ₂	N ₁	N ₁	LI.
15	56.28	62.18	67.37	61.94	11.9	8.6	6.4	8.07	2.3		SO ₂	SO ₂	N ₀	Np.	D.	N ₁
16	69.36	70.43	69.43	69.75	10.4	6.6	7.0	8.00	1.9		S ₁	N ₀	N ₁	N ₁	N ₁
17	68.36	68.55	65.42	67.36	10.5	10.1	9.3	9.97	6.2		SSO ₁	O ₁
18	61.75	59.36	58.21	59.95	10.0	7.1	9.5	8.20	5.2		SE ₁	SSO ₂	N ₀
19	58.44	58.96	59.34	59.08	13.0	11.8	12.3	12.53	11.2		N ₀	C ₁	N ₂	N ₁	LI.	Np.
20	53.37	53.00	55.62	57.33	12.8	11.9	11.0	11.90	9.7		N ₁	G.	N ₁
21	55.36	55.96	61.14	57.48	10.5	8.9	5.9	8.43	3.8		N ₀	LI.	N ₁
22	61.82	61.83	62.46	61.98	7.0	4.0	4.0	5.00	0.5		ENE ₀	Np.	Np.
23	62.75	63.81	63.88	63.14	7.6	3.4	3.6	4.87	-1.0		N ₀	LI.	LI.	LI.
24	64.26	64.04	63.49	63.93	8.4	3.4	2.8	4.87	-1.7		S ₀	N ₀	Np.	D.	D.
25	62.77	64.75	61.87	63.16	7.4	4.6	3.9	5.97	2.2		N ₁
26	60.60	58.70	56.70	58.66	7.1	5.4	6.8	6.43	4.3		N ₁	N ₁	N ₁	N ₁	N ₁
27	54.41	54.57	59.85	56.27	9.4	7.1	5.9	7.47	3.6		N ₁	NO ₀	Np.	Np.	Np.
28	60.63	64.60	66.86	63.83	8.4	6.5	6.1	7.00	4.0		N ₀	N ₀	N ₁	LI.	LI.	LI.
29	66.00	67.26	67.64	66.97	7.8	8.9	9.0	8.57	7.7		N ₂	N ₂	NO ₁	LI.	LI.	G.
30	66.64	66.20	11.3	9.3	5.6		N ₀	S ₁	S ₁	LI.	LI.	Np.

JULIO DE 1871.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					VIENTOS.			ESTADO ATMOSF.			
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Máx	Mín	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o						
1	61.57	60.97	61.39	61.31	8.0	9.8	7.3	8.37	5.6	S ₁	SE ₁	NE ₀	N.	N.	Ni.
2	62.42	64.78	64.97	64.06	9.3	7.9	8.6	8.60	6.2	N ₁	C	N ₀	—	—	—
3	64.62	64.40	63.03	64.02	9.4	7.6	8.0	8.35	6.8	SO ₀	—	N ₀	—	—	N _p
4	61.63	61.28	58.76	60.56	9.0	5.6	7.3	7.30	4.7	S ₁	—	N ₀	N _p	N _p	N _p
5	67.37	56.12	56.69	56.73	11.8	9.8	10.0	10.53	3.0	N ₀	N ₀	N ₀	N _p	N _p	N _p
6	66.61	54.22	56.12	55.65	11.8	11.6	10.0	11.15	7.0	—	—	N ₀	N _p	N _p	N _p
7	55.48	56.75	11.0	10.3	8.5	N ₁	O ₀	N ₁	Ll.	D.	Ll.
8	57.65	57.55	54.79	56.66	11.9	10.9	10.5	11.10	3.3	N ₁	N ₁	NE ₀	N _p	Ll.	Ll.
9	50.78	50.76	54.42	51.99	11.9	11.3	9.1	10.77	7.0	NE ₀	N ₁	N ₁	Ll.	N.	Ll.
10	61.44	63.64	63.15	66.08	9.5	8.1	8.4	8.67	4.7	N ₀	N ₁	N ₀	G.	N.	N _p
11	63.07	62.75	58.03	61.28	10.3	10.3	9.3	9.97	8.4	N ₀	NO ₁	N ₀	Ll.	Ll.	Ll.
12	58.00	58.65	60.35	59.66	10.4	10.0	7.1	9.17	4.8	NO ₀	N ₀	NE ₀	Ll.	Ll.	N _p
13	60.97	62.18	60.55	61.23	7.8	8.0	7.3	7.70	4.3	SO ₀	S ₂	—	N _p	Ll.	N _p
14	57.82	56.84	54.79	56.32	9.1	8.6	12.3	10.00	5.4	O ₀	C	N ₀	G.	N.	Ll.
15	54.98	54.14	51.74	53.62	13.4	12.8	11.8	12.67	10.3	N ₀	C	N ₀	N.	—	Ll.
16	50.38	49.96	48.35	49.56	15.5	11.6	10.3	11.80	9.1	N ₁	C	—	—	—	Ll.
17	47.97	51.97	58.72	52.89	12.1	9.6	8.0	9.90	6.3	N ₁	N ₁	—	N _p	N.	N _p
18	58.87	61.08	63.52	61.16	6.8	4.4	4.3	4.17	1.7	NO ₀	—	—	Ll.	D.	N _p
19	64.49	66.52	63.26	66.43	7.3	3.6	2.5	4.47	-0.6	SSO ₀	NO ₁	NO ₀	Ll.	Ll.	—
20	68.67	69.44	69.14	69.11	7.1	5.3	3.6	4.20	-0.3	S ₁	S ₀	—	N _p	D.	—
21	63.06	66.87	63.22	66.06	9.1	5.6	6.5	7.07	4.0	NO ₀	C	ONO ₀	N.	Ni.	N.
22	60.81	65.85	65.00	62.55	7.4	6.3	6.6	6.77	3.3	NE ₀	N ₀	NNO ₀	N _p	N.	N.
23	65.45	68.28	71.84	68.52	9.6	4.1	5.0	6.23	2.4	O ₀ SO ₀	NO ₀	—	—	—	N _p
24	72.12	72.84	72.74	72.57	8.1	7.3	3.4	6.27	-0.2	S ₀	S ₁	S ₀	N _p	G.	N.
25	70.81	70.34	68.80	69.98	8.4	7.8	7.1	7.77	2.5	S ₁	S ₁	SSE ₀	—	—	N.
26	67.53	67.37	66.24	67.05	7.3	8.0	7.0	7.90	5.7	S ₁	S ₂	SO ₁	N.	N.	N.
27	64.75	63.46	61.45	63.22	9.0	7.0	6.8	7.60	3.5	S ₁	S ₁	—	N _p	—	N _p
28	60.20	61.26	63.71	61.72	8.4	6.8	7.9	7.70	5.6	SSE ₀	S ₀	NE ₀	N _p	N _p	N _p
29	63.78	64.57	65.33	64.56	8.9	4.0	8.0	6.97	2.9	N ₀	C	N ₀	N.	D.	—
30	65.51	66.52	65.14	65.72	8.8	5.3	6.4	6.83	2.3	O ₀	N ₀	N ₀	Ll.	—	N _p
31	62.22	63.68	67.65	64.52	7.8	8.1	7.8	7.90	3.2	NO ₀	S ₁	—	—	—	N _p

AGOSTO DE 1871.

1	67.28	67.22	64.43	66.31	8.9	8.4	4.3	7.20	-1.0	S ₀	NO ₀	N ₀	N _p	—	N _p
2	61.65	61.33	59.62	60.87	8.2	2.8	5.0	5.30	-0.3	SE ₀	C	—	—	—	N _p
3	53.94	59.38	62.60	60.47	8.1	6.8	4.6	6.50	4.6	N ₁	NO ₁	Ll.	—	—	N _p
4	62.74	65.22	63.61	65.52	8.4	6.3	6.5	7.07	3.4	N ₁	C	NNE ₀	—	—	N _p
5	67.87	68.27	67.44	67.86	10.1	6.5	6.6	7.73	2.4	N ₁	N ₂	N.	N.	N.	N _p
6	67.44	67.41	10.3	5.0	N ₁	N ₀
7	63.10	59.10	54.78	58.29	11.1	8.4	9.9	9.80	6.5	NNE ₀	C	N ₁	—	—	G.
8	55.23	55.16	50.56	53.65	13.0	11.3	13.0	12.43	10.0	NO ₁	N ₁	—	Ll.	—	Ll.
9	48.32	46.94	46.85	47.47	13.0	12.3	11.0	12.10	8.9	N ₁	NO ₀	N ₂	N _p	N _p	Ll.
10	49.47	51.33	54.92	52.99	12.5	6.3	6.8	8.60	5.0	O ₂	N ₀	N ₀	N _p	D.	N.
11	57.12	58.07	54.68	56.62	6.8	2.6	4.8	4.73	1.5	NO ₀	C	N ₀	N _p	N.	Ll.
12	48.94	49.24	53.10	60.59	10.4	10.5	10.0	10.30	7.5	NE ₁	S ₂	N ₁	N _p	—	Ll.
13	53.67	56.37	11.8	10.1	5.3	N ₁
14	56.49	57.68	60.79	58.32	12.6	9.0	7.5	9.70	4.9	NE ₁	N ₂	—	N _p	Ll.	—
15	59.69	56.85	57.56	57.87	7.8	7.0	8.4	7.73	4.8	N ₁	N ₂	N ₂	—	—	—
16	53.67	56.84	56.03	56.18	10.8	10.3	12.3	11.30	8.9	N ₁	C	N ₁	N _p	N.	Ll.
17	53.39	49.53	55.48	52.80	11.8	7.6	8.1	8.50	5.5	N ₂	N ₂	NO ₂	Ll.	Ll.	Ll.
18	56.00	57.17	53.06	65.41	9.8	8.4	3.5	4.77	-0.5	NO ₁	C	—	N _p	N.	N _p
19	54.13	57.90	64.77	58.93	8.4	2.4	3.5	4.77	2.0	N ₀	N ₁	N ₁	—	—	N _p
20	66.90	67.69	63.33	65.97	8.8	5.4	5.4	6.53	2.0	E ₀	N ₀	N ₀	N.	—	—
21	58.50	65.82	68.03	65.78	7.3	5.3	3.4	7.00	4.5	N ₁	—	N ₂	N _p	—	—
22	66.05	67.30	71.52	68.29	8.8	8.4	8.4	8.53	4.4	N ₂	N ₀	NO ₀	Ll.	Ll.	—
23	70.68	66.24	63.49	68.47	9.9	4.1	7.1	7.03	-0.2	S ₁	SE ₀	N ₀	N _p	—	—
24	66.12	63.63	60.97	63.57	9.1	4.0	8.9	7.33	4.4	—	C	—	—	—	N.
25	59.43	59.45	60.23	59.64	11.3	8.0	9.0	9.43	4.7	N ₁	O ₀	N ₁	—	—	Ll.
26	58.81	60.07	61.23	59.70	10.0	6.5	9.1	8.53	8.4	N ₂	N ₀	—	—	—	N _p
27	61.10	60.14	7.5	7.8	5.1	N ₁	N ₂	NE ₀	N _p	N.	Ll.
28	60.24	63.19	67.94	65.79	8.6	4.5	7.4	6.83	2.6	SO ₁	N ₁	NO ₀	N _p	N _p	N _p
29	69.72	72.53	73.25	71.83	9.6	3.0	6.5	6.37	-1.4	S ₁	N ₀	N ₀	—	—	D.
30	72.10	72.04	70.40	71.51	8.8	7.6	6.6	7.67	-1.0	S ₂	—	—	—	—	D.
31	68.03	65.37	66.62	66.67	9.4	5.9	8.4	7.90	SO ₃	C	S ₀	—	—	N _p

SETIEMBRE DE 1871.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO						VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Máx	Min	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	700+	700+	o	o	o	o	o	o						
1	66.18	66.24	66.12	66.18	8.8	6.9	8.0	7.90	5.4	S ₂	S ₁	SSO ₃	Np.	Np.	N.
2	66.02	66.24	64.56	65.54	10.0	4.8	9.6	8.13	2.7	N ₁	N ₁	N ₁	N.	N.	N.
3	62.22	62.13	64.11	62.82	11.6	7.9	8.0	9.17	5.5	N ₁	S ₁	SO ₂	N.	N.	Np.
4	66.23	68.71	69.43	68.12	9.0	4.5	8.4	7.30	1.2	N ₁	N ₁	N ₁	Np.	N.	N.
5	69.26	70.47	66.63	68.79	10.1	5.3	7.8	7.73	0.7	N ₁	C	C	N.	N.	N.
6	65.40	65.05	60.01	63.49	9.3	6.9	8.5	8.23	4.4	C	C	C	Np.	N.	N.
7	57.22	57.55	56.33	57.03	8.0	7.4	9.4	8.27	5.2	C	N ₁	C	Np.	N.	N.
8	56.50	57.04	60.28	57.97	7.0	3.3	7.5	5.93	1.0	NE ₁	NE ₁	C	Np.	N.	Np.
9	62.83	66.12	7.9	2.9	-0.6	N ₁	C	C	Np.	N.	N.
10	65.67	63.97	9.1	5.3	2.1	N ₁	C	C	Np.	N.	N.
11	62.40	63.44	67.15	64.33	14.3	5.4	13.3	10.90	3.1	O ₁	O ₁	C	D.	N.	Np.
12	66.81	67.75	67.45	67.34	14.3	7.3	10.4	10.67	3.2	C	C	C	Np.	N.	Np.
13	65.86	63.26	63.23	64.17	15.8	7.8	10.5	11.37	5.6	N ₁	N ₁	N ₁	Np.	N.	Np.
14	61.02	60.65	59.40	60.36	13.5	9.6	9.8	10.97	6.8	N ₁	N ₁	N ₁	Np.	N.	Np.
15	57.81	57.18	56.45	57.15	11.8	8.4	10.4	10.07	6.5	N ₁	N ₁	N ₁	Np.	N.	Np.
16	56.05	57.46	59.19	57.57	13.0	6.8	13.4	11.07	4.3	NO ₂	C	C	Np.	N.	Np.
17	59.69	61.91	62.49	61.36	11.8	8.3	9.4	9.83	3.6	C	C	C	Np.	N.	Np.
18	62.23	62.55	63.37	62.82	10.6	8.8	10.6	10.00	6.7	C	C	C	Np.	N.	Np.
19	63.79	63.98	64.03	63.93	12.9	6.9	13.0	11.33	7.7	SO ₁	N ₁	N ₁	Np.	N.	Np.
20	63.60	65.50	66.42	65.17	11.8	6.1	9.6	9.17	3.7	S ₂	C	C	Np.	N.	Np.
21	66.40	65.45	61.41	64.42	11.8	9.3	11.0	10.70	7.5	C	C	C	Np.	N.	Np.
22	58.61	58.96	62.74	60.17	11.9	9.8	14.0	11.90	4.8	C	C	C	Np.	N.	Np.
23	63.13	64.99	63.11	63.74	9.4	7.9	9.0	8.77	3.7	C	C	C	Np.	N.	Np.
24	64.97	67.71	66.20	66.29	9.4	7.8	10.1	9.10	3.4	C	C	C	Np.	N.	Np.
25	63.48	60.23	64.69	62.80	11.8	6.5	8.1	8.80	4.3	NE ₁	N ₁	ON ₁	Np.	N.	Np.
26	62.42	65.66	12.1	6.5	3.0	SSO ₁	C	C	Np.	N.	Np.
27	65.46	67.46	66.61	66.51	14.1	6.8	11.8	10.90	3.3	C	C	C	Np.	N.	Np.
28	65.79	66.56	66.12	66.16	14.1	6.5	12.9	11.17	2.9	C	C	C	Np.	N.	Np.
29	65.41	66.22	64.36	65.33	12.9	9.4	13.9	12.07	3.0	C	C	C	Np.	N.	Np.
30	62.18	62.68	6.35	63.07	12.8	10.3	13.8	12.30	4.0	C	C	C	Np.	N.	Np.

OCTUBRE DE 1871.

1	65.48	67.52	64.91	65.97	12.8	7.3	11.5	10.53	3.2	S ₂	C	S ₁	Np.	N.	Np.
2	64.13	64.14	62.86	63.71	14.1	6.6	12.6	11.10	14.6	3.4	S ₁	C	S ₁	N.	N.	Np.
3	62.13	62.36	61.96	62.15	15.4	12.8	15.5	14.57	16.0	8.9	C	C	N ₁	N.	N.	Np.
4	60.38	60.41	59.73	60.17	19.0	12.3	8.0	13.10	6.2	NO ₂	C	S ₁	N.	N.	Np.
5	60.04	60.37	62.03	60.83	6.5	6.4	8.8	7.25	9.6	3.5	SO ₂	C	SO ₂	Np.	N.	Np.
6	63.32	66.66	67.74	66.07	10.0	3.5	9.0	7.50	11.1	-0.5	S ₁	C	C	Np.	N.	Np.
7	66.57	67.36	66.54	66.82	11.6	5.9	12.8	10.10	13.6	0.8	C	C	C	Np.	N.	Np.
8	65.64	65.64	64.42	63.23	15.0	9.0	11.5	11.83	16.5	6.3	N ₁	C	N ₁	Np.	N.	Np.
9	63.71	63.42	61.82	62.98	11.5	10.1	10.3	10.63	13.3	7.9	SSO ₄	S ₂	C	Np.	N.	Np.
10	62.28	66.78	65.14	64.73	11.8	6.0	12.9	10.23	3.4	SSE ₁	C	C	Np.	N.	Np.
11	64.02	64.32	60.88	63.07	12.3	10.1	12.8	11.73	13.7	4.7	C	C	NNO ₁	Np.	N.	Np.
12	58.53	54.92	56.29	56.58	10.8	9.3	8.9	9.67	12.8	5.9	C	C	C	Np.	N.	Np.
13	57.55	60.53	62.83	60.30	10.3	4.1	9.9	8.10	11.5	1.3	C	C	C	Np.	N.	Np.
14	62.32	59.63	55.36	59.12	12.6	5.8	9.5	9.30	13.5	4.5	C	C	C	Np.	N.	Np.
15	56.81	58.27	56.07	56.72	13.5	9.3	10.4	11.07	13.9	7.5	N ₁	C	NNE ₁	Np.	N.	Np.
16	58.91	62.74	64.86	62.17	13.4	6.5	13.0	10.97	14.9	5.1	C	C	C	Np.	N.	Np.
17	62.34	61.94	61.32	61.87	13.5	8.3	15.5	12.43	13.6	4.5	S ₁	C	N ₁	Np.	N.	Np.
18	61.50	63.27	58.96	61.24	13.8	10.5	15.3	13.20	13.4	9.2	SO ₁	C	N ₁	Np.	N.	Np.
19	57.80	61.83	58.11	59.25	16.8	10.0	10.0	12.43	13.2	8.1	C	C	C	Np.	N.	Np.
20	57.07	61.23	60.81	60.37	10.3	8.5	12.0	10.27	15.0	2.8	C	C	C	Np.	N.	Np.
21	60.42	60.48	59.30	60.07	13.8	10.8	14.4	13.00	14.4	7.5	S ₁	C	C	Np.	N.	Np.
22	58.96	60.80	61.28	60.35	14.9	13.0	12.8	13.57	16.5	9.4	S ₁	C	C	Np.	N.	Np.
23	61.33	62.31	63.07	62.24	15.3	10.5	13.1	12.97	16.5	5.8	C	C	C	Np.	N.	Np.
24	62.46	62.18	59.51	61.38	15.5	8.8	14.0	12.77	16.9	4.9	C	C	C	Np.	N.	Np.
25	58.42	59.76	57.09	58.62	19.3	10.1	17.9	15.77	20.9	9.1	N ₁	C	C	Np.	N.	Np.
26	55.48	57.20	59.89	57.36	17.6	11.5	14.3	14.47	20.2	7.8	N ₁	C	C	Np.	N.	Np.
27	59.42	58.90	51.52	56.61	15.3	11.4	13.3	13.33	17.5	9.0	NO ₂	N ₁	N ₁	Np.	N.	Np.
28	49.57	51.61	57.12	51.13	8.8	9.5	9.0	10.43	14.3	6.5	N ₁	C	C	Np.	N.	Np.
29	57.56	56.53	56.03	55.15	9.3	3.1	11.5	12.10	18.2	7.5	N ₁	C	SO ₁	Np.	N.	Np.
30	55.07	57.06	57.92	56.68	11.9	6.5	11.0	9.80	14.0	4.1	NO ₂	C	C	Np.	N.	Np.
31	57.63	58.28	58.07	57.99	12.5	8.0	13.0	11.17	14.7	6.1	NO ₂	C	C	Np.	N.	Np.

NOVIEMBRE DE 1871.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Máx.	Min.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o						
1	57.34	58.95	66.67	60.99	16.1	11.0	13.0	13.37	4.6	N ₁	C	S ₁	N.	Ll.	Np.
2	67.89	59.00	13.5	8.1	14.9	6.1	S ₁	---	---	Np.	D.	Np.
3	64.75	63.91	62.63	63.78	14.8	11.6	13.5	13.30	7.8	---	---	S ₂	Np.	Np.	Np.
4	62.51	63.44	63.09	62.95	17.9	9.1	14.6	15.87	13.7	8.0	---	---	---	---	---	---
5	62.41	62.62	61.83	62.29	15.3	8.1	16.6	4.8	---	---	---	---	---	---
6	60.21	60.24	59.60	60.02	17.3	11.5	13.4	15.73	20.6	8.7	C	---	---	D.	---	---
7	58.35	60.28	65.63	61.42	16.0	9.3	10.0	11.77	20.7	6.0	C	---	NNO	Ll.	---	G.
8	65.30	64.29	13.1	14.0	14.8	3.3	S ₁	---	---	Np.	D.	Np.
9	63.72	65.49	64.58	64.60	15.5	8.0	18.1	13.87	19.0	5.2	C	---	C	N	---	Np.
10	65.97	62.29	15.0	13.0	20.8	10.2	C	---	---	N	---	Ll.
11	61.91	61.97	62.55	62.14	15.3	10.4	11.8	12.50	15.7	7.3	C	---	---	SO	El.	Np.
12	62.91	64.42	62.67	63.33	14.5	6.6	15.5	12.20	16.3	4.1	---	---	N ₁	Np.	D.	Np.
13	62.07	62.40	62.22	62.23	13.6	12.1	16.9	14.20	17.8	10.2	NNE	N ₁	C	N.	N.	N.
14	61.42	61.90	60.94	61.42	19.0	12.6	17.8	16.47	20.3	7.2	---	---	---	Np.	D.	Np.
15	61.07	61.31	61.61	61.30	13.8	15.3	13.4	17.30	20.1	10.3	S ₂	C	---	N	N.	Np.
16	61.78	62.54	62.36	62.39	15.4	10.3	12.3	12.67	21.7	7.8	S ₂	S ₁	S ₁	N.	Ll.	N.
17	63.47	64.33	64.33	64.21	13.5	12.8	15.0	13.77	15.4	7.5	S ₁	S ₁	---	Np.	Np.	Np.
18	67.19	65.96	65.36	66.20	15.0	12.3	15.3	14.20	16.7	8.5	---	---	SO	N.	D.	Np.
19	63.39	63.71	63.21	63.44	16.9	13.8	16.8	15.33	19.2	8.5	---	S ₂	S ₁	Np.	Np.	N.
20	60.97	60.19	58.66	59.94	18.0	15.0	15.1	16.03	19.3	12.3	---	S ₂	N ₁	N.	N.	G.
21	59.67	60.55	61.01	60.41	13.3	12.8	16.3	15.97	19.0	9.4	---	---	S ₁	---	---	Np.
22	58.73	64.51	64.75	62.68	16.6	11.5	16.8	14.97	18.2	8.4	S ₂	C	---	S ₂	---	Np.
23	65.67	65.88	62.76	64.77	16.8	9.9	15.8	14.17	17.8	5.7	S ₂	C	---	---	Np.	---
24	60.59	62.57	63.59	63.59	10.1	8.8	16.8	13.97	19.9	7.5	---	---	N ₁	---	---	N.
25	60.39	58.92	55.89	58.40	15.3	8.8	7.4	10.50	15.3	5.3	S ₂	N ₂	NO	N.	---	Ll.
26	57.94	61.27	63.75	60.99	8.0	6.5	10.5	8.33	13.5	4.1	S ₂	C	---	N ₂	---	N.
27	64.63	64.62	63.13	64.13	12.9	9.9	16.8	13.20	16.3	7.5	S ₁	C	C	---	---	Np.
28	61.62	62.08	62.29	62.00	16.3	9.9	16.3	14.17	14.7	6.3	---	C	---	Np.	---	---
29	62.52	63.77	62.19	62.83	17.4	10.5	16.8	14.90	19.6	6.8	C	---	S ₁	---	---	---
30	62.58	61.78	62.39	62.35	16.9	12.3	13.0	15.73	21.1	6.8	S ₂	N ₁	S ₁	---	---	---

DICIEMBRE DE 1871.

1	62.58	62.67	62.26	62.50	18.5	14.1	16.5	15.37	21.0	11.8	S ₂	C	S ₁	Np.	Np.	Np.
2	63.94	62.63	19.3	18.6	22.5	9.1	S ₁	C	---	---	D.	Np.
3	61.51	60.47	59.42	60.47	19.9	14.3	20.3	18.17	22.6	9.2	S ₂	---	NE	---	---	N.
4	59.70	59.39	60.80	59.96	20.9	14.3	16.3	17.17	9.1	---	N ₁	S ₁	---	---	Np.
5	62.02	65.26	65.66	63.65	17.8	10.1	13.0	13.63	13.4	9.1	S ₁	---	---	---	---	Np.
6	66.00	66.19	64.72	65.64	15.3	13.1	13.0	13.30	16.1	10.4	S ₂	S ₁	S ₂	D.	---	---
7	63.94	63.22	62.92	63.36	15.8	12.1	12.9	13.60	17.0	11.0	S ₁	S ₁	C	N.	N.	N.
8	65.75	66.09	61.84	64.06	17.8	11.5	11.8	15.80	18.4	7.8	S ₁	C	C	Np.	Np.	Np.
9	59.59	58.25	56.69	58.18	13.9	13.6	16.9	16.47	21.6	7.2	N	N ₁	N	N.	Np.	Np.
10	57.18	59.79	60.02	59.00	14.1	7.8	14.6	12.17	16.4	5.4	C	C	C	Np.	Np.	Np.
11	60.42	61.68	62.68	61.59	13.8	8.8	15.0	12.53	16.9	6.0	C	C	C	---	---	Np.
12	63.20	66.73	66.74	65.56	16.0	9.0	13.4	13.00	17.6	7.1	S ₁	S ₂	S ₂	Np.	D.	---
13	63.08	63.27	62.71	63.02	15.1	13.5	12.5	13.70	16.3	10.5	S ₂	S ₂	S ₂	D.	---	N.
14	62.93	63.59	64.56	63.69	17.6	14.0	15.4	15.67	17.7	11.0	S ₂	S ₂	S ₁	---	---	N.
15	63.81	63.42	13.8	11.5	18.3	8.6	---	S ₁	S ₁	---	---	---
16	64.37	64.07	64.85	64.43	14.4	11.5	13.1	13.00	17.2	8.4	S ₁	---	N ₁	N.	N.	G.
17	65.36	65.56	65.28	65.40	16.1	10.5	17.5	14.70	17.7	8.3	S ₁	---	---	---	---	Np.
18	64.83	63.32	61.10	63.08	15.3	12.3	16.6	14.80	19.7	8.3	N ₁	N ₂	---	Ll.	N.	Np.
19	59.03	59.24	58.19	58.82	20.6	14.9	13.6	18.03	23.6	12.2	N ₃	N ₂	N ₂	N.	N.	N.
20	57.98	59.33	60.70	59.34	17.9	14.3	13.6	15.27	18.5	---	N ₁	N.	---	N.	Np.
21	61.27	63.24	65.38	62.30	18.0	11.3	13.6	14.30	18.3	8.2	S ₁	C	---	SSO	Np.	Np.
22	65.49	64.42	16.1	15.1	18.9	5.0	---	---	S ₁	---	---	---
23	60.66	58.47	55.89	58.34	13.5	12.2	12.9	14.63	20.4	10.0	---	---	N ₁	---	Np.	---
24	54.13	54.12	51.92	53.39	15.9	13.0	12.9	13.93	19.4	11.0	N ₂	C	---	N.	Ll.	---
25	53.27	57.23	19.1	14.8	20.3	10.6	---	N ₁	C	---	---	---
26	58.38	59.83	60.43	59.72	15.6	12.2	13.9	14.03	18.3	10.4	NO	C	C	Np.	N.	Ll.
27	60.94	60.93	61.42	61.11	15.6	15.6	14.5	15.23	16.8	7.2	SO	---	---	Np.	N.	Np.
28	61.59	62.40	18.3	14.1	20.3	8.8	S ₁	SSO	---	Np.	---	Np.
29	61.41	61.76	60.83	61.33	18.3	12.6	20.0	16.97	20.6	9.0	---	C	---	---	---	---
30	60.67	62.71	64.12	62.80	15.3	11.0	16.8	14.37	19.5	9.1	N ₂	C	S ₁	---	---	Np.
31	64.33	64.89	61.40	63.61	17.1	11.5	15.6	14.73	19.5	8.5	S ₁	C	---	N.	D.	---

OBSERVACIONES HORARIAS.

MAYO 10 DE 1871.					MAYO 30 DE 1871.					
HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.	HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.	
	mm.	o				mm.	o			
0	700+	65.12	10.4	C.	Ni.	0	700+			
1	
2	62 66	9 0	C.	Ni.	1	
3	62 62	10 5	
4	
5	65 58	8 8	C.	Ni.	4	
6	62 26	12 6	
7	
8	
9	62 19	10 0	C.	Ni.	5	
10	
11	62 04	9 4	C.	Ni.	6	57 06	9 8	C.	G.
12	61 95	9 3	
13	
14	
15	
16	
17	
18	61 00	8 9	C.	Ni.	7	
19	
20	
21	61 20	10 4	C.	Ni.	8	
22	
23	
Medios...	62.46	9.93	Medios...	54.50	8.82	
MAYO 20.					JUNIO 9.					
0	0	63.01	10.8	C.	N.	
1	1	
2	2	62 97	11 4	C.	N.	
3	59 26	11 0	C.	N.	3	63 62	11 5
4	4	63 45	10 6	
5	5	
6	58 97	10 5	C.	N.	6	63 81	9 9	C.	N.
7	7	
8	8	
9	58 94	10 1	C.	N.	9	65 95	10 3	C.	N.
10	10	
11	11	63 70	9 9	C.	N.	
12	58 63	9 0	C.	N.	12	63 59	8 5
13	13	
14	14	
15	15	
16	16	
17	17	63 05	7 9	C.	N.	
18	58 55	8 1	C.	N.	18	
19	19	
20	20	62 75	5 9	C.	Np.	
21	58 62	9 9	C.	G.	21	62 63	9 6	D.
22	22	
23	23	62.93	8.4	C.	Np.	
Medios...	58.33	9.77	Medios...	63.29	9.56	

JUNIO 19 DE 1871.					JULIO 9 DE 1871.				
HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.	HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.
	mm.	o				mm.	o		
0	700+	o	0	51.81	12.8	C.	Ll.
1	1	50.96	11.9	N ₁	N.
2	2	50.98	12.1	NE ₁	Np.
3	58.31	13.0	C.	N.	3
4	4	50.01	11.8	N ₂	N.
5	5	50.33	11.4	N ₁	Ll.
6	6	50.49	11.3
7	7	50.49	11.5
8	58.71	12.3	N ₁	Np.	8	50.54	11.3	N.
9	58.96	11.8	—	N.	9
10	10
11	59.48	11.6	C.	N.	11
12	59.53	11.5	—	—	12	54.20	10.9	N ₁	N.
13	13
14	14
15	59.36	9.3	C.	N.	15
16	16	54.79	10.0	N ₁	Ll.
17	17
18	59.57	11.5	C.	N.	18
19	19
20	20	54.74	9.5	N ₁	Ll.
21	59.84	12.3	N ₂	Np.	21	54.20	9.1	—	—
22	22
23	23	53.58	10.5	N ₁	Ll.
Medios...	59.21	11.72	Medios...	52.09	11.24

JUNIO 29.					JULIO 19.				
HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.	HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.
	mm.	o				mm.	o		
0	66.51	7.6	C.	Ll.	0	6.5	SO ₁	Np.
1	65.42	7.8	N ₁	—	1	64.36	6.8	—	—
2	65.06	7.8	N ₁	—	2	64.51	7.1	—	—
3	66.00	7.8	—	—	3	64.47	7.4	SSO ₁	—
4	66.14	7.9	N ₂	—	4	64.93	7.3	—	—
5	65.82	8.1	—	—	5	65.50	7.0	—	—
6	65.80	8.1	—	G.	6	65.79	3.5	C.	D.
7	66.44	8.5	—	Ll.	7	65.92	2.9	—	—
8	66.80	9.0	—	G.	8	65.90	5.3	—	—
9	67.26	8.9	—	Ll.	9	66.52	5.6	NO ₁	Grz.
10	67.26	8.9	—	—	10	66.79	2.6	—	Np.
11	67.60	8.9	NO ₂	Np.	11	66.73	2.1	—	—
12	67.72	8.6	—	N.	12	66.93	2.0	—	—
13	13	66.95	1.6	C.	—
14	67.53	8.6	NO ₂	N.	14	66.99	1.6	O ₁	N.
15	15
16	16
17	17	66.82	1.8	C.	Np.
18	67.29	8.4	NO ₂	N.	18
19	19
20	67.61	8.4	NO ₂	N.	20	68.24	0.0	C.	Np.
21	67.65	9.0	NO ₁	G.	21	68.26	2.5	—	—
22	22	68.60	3.9	—	D.
23	66.89	10.8	NE ₁	Nl.	23	68.64	5.5	—	—
Medios...	66.67	8.50	Medios...	66.47	4.16

JULIO 29 DE 1871.					AGOSTO 18 DE 1871.				
HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.	HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.
	mm. 700+	o				mm. 700+	o		
0	63.77	10.3	C.	Np.	0	55.72	10.3	Ns	Ll.
1	63.78	8.9	C.	Np.	1	56.40	9.0	Ns	N.
2	64.22	8.8	C.	Np.	2	56.69	7.8	Ns	N.
3	64.34	4.6	—	—	3	56.66	7.7	Ns	N.
4	64.57	4.0	C.	D.	4	56.89	7.7	—	—
5	5	56.59	7.8
6	6	55.38	8.1	Ns	Ll.
7	7	55.27	8.0
8	8	55.16	7.9	Ni	N.
9	9	54.59	7.9	—	Ll.
10	10	53.67	7.9	C.	N.
11	11
12	12
13	13
14	14
15	15
16	16
17	64.73	7.0	N.	N.	17	52.27	8.0	Ni	Ll.
18	18
19	19	51.78	8.0	Ni	Ll.
20	20	52.81	8.1
21	65.33	3.0	Ns	N.	21	52.81	8.1	C.	N.
22	65.09	9.6	—	—	22	53.30	8.5	—	—
23	23
Medios...	64.48	7.65	Medios...	54.75	8.30

AGOSTO 8					AGOSTO 28.				
0	55.09	12.3	Ns	N.	0	60.14	7.3	Ns	Np.
1	55.02	12.9	NOs	G.	1	60.04	9.3	NOs	Ll.
2	2	60.15	7.4	SOs	—
3	55.00	13.0	NOs	Ll.	3	60.06	8.9	Np.
4	55.66	12.9	—	G.	4	60.55	9.3
5	55.63	11.5	Ns	N.	5	60.65	7.8	Ll.
6	6	60.97	6.9	Np.
7	56.06	11.3	Ns	G.	7	62.08	6.5	SSO
8	55.89	11.1	Ns	N.	8	62.13	5.1	C.
9	54.90	11.3	—	—	9	62.94	4.5	Ns
10	53.44	11.5	Ns	Ll.	10	62.92	5.1	C.
11	53.02	11.5	Ns	N.	11	64.07	4.9
12	52.23	11.6	—	Ll.	12	63.73	3.9	Ns
13	50.91	11.5	—	—	13	63.81	3.6	C.
14	50.67	11.8	Ns	—	14	64.45	3.8	Ns
15	52.37	11.9	—	G.	15
16	16
17	17
18	49.99	12.8	C.	Ll.	18	66.29	4.0	C.	Ll.
19	19
20	50.65	12.9	NOs	Ll.	20	68.05	7.3	C.	Np.
21	52.31	13.0	Ns	—	21	67.76	7.4
22	50.14	12.9	—	—	22	68.55	7.5
23	49.93	13.0	C.	—	23	68.39	7.3
Medios...	53.10	12.00	Medios...	63.40	6.29

SETIEMBRE 7 DE 1871.					SETIEMBRE 27 DE 1871.				
HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.	HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.
	mm. 700+	o				mm. 700+	o		
0	57.75	9.0	N ₂	Ll.	0
1	57.73	9.0	N ₁	1
2	57.74	9.1	N ₂	2
3	57.41	8.0	NNO ₂	3	65.16	14.1	C.	D.
4	57.56	7.9	4
5	5	65.43	15.0	C.	Np.
6	57.47	7.9	NNO ₂	Ll.	6
7	57.48	7.9	NNO ₂	G.	7	66.27	9.2	C.	D.
8	57.37	7.9	N.	8	66.46	8.0
9	57.30	7.4	9	67.17	6.7	N ₁
10	8.0	NO ₂	Ll.	10	67.41	6.5
11	58.01	6.6	11
12	56.77	6.9	N.	12	67.48	5.4	N ₁	D.
13	56.49	7.1	13	67.41	5.4	C.
14	14	67.22	5.0
15	15
16	16
17	56.20	6.7	N ₂	Ll.	17	64.74	4.6	C.	D.
18	18	67.42	8.0
19	56.56	7.1	Np.	19	67.42	10.5
20	56.50	7.2	N.	N.	20	66.66	10.6
21	56.04	9.4	21	66.37	11.7
22	56.11	8.1	C.	22	65.94	14.0
23	56.31	9.7	23	66.34	14.1	Np.
Medios...	56.98	7.69	Medios...	66.56	9.30

SETIEMBRE 17.					OCTUBRE 7.				
0	58.91	14.7	N ₂	Np.	0	66.32	10.4	S ₂
1	1	65.46	11.2	Np.
2	59.22	11.7	C.	Np.	2	66.34	11.6	S ₁
3	59.42	11.7	3	66.24	11.7
4	4	66.09	11.2
5	60.63	10.5	N ₁	Np.	5	66.26	11.5
6	61.05	9.1	C.	Ll.	6	66.35	10.4
7	61.03	9.0	N.	7	66.93	9.0
8	61.61	8.6	N ₂	Np.	8	67.14	7.4	C.
9	9	67.09	5.9
10	61.63	8.2	N ₂	Np.	10
11	61.90	8.2	N ₁	N.	11	67.03	5.6	C.
12	61.05	7.7	O ₁	Np.	12	67.15	4.7	Np.
13	62.04	7.0	13	66.88	4.3	N ₁
14	14	66.72	3.8	C.
15	15	66.29	3.0
16	16
17	61.15	5.9	N ₂	Np.	17	65.51	2.8	C.
18	62.07	6.7	N.	18	66.03	6.8	Np.
19	62.10	7.7	19	65.99	8.8	N ₁
20	62.00	8.4	20	65.87	11.1	N ₂	N.
21	62.27	9.4	21	66.29	12.8	Np.
22	22	66.51	13.0
23	62.47	11.5	N ₂	N.	23	65.97	13.0	C.
Medios...	51.41	9.19	Medios...	66.40	8.64

OCTUBRE 17 DE 1871.					NOVIEMBRE 6 DE 1871.				
HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.	HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.
	mm.	°				mm.	°		
0	700.1				0	60.86	16.5		D.
1	63.16	13.1	C.	Np.	1	60.50	16.7		
2	63.11	13.5			2	59.96	17.5	C.	
3	62.08	13.3			3	59.60	18.0		
4	61.94	12.9	S.		4				
5	61.94	13.0			5	59.41	20.4	C.	Np.
6	62.26	12.8		N.	6	59.40	19.4		
7	61.86	11.8			7	59.71	16.6		
8					8	59.86	12.9		
9	61.90	9.3	C.	N.	9	59.94	11.5		
10	58.67	8.3			10	59.96	10.6		
11	61.68	7.5		Np.	11	60.02	10.5		
12	61.74	7.3			12	60.04	9.3		
13	61.66	7.1			13	59.86	10.4		
14	61.42	6.9		N.	14	59.44	11.5		N.
15					15				
16					16				
17					17				
18	61.55	7.1	N.	N.	18	60.13	11.5	N.	Np.
19	61.20	9.6			19	60.21	13.4		
20	61.14	10.6			20	59.34	16.0	C.	Np.
21	61.09	15.5		Np.	21	59.36	13.4		
22					22	60.10	19.5	N.	
23	61.18	17.3	N.	Np.	23	60.05	19.4		
Medios...	61.79	10.94	Medios...	59.89	14.90

OCTUBRE 27.					NOVIEMBRE 16.				
0	59.01	15.4	N.	N.	0				
1	59.44	14.8	NNO	Ll.	1	61.06	20.5	C.	N.
2	59.19	16.0	NO		2	60.99	14.6	SO	Ll.
3	59.41	14.3	NO	N.	3	61.59	15.5	C.	
4	59.69	12.8	ONO		4	61.63	15.5	NO	N.
5	59.23	13.5	NO		5				
6	59.55	13.3	C.	Np.	6	61.73	13.1	SSE	G.
7	59.13	11.8			7	62.01	10.9	SSO	Ll.
8	58.95	11.5	N.		8				
9	58.69	11.4			9	62.27	10.3	S	Ll.
10	57.83	10.6	C.		10	62.27	10.1		G.
11	57.65	11.1	N		11				
12	56.57	11.4	N	N.	12	62.41	9.3	S	G.
13					13	62.21	9.4		N.
14					14				
15					15	62.29	10.4	S	N.
16					16				
17					17				
18	52.14	12.8	N.	N.	18				
19	52.12	12.5			19				
20	51.26	12.5			20	62.67	11.3	SSE	N.
21	51.21	13.3		G.	21	62.64	12.3	S	
22	50.01	14.0	NO		22	62.33	13.1		Np.
23	50.24	12.9		Ll.	23	62.23	13.1	SO	
Medios...	56.38	12.84	Medios...	62.12	12.62

NOVIEMBRE 26 DE 1871.				DICIEMBRE 16 DE 1871.					
HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.	HORAS.	Barómetro reducido a 0°	Termómetro centígrado.	Vientos.	Estado atmosférico.
	mm. 700+	o				mm. 700+	o		
0	56 44	11.6	S ₂ C	Np.	0	63 26	13.5	S ₁	N.
1	57 24	7.3	S ₂ S ₁	Np.	1	63 48	14.4	—	—
2	57 47	8.6	—	—	2	64 14	13.8	—	—
3	57 94	9.0	—	—	3	—	—
4	58 03	10.3	—	—	4	65 49	13.1	S ₁	N.
5	58 92	10.0	—	—	5	63 51	13.0	—	—
6	59 08	10.4	C ₁	—	6	—	—
7	60 58	6.4	C ₁	—	7	63 56	12.8	NE ₁	N.
8	—	—	8	63 82	11.5	N ₁	—
9	61 04	6.5	NO ₁	Np.	9	64 31	11.3	—	—
10	61 54	5.9	—	—	10	64 32	10.8	—	—
11	61 61	5.3	C ₁	—	11	64 54	9.9	N ₁ C	—
12	62 22	5.9	—	—	12	64 27	10.0	N ₁ C	—
13	62 67	6.1	—	—	13	64 55	10.0	—	—
14	62 67	5.1	N ₁	—	14	—	—
15	62 73	5.5	—	N.	15	—	—
16	—	16	—	—
17	—	17	64 43	10.0	C	N.
18	—	18	—	—
19	63 68	8.0	N ₁	N.	19	64 24	11.6	C	N.
20	63 68	8.8	—	LL.	20	—	—
21	63 56	10.5	N ₂	N.	21	64 62	13.1	NNO ₁	Grz.
22	63 53	14.3	N ₁	LL.	22	64 32	13.9	OSO ₁	N ₁
23	64 21	13.3	—	N.	23	—	—
Medios...	60.94	8.49	Medios...	64.05	12.04

DICIEMBRE 6				DICIEMBRE 26					
0	65.87	14.5	S ₂	Np.	0	57.77	13.1	N ₁	N.
1	65.84	14.4	—	—	1	57.26	13.1	—	—
2	65.75	15.3	—	—	2	57.94	16.9	N ₂	—
3	66.05	15.3	—	—	3	58.60	15.6	NO ₂	LL.
4	—	—	4	58.82	15.6	N ₁	—
5	66.07	14.8	S ₂	D.	5	58.84	15.6	—	N.
6	66.29	15.3	—	Np.	6	58.82	14.8	NO ₁	—
7	66.35	14.6	—	—	7	59.07	13.9	N ₁	—
8	65.90	13.1	S ₁	D.	8	59.56	13.3	—	—
9	65.88	13.1	—	—	9	—	—
10	66.16	12.6	—	—	10	59.58	12.6	C	N.
11	65.75	12.6	—	—	11	60.03	12.1	—	—
12	65.75	12.1	—	—	12	60.08	11.6	—	—
13	65.41	12.5	—	—	13	60.10	12.4	—	—
14	—	—	14	—	—
15	—	—	15	—	—
16	—	—	16	—	—
17	—	—	17	—	—
18	—	—	18	—	—
19	65.47	12.8	S ₁	Np.	19	60.23	14.1	C	N.
20	64.52	12.8	S ₂	—	20	60.66	15.0	—	LL.
21	64.25	13.0	—	—	21	60.18	15.1	—	—
22	64.25	13.4	—	—	22	60.37	15.3	—	N.
23	—	—	23	60.82	16.1	—	—
Medios...	65.62	13.65	Medios...	59.37	14.79

ENERO DE 1872.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						VIENTOS.			ESTADO ATMOSF.		
	2 1/2 h.	9 h.	21 h.	Med.	2 1/2 h.	9 h.	21 h.	Med.	Máx.	Mín.	2 1/2 h.	9 h.	21 h.	2 1/2 h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o						
1	59.81	60.01	58.60	59.54	17.5	14.2	16.6	16.10	19.3	11.3	S	O.	N.	D.	Np.	Np.
2	58.59	60.62	66.03	61.75	14.7	10.2	15.6	12.83	16.5	7.7	SSO	N.	SSO	N.	LL	Np.
3	56.17	65.39	63.84	65.13	14.2	10.0	16.4	13.53	17.8	8.8	S	N.	SSO	N.	LL	Np.
4	63.10	61.87	62.54	62.50	17.7	14.6	15.5	15.33	19.2	11.2	S	N.	SSO	N.	LL	Np.
5	63.43	63.73	62.29	63.15	17.1	14.0	15.3	14.40	18.5	8.8	S	N.	SSO	N.	LL	Np.
6	59.35	67.81	58.07	58.41	17.1	14.2	17.7	16.33	18.4	11.5	S	N.	SSO	N.	LL	Np.
7	59.09	59.65	57.88	58.71	16.1	13.7	15.2	15.00	19.6	10.7	S	N.	SSO	N.	LL	Np.
8	56.16	56.93	57.44	56.84	18.3	13.2	14.3	15.27	18.9	10.4	S	N.	SSO	N.	LL	Np.
9	60.78	61.27	61.04	61.03	17.0	13.4	13.2	12.87	19.0	4.8	S	N.	SSO	N.	LL	Np.
10	59.04	58.91	62.45	60.13	17.1	11.6	15.9	12.70	18.7	7.3	S	N.	SSO	N.	LL	Np.
11	50.08	66.25	65.59	60.64	14.4	10.6	14.1	13.03	17.2	5.7	S	N.	SSO	N.	LL	Np.
12	62.87	65.74	63.14	63.92	16.3	13.3	14.0	14.53	17.2	11.1	S	N.	SSO	N.	LL	Np.
13	60.71	60.16	61.58	60.75	16.3	13.3	14.1	14.50	17.2	10.2	S	N.	SSO	N.	LL	Np.
14	61.56	61.76	63.32	62.21	18.1	15.5	14.0	15.87	20.0	11.7	S	N.	SSO	N.	LL	Np.
15	63.33	63.10	62.86	63.10	17.8	14.1	14.1	14.2	15.37	18.2	S	N.	SSO	N.	LL	Np.
16	59.65	67.91	58.74	57.10	16.9	11.1	12.7	13.57	18.1	8.5	S	N.	SSO	N.	LL	Np.
17	54.64	58.04	62.94	58.54	14.7	7.0	11.7	11.13	17.5	3.7	S	N.	SSO	N.	LL	Np.
18	61.69	61.54	60.21	61.15	13.7	10.2	12.4	12.10	18.7	3.0	S	N.	SSO	N.	LL	Np.
19	57.76	58.23	15.4	12.7	15.8	14.63	17.5	8.4	S	N.	SSO	N.	LL	Np.
20	61.27	62.29	60.89	61.48	16.0	12.7	14.1	14.27	20.0	7.0	S	N.	SSO	N.	LL	Np.
21	61.61	61.60	67.64	62.62	16.4	14.2	12.0	14.93	17.5	9.0	S	N.	SSO	N.	LL	Np.
22	64.23	63.75	63.09	63.69	16.2	14.1	12.0	14.10	17.9	10.9	S	N.	SSO	N.	LL	Np.
23	63.06	63.58	62.90	63.18	15.2	13.6	13.2	14.00	16.8	9.4	S	N.	SSO	N.	LL	Np.
24	63.16	62.83	63.01	63.00	16.4	13.8	13.4	14.57	16.7	10.5	S	N.	SSO	N.	LL	Np.
25	61.22	60.21	60.84	60.76	16.9	13.1	12.7	14.23	17.9	9.5	S	N.	SSO	N.	LL	Np.
26	61.02	61.07	60.89	60.99	16.9	13.2	14.4	14.83	17.4	8.4	S	N.	SSO	N.	LL	Np.
27	60.57	60.05	59.15	59.92	16.9	11.7	15.2	14.60	18.5	8.8	S	N.	SSO	N.	LL	Np.
28	58.35	58.46	58.40	58.40	18.9	13.4	15.3	16.03	20.1	11.5	S	N.	SSO	N.	LL	Np.
29	58.76	60.17	60.18	59.70	17.5	14.3	15.1	16.63	18.6	13.0	S	N.	SSO	N.	LL	Np.
30	60.62	62.25	61.45	61.44	24.0	16.1	16.3	18.80	24.3	7.6	S	N.	SSO	N.	LL	Np.
31	60.94	62.19	61.13	61.42	24.2	14.1	14.2	17.50	23.4	...	S	N.	SSO	N.	LL	Np.

FEBRERO DE 1872.

1	61.28	60.51	59.50	60.43	16.6	10.6	18.2	15.13	19.0	15.7	N	O.	N.	D.	Np.	Np.
2	62.55	61.11	63.57	62.40	18.3	12.4	15.0	14.57	20.0	7.6	N	O.	N.	D.	Np.	Np.
3	63.20	62.76	59.58	62.61	18.6	12.7	14.2	14.50	19.7	8.8	N	O.	N.	D.	Np.	Np.
4	58.70	58.99	60.92	59.54	16.7	14.2	15.2	15.37	18.2	13.7	N	O.	N.	D.	Np.	Np.
5	61.93	62.60	61.88	62.14	16.6	14.2	13.7	14.83	18.4	11.5	N	O.	N.	D.	Np.	Np.
6	61.19	61.55	59.85	60.91	16.6	14.4	14.0	15.00	18.8	11.9	N	O.	N.	D.	Np.	Np.
7	58.00	56.40	55.03	56.50	18.3	14.2	18.0	17.50	20.7	10.9	N	O.	N.	D.	Np.	Np.
8	55.32	56.11	57.86	56.28	21.1	14.1	15.0	16.73	...	11.2	N	O.	N.	D.	Np.	Np.
9	53.99	61.04	62.72	60.92	16.4	12.5	14.4	14.37	18.5	9.4	N	O.	N.	D.	Np.	Np.
10	62.95	63.56	62.63	62.07	14.4	11.7	13.6	13.37	16.2	12.0	N	O.	N.	D.	Np.	Np.
11	63.25	63.02	60.13	62.19	16.3	14.2	14.2	14.90	17.0	12.2	N	O.	N.	D.	Np.	Np.
12	59.75	63.25	57.65	58.58	19.0	14.2	13.6	15.60	21.0	13.3	N	O.	N.	D.	Np.	Np.
13	56.02	66.14	57.23	56.45	16.2	15.2	11.8	13.44	24.2	12.4	N	O.	N.	D.	Np.	Np.
14	57.88	59.13	62.95	59.99	17.5	12.1	13.0	14.20	20.0	5.6	N	O.	N.	D.	Np.	Np.
15	64.62	65.84	64.25	64.90	13.8	9.1	14.3	12.40	16.5	4.2	N	O.	N.	D.	Np.	Np.
16	62.15	58.95	57.93	59.56	17.7	12.5	15.4	15.20	19.2	8.4	N	O.	N.	D.	Np.	Np.
17	58.85	60.42	60.60	59.96	14.7	10.9	14.3	13.30	17.2	9.1	N	O.	N.	D.	Np.	Np.
18	60.31	57.89	58.20	58.80	16.6	12.8	15.1	16.63	17.8	10.5	N	O.	N.	D.	Np.	Np.
19	59.65	60.63	59.26	59.85	14.7	12.5	15.5	13.10	18.3	6.6	N	O.	N.	D.	Np.	Np.
20	58.59	60.21	54.42	57.74	17.5	12.5	15.2	14.03	17.6	10.5	N	O.	N.	D.	Np.	Np.
21	56.29	57.06	57.08	56.81	16.4	14.2	12.6	14.40	16.8	10.5	N	O.	N.	D.	Np.	Np.
22	57.49	58.46	58.89	58.27	16.3	10.9	13.8	14.33	16.8	9.1	N	O.	N.	D.	Np.	Np.
23	59.13	59.31	60.04	59.49	17.1	12.7	13.0	15.93	18.2	8.2	N	O.	N.	D.	Np.	Np.
24	59.31	60.04	59.30	59.53	17.7	12.7	16.9	15.77	19.9	10.4	N	O.	N.	D.	Np.	Np.
25	58.92	60.33	62.60	60.46	18.1	14.0	15.0	15.70	19.8	10.4	N	O.	N.	D.	Np.	Np.
26	61.70	62.11	63.28	62.36	16.2	13.7	15.0	14.97	N	O.	N.	D.	Np.	Np.
27	63.63	62.81	60.63	62.36	19.1	14.6	16.2	16.63	N	O.	N.	D.	Np.	Np.
28	58.17	58.17	59.75	58.62	17.5	14.0	14.4	15.39	N	O.	N.	D.	Np.	Np.
29	59.89	60.52	58.22	59.54	17.3	15.5	13.4	16.37	N	O.	N.	D.	Np.	Np.

MARZO DE 1872.

DIAS.	BARÓMETRO REDUCIDO A 6°				TERMÓMETRO CENTÍGRADO.						VIENTOS.			ESTADO ATMOSP.		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Máx.	Mín.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°	°	°						
1	700.04	700.33	700.56	700.31	16.0	11.5	14.4	13.97			S					
2	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
3	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
4	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
5	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
6	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
7	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
8	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
9	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
10	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
11	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
12	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
13	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
14	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
15	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
16	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
17	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
18	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
19	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
20	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
21	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
22	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
23	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
24	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
25	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
26	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
27	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
28	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
29	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
30	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					
31	58.04	58.33	55.56	51.91	16.0	11.5	14.4	13.97			S					

ABRIL DE 1872.

1	61.71	61.78	62.10	61.86	15.4	13.0	12.5	13.63	16.7	10.5	E					
2	61.68	61.75	62.08	61.84	15.4	13.0	12.5	13.63	16.7	10.5	E					
3	61.72	62.00	60.41	61.54	12.1	11.9	12.9	12.86	13.0	10.6	S					
4	58.46	58.57	59.10	58.71	14.1	13.0	12.5	13.29	15.7	9.9	S					
5	59.75	60.01	63.47	61.08	12.3	10.4	11.5	11.40	15.1	6.6	N					
6	63.40	63.74	63.75	63.30	12.9	11.5	11.5	11.97	13.3	9.9	S					
7	63.02	63.06	62.96	62.99	12.7	8.7	12.9	11.49	13.9		S					
8		62.51	62.15			8.3	11.7		16.1	4.5	S					
9	61.51	61.61	62.26	59.89	13.2	7.7	12.7	11.20	14.4	4.6	N					
10	61.15	55.72	54.48	57.12	13.7	13.4	13.7	13.60	15.5		N					
11	54.21	54.21	56.92	55.13	13.7	12.7	13.1	13.83	17.0		N					
12	56.54	58.24	51.26	56.55	13.0	13.4	12.7	13.70	15.4	11.1	N					
13	58.29	58.89	56.83	57.98	8.7	7.7	11.1	9.30	13.5	6.5	N					
14	56.28	55.27	52.07	54.54	12.1	12.3	12.3	12.23	15.3	10.1	N					
15	51.03		61.05				7.9		12.6	4.1	N					
16	61.43	62.89	61.47	61.93	10.6	6.6	9.3	8.88	13.1	3.7	N					
17	61.15	60.97	60.39	60.84	12.7	6.7	3.9	0.43	13.5	3.6	N					
18	53.78	53.22	54.53	57.18	11.1	13.6	14.0	13.57	15.1	7.5	N					
19	53.50	57.90	59.79	57.06	15.3	13.5	14.8	14.60	16.7	12.2	N					
20	59.75	59.57	62.23	60.53	14.3	12.6	11.1	12.67	16.0		N					
21	61.29	62.69	68.10	64.03	9.6	7.6	10.3	9.17	14.6	6.3	N					
22	68.88	72.50	70.30	70.56	11.5	9.7	9.4	10.20	11.6	7.7	N					
23	70.30	70.29	69.09	69.89	10.4	10.3	10.3	10.70	12.2	8.1	N					
24	59.05	59.72	59.63	59.47	11.5	10.0	10.6	10.13	10.8	6.7	N					
25	63.91	63.91	62.50	66.77	10.8	10.0	9.3	10.81	11.6	8.4	N					
26	58.34	58.68	59.00	58.87	10.8	11.1	11.2	11.03	11.6	8.4	N					
27	62.31	64.55	66.47	64.44	12.4	9.7	10.4	10.82	12.8	5.4	N					
28	55.56	56.95	55.97	55.83	14.1	6.7	7.0	9.27	14.6	0.2	N					
29	64.66	65.16	65.11	64.96	13.7	5.5	5.5	8.5	9.23	14.5	0.8	N				
30	63.82	64.22	64.20	64.08	13.0	5.3	6.7	8.33		0.5	N					

MAYO DE 1872.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						VIENTOS.			ESTADO ATMOSE.		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Máx	Min	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o						
	700+	700+	700+	700+	o	o	o	o	o	o						
1	65.65	63.14	62.17	62.99	10.6	4.0	7.2	7.27	10.8	0.83	C.	N1	C.	D.	D.	D.
2	60.67	58.60	53.54	57.60	14.2	10.6	9.6	11.47	14.9	...	NNNE1	N1	C.	Np.	Np.	Ll.
3	55.18	58.52	62.28	58.99	10.4	8.1	11.2	9.90	11.8	5.23	N1	C.	C.	Np.	D.	Np.
4	62.76	62.85	61.17	62.26	11.2	5.2	8.7	8.37	13.6	1.93	SO1	C.	C.	Np.	D.	Np.
5	59.04	59.08	55.18	57.77	10.5	12.7	9.4	10.87	16.1	2.13	N1	NO2	N1	Np.	N.	Np.
6	60.49	61.29	61.78	61.35	12.4	5.2	5.0	7.53	16.3	1.11	N1	C.	C.	Np.	D.	N.
7	60.16	59.64	57.32	59.04	10.7	7.1	11.7	9.83	11.8	4.13	N1	C.	N1	Np.	D.	N.
8	59.56	53.19	57.84	54.86	12.7	12.1	9.0	11.60	12.7	6.23	N1	N1	OSO1	Np.	Ll.	Ll.
9	59.78	61.50	9.8	N1	N1	N1	Np.	Ll.	Ll.
10	60.32	59.35	54.79	58.15	10.2	10.0	10.2	10.13	12.3	8.33	N1	NO1	NO1	Np.	Ll.	Ll.
11	53.84	54.88	12.7	N1	NO1	C.	Np.	Ll.	Np.
12	55.87	58.71	60.97	58.52	13.1	8.0	9.6	10.23	2.01	N1	C.	N1	Np.	D.	N.
13	60.11	60.17	60.05	60.11	11.3	11.0	5.5	11.70	13.3	N1	C.	N1	Np.	N.	N.
14	54.82	59.81	63.57	59.40	12.2	11.0	9.8	11.00	12.8	7.73	N1	N1	NO1	Np.	N.	N.
15	64.14	64.61	64.34	64.36	11.2	8.5	9.2	9.63	12.8	3.53	SO1	C.	C.	Np.	N.	Np.
16	63.43	63.10	63.80	63.44	10.5	8.6	10.0	9.70	10.7	6.63	N1	C.	C.	Np.	N.	Np.
17	66.42	70.20	69.95	68.36	13.1	5.0	6.5	8.23	13.8	0.53	N1	C.	C.	Np.	D.	D.
18	66.44	66.31	60.82	64.52	11.7	5.2	21.0	8.97	11.9	0.63	N1	C.	C.	Np.	N.	N.
19	62.10	62.52	62.97	62.53	11.5	4.7	7.5	7.90	12.1	-0.53	N1	C.	C.	Np.	N.	N.
20	62.60	64.23	65.70	64.18	12.8	3.7	9.5	8.67	12.9	3.33	N1	C.	C.	Np.	Np.	N.
21	63.43	66.66	64.76	64.95	10.0	3.6	6.6	6.73	10.1	0.21	N1	C.	C.	Np.	Np.	Np.
22	62.98	61.27	63.19	62.48	11.1	5.0	10.5	10.33	12.7	0.63	N1	C.	C.	Np.	Ll.	N.
23	64.08	66.43	65.16	65.22	13.2	9.5	10.7	11.13	13.6	2.83	N1	C.	C.	Np.	N.	N.
24	63.93	63.95	61.64	64.49	10.9	11.0	10.2	10.70	12.5	9.23	N1	N1	NO1	Np.	Ll.	N.
25	65.90	65.74	65.85	65.83	13.3	9.2	12.5	12.65	15.2	9.33	N1	N1	NO1	Np.	N.	Np.
26	63.32	63.05	61.63	62.86	11.2	11.1	9.7	10.67	14.2	7.63	N1	C.	C.	Np.	N.	N.
27	59.96	60.27	60.48	60.24	10.6	11.0	12.2	11.27	12.4	8.33	N1	C.	C.	Np.	N.	N.
28	63.49	59.34	N1	C.	C.	Np.	N.	N.
29	57.32	60.77	53.77	57.29	13.7	10.7	11.2	11.63	14.6	8.33	N1	C.	C.	Np.	N.	Ll.
30	52.90	54.68	53.32	55.30	12.2	9.6	11.0	10.93	12.5	8.01	N1	C.	C.	Np.	N.	Np.
31	57.95	55.96	59.64	57.85	11.7	9.4	10.5	10.53	13.0	7.43	N1	C.	SO1	Np.	N.	N.

JUNIO DE 1872.

1	63.09	63.01	63.42	65.17	10.1	7.5	8.7	8.77	10.3	5.73	SSO1	N1	NO1	Np.	G.	N.
2	61.76	60.80	57.70	60.09	10.4	10.1	11.6	10.70	6.01	N2	N2	N1	Np.	Ll.	Np.
3	62.87	66.25	65.51	64.88	11.3	7.7	13.7	10.90	5.01	N1	N1	N1	N.	D.	N.
4	64.60	64.96	63.34	64.80	8.7	4.1	3.3	5.37	13.6	-0.63	N1	C.	C.	Np.	N.	N.
5	63.46	64.93	67.50	65.80	9.6	3.4	8.4	8.80	11.4	2.22	N1	C.	C.	Np.	N.	N.
6	67.37	67.54	67.21	67.37	9.7	6.0	7.5	7.73	10.9	0.83	N1	C.	C.	Np.	N.	N.
7	65.06	65.67	67.65	67.13	9.1	6.7	8.5	8.10	12.1	4.01	N1	C.	C.	Np.	D.	N.
8	63.14	61.97	61.63	62.25	11.3	10.1	11.0	10.80	12.0	6.83	N1	C.	NO2	Np.	N.	Np.
9	61.74	61.58	60.82	61.33	12.1	10.0	10.7	10.93	12.3	9.01	NNO1	N1	N1	Np.	G.	N.
10	60.04	60.38	60.15	60.19	10.9	10.5	10.10	10.63	12.6	9.01	NO1	NO1	N1	Ll.	Np.	Np.
11	59.09	55.72	52.40	55.74	14.1	12.4	10.0	12.17	8.11	N2	NO1	N1	G.	N.	Np.
12	52.42	55.49	60.37	56.09	11.1	8.6	9.1	9.60	12.3	6.83	N1	N1	N1	Np.	Np.	N.
13	56.80	49.52	45.70	50.67	11.5	12.7	13.7	12.27	13.8	7.73	N1	N1	N1	Np.	N.	N.
14	45.58	45.83	47.52	46.31	11.5	10.0	10.2	10.57	12.7	7.01	N1	C.	C.	Np.	Np.	Np.
15	48.56	50.60	51.18	50.11	10.4	9.0	10.4	9.93	11.3	7.63	N1	C.	C.	Np.	Ll.	Ll.
16	52.97	54.13	58.51	55.34	10.6	8.4	8.7	9.23	11.3	5.73	N1	C.	C.	Np.	N.	Np.
17	58.73	57.71	59.29	58.53	10.4	8.5	7.7	8.75	10.9	4.53	NO2	C.	C.	Np.	N.	Ll.
18	60.70	62.94	62.49	62.04	10.5	6.5	7.6	8.20	10.7	4.63	N1	C.	C.	Np.	N.	N.
19	62.47	63.25	65.77	63.83	8.4	6.6	6.8	7.27	9.3	3.83	N1	C.	C.	Np.	N.	N.
20	65.85	65.32	65.43	65.53	8.0	7.1	5.2	6.77	8.2	0.73	S2	S1	S1	Np.	D.	D.
21	63.85	63.38	61.55	62.93	-8.6	2.7	4.2	5.17	9.2	-0.63	SO1	C.	C.	Np.	D.	Np.
22	61.21	60.73	61.65	61.20	8.4	5.6	8.0	7.33	8.5	-2.03	C.	C.	C.	Np.	N.	Np.
23	60.92	61.95	63.89	62.25	8.4	6.7	7.2	7.43	10.6	N1	C.	C.	Np.	N.	Np.
24	63.42	65.29	70.29	66.33	9.2	5.5	7.4	7.37	9.3	4.23	N1	C.	C.	Np.	N.	Np.
25	70.26	71.13	66.15	69.13	9.0	4.6	4.0	5.87	9.3	-0.23	S2	C.	C.	Np.	D.	D.
26	68.12	66.26	64.76	66.37	9.2	5.3	7.8	7.50	11.2	3.03	SE1	C.	C.	Np.	N.	Np.
27	64.30	64.48	64.62	64.47	14.6	6.8	6.5	9.30	16.0	2.23	N1	NE1	N1	Np.	N.	N.
28	64.07	65.51	62.56	64.05	14.0	9.1	12.7	11.93	14.8	5.23	N1	C.	C.	Np.	N.	G.
29	60.26	58.52	59.89	59.56	11.2	10.5	12.0	11.23	12.3	8.53	N1	C.	C.	Np.	N.	Np.
30	59.47	59.23	60.32	60.04	12.7	9.7	10.6	11.00	13.8	7.13	N1	C.	C.	Np.	N.	N.

JULIO DE 1872.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Máx	Min	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o						
1	60.06	61.98	66.62	62.89	10.3	9.1	9.0	9.33	12.2	3.8	N	N	S	Np.	Np.	Np.
2	66.42	66.64	66.03	66.37	10.3	8.4	5.3	8.13	1.1	S	C	—	Np.	N.	C.
3	67.10	67.71	69.67	68.16	8.2	7.8	7.5	7.33	9.1	1.7	—	—	—	—	—	Np.
4	68.42	68.42	7.7	5.2	9.7	2.5	NO	C	—	Np.	N.	C.
5	66.15	63.68	62.88	64.90	8.2	4.0	5.1	5.77	11.2	-0.7	N	—	—	Np.	N.	Np.
6	59.67	56.38	57.12	57.72	8.0	6.5	8.2	7.57	9.4	2.0	NE	—	—	Np.	N.	Np.
7	57.32	58.70	59.02	58.55	10.0	9.6	11.6	10.40	6.8	N	N	—	Np.	N.	Np.
8	61.67	63.61	64.48	63.25	9.2	6.5	5.5	7.07	13.8	2.0	S	—	—	Np.	N.	Np.
9	64.38	66.14	65.00	65.17	10.5	5.2	8.5	8.07	11.5	0.7	C	—	—	Np.	N.	Np.
10	65.94	66.92	68.45	67.10	9.7	8.7	8.7	9.03	10.6	1.9	N	—	—	Np.	N.	Np.
11	68.01	67.38	66.55	66.31	8.7	7.7	6.6	7.67	10.4	5.0	—	—	—	Np.	N.	Np.
12	65.27	66.99	68.38	65.38	9.2	8.8	8.5	8.33	12.3	4.8	—	—	—	Np.	N.	Np.
13	62.58	62.57	60.84	62.00	7.7	6.2	8.7	7.53	3.3	SE	—	—	Np.	N.	Np.
14	60.53	59.08	60.20	59.94	8.7	9.1	9.7	9.17	12.5	7.0	N	—	—	Np.	N.	Np.
15	61.78	61.58	57.27	60.21	11.7	10.2	10.0	10.63	12.4	7.2	N	—	—	Np.	N.	Np.
16	59.04	59.10	56.64	58.26	10.0	10.6	13.0	11.20	8.4	N	—	—	Np.	N.	Np.
17	56.64	57.45	57.08	57.04	15.7	12.8	14.0	13.50	14.1	11.1	N	—	—	Np.	N.	Np.
18	57.18	57.96	57.55	57.56	15.2	11.7	11.5	12.80	15.2	8.7	N	—	—	Np.	N.	Np.
19	58.24	57.52	60.63	58.80	10.2	8.0	8.4	8.87	11.7	S	—	—	Np.	N.	Np.
20	61.45	62.40	61.04	61.63	8.6	3.5	7.8	6.63	9.4	-0.5	SSO	—	—	Np.	N.	Np.
21	61.91	62.82	61.97	62.28	8.4	7.0	8.4	7.93	9.7	3.5	N	—	—	Np.	N.	Np.
22	62.52	62.80	60.63	62.80	11.2	6.5	8.0	8.57	4.6	SSO	—	—	Np.	N.	Np.
23	62.96	63.39	63.85	63.23	9.0	6.8	8.4	8.07	11.3	5.0	—	—	—	Np.	N.	Np.
24	63.10	63.40	62.26	62.92	10.0	8.6	8.6	9.07	11.8	6.6	NNO	—	—	Np.	N.	Np.
25	59.19	54.58	53.63	55.77	9.0	10.5	7.8	9.10	12.2	6.0	NE	—	—	Np.	N.	Np.
26	57.65	65.47	71.44	64.85	6.8	3.2	7.0	5.67	9.4	1.3	SE	—	—	Np.	N.	Np.
27	57.78	57.98	57.91	57.87	7.1	6.0	8.4	7.17	10.4	4.1	C	—	—	Np.	N.	Np.
28	57.49	57.75	57.26	57.50	9.1	8.7	11.5	9.77	15.5	4.2	N	—	—	Np.	N.	Np.
29	65.65	66.11	66.33	66.03	11.5	10.0	9.2	10.23	14.1	4.2	ONO	—	—	Np.	N.	Np.
30	64.16	64.19	61.50	63.28	8.4	8.4	8.1	8.30	10.5	6.5	N	—	—	Np.	N.	Np.
31	61.24	62.18	63.91	62.44	9.1	8.4	10.2	9.23	6.3	NO	—	—	Np.	N.	Np.

AGOSTO DE 1872.

1	63.43	63.62	64.45	63.83	9.2	9.0	9.0	9.07	11.0	6.5	S	SSO	—	Np.	N.	Np.
2	63.50	64.72	67.24	65.20	8.4	6.6	8.4	7.30	10.0	3.2	—	N	—	Np.	N.	Np.
3	65.07	66.74	66.78	66.15	9.5	4.2	6.5	6.73	11.5	-0.5	—	—	—	Np.	N.	Np.
4	66.33	64.98	64.21	65.17	8.1	6.6	7.7	7.47	9.5	—	—	—	Np.	N.	Np.
5	62.13	62.65	59.68	61.49	12.5	9.2	11.2	10.97	N	—	—	Np.	N.	Np.
6	60.57	61.26	59.64	60.49	11.6	11.2	12.7	11.33	8.3	—	—	—	Np.	N.	Np.
7	58.24	57.45	54.44	56.71	12.7	11.5	12.0	12.07	13.0	9.0	—	—	—	Np.	N.	Np.
8	50.37	55.30	52.53	52.73	9.6	8.4	6.5	8.17	11.8	5.0	N	—	—	Np.	N.	Np.
9	55.16	57.16	50.56	54.5	5.8	2.7	6.8	5.03	7.1	0.2	SO	—	—	Np.	N.	Np.
10	55.84	57.03	61.77	58.21	7.8	1.6	6.2	5.20	3.0	-2.0	SSE	—	—	Np.	N.	Np.
11	61.46	59.56	53.78	58.20	8.2	5.8	9.6	7.87	-0.8	N	—	—	Np.	N.	Np.
12	57.03	56.13	50.65	54.60	10.9	9.0	10.3	10.07	11.6	6.5	N	—	—	Np.	N.	Np.
13	50.39	53.99	53.71	52.70	14.2	9.1	10.3	11.20	7.6	N	—	—	Np.	N.	Np.
14	53.48	54.52	54.53	54.18	11.2	9.0	10.3	10.17	11.5	7.3	NO	—	—	Np.	N.	Np.
15	55.16	58.32	63.42	59.13	10.6	9.2	10.3	10.03	12.0	6.5	NO	—	—	Np.	N.	Np.
16	62.99	59.01	57.55	60.18	12.7	8.8	9.3	10.27	13.4	7.5	N	—	—	Np.	N.	Np.
17	57.64	58.15	52.81	56.20	11.5	8.7	9.6	9.93	12.7	4.9	—	—	—	Np.	N.	Np.
18	50.50	52.40	57.47	53.33	9.0	7.7	8.5	8.40	10.0	3.9	SSO	—	—	Np.	N.	Np.
19	57.96	62.49	60.47	60.31	9.0	5.4	8.7	7.63	10.7	3.7	SSO	—	—	Np.	N.	Np.
20	55.56	53.35	53.18	54.03	9.2	11.2	11.5	10.63	12.1	6.7	N	—	—	Np.	N.	Np.
21	53.45	54.71	56.54	54.90	7.7	7.8	8.7	8.07	11.7	4.2	S	—	—	Np.	N.	Np.
22	55.01	49.48	49.49	51.33	10.1	6.5	8.9	8.50	11.6	4.3	NNO	—	—	Np.	N.	Np.
23	48.39	49.81	50.87	49.85	10.7	6.1	8.4	8.40	12.8	4.0	N	—	—	Np.	N.	Np.
24	53.13	55.72	59.30	56.08	7.2	5.4	6.4	6.33	-0.4	ONO	—	—	Np.	N.	Np.
25	59.78	59.15	55.79	58.23	9.2	8.2	8.0	8.47	9.7	4.0	ESE	—	—	Np.	N.	Np.
26	55.94	59.87	61.33	59.21	9.0	7.7	9.3	8.67	11.2	6.0	OSO	—	—	Np.	N.	Np.
27	61.36	61.22	60.61	61.05	10.2	7.1	10.5	9.27	11.8	5.7	NO	—	—	Np.	N.	Np.
28	58.89	56.32	57.66	57.62	10.2	8.4	11.4	10.00	12.8	7.2	—	—	—	Np.	N.	Np.
29	65.60	66.62	62.60	61.21	9.5	6.7	7.9	8.03	10.7	4.3	NNO	—	—	Np.	N.	Np.
30	62.48	59.18	62.09	61.25	7.7	3.7	7.9	6.43	11.7	2.6	NNE	—	—	Np.	N.	Np.
31	60.40	60.66	56.51	59.19	8.7	7.7	8.6	8.33	9.2	6.2	NE	—	—	Np.	N.	Np.

SEPTIEMBRE DE 1872.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Máx.	Min.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o						
1	54.46	51.61	50.43	52.17	9.5	8.9	10.3	9.37	10.3	7.0	N.	N.	LL.	LL.	LL.	
2	55.46	60.91	63.13	61.50	8.4	6.2	9.3	7.97	11.5	1.2	OSO.	N.	LL.	LL.	LL.	
3	67.87	68.65	67.02	67.83	9.3	6.5	10.3	8.77	11.0	4.5	NNE.	N.	Np.	Np.	Np.	
4	66.31	64.71	61.08	64.03	12.7	8.3	9.6	10.20	13.2	6.3	N.	N.	Np.	Np.	Np.	
5	57.49	58.73	61.42	59.22	9.3	8.0	8.0	8.43	11.0	4.2	N.	N.	Np.	Np.	Np.	
6	65.55	65.53	65.69	65.46	10.5	5.4	7.5	7.80	11.3	0.1	N.	N.	Np.	Np.	Np.	
7	65.11	65.04	64.12	64.76	10.3	4.0	6.9	7.07	10.4	5.5	N.	N.	Np.	Np.	Np.	
8	61.22	62.85	58.51	60.68	8.0	9.0	10.6	9.20	10.4	5.5	NNE.	N.	Np.	Np.	Np.	
9	57.55	57.68	57.82	57.68	12.9	11.4	14.2	12.83	14.2	7.9	N.	N.	Np.	Np.	Np.	
10	58.53	59.07	59.25	58.88	13.5	9.4	11.6	11.50	16.2	6.9	N.	N.	Np.	Np.	Np.	
11	60.29	63.00	63.79	62.36	11.7	8.7	9.3	9.90	13.6	4.8	N.	N.	Np.	Np.	Np.	
12	60.10	63.40	63.80	67.50	9.0	6.5	10.3	8.60	11.6	5.2	SO.	N.	Np.	Np.	Np.	
13	63.10	66.47	65.16	66.58	10.3	7.1	10.5	9.30	13.9	5.7	O.	N.	LL.	LL.	LL.	
14	63.04	64.74	64.83	64.20	11.7	9.3	12.7	11.23	13.4	6.2	N.	N.	Np.	Np.	Np.	
15	63.70	61.39	59.03	61.37	14.5	11.5	13.0	13.00	15.3	8.8	N.	N.	Np.	Np.	Np.	
16	61.12	64.55	67.23	64.30	12.1	8.0	9.5	9.87	13.5	3.6	SSO.	N.	Np.	Np.	Np.	
17	67.64	67.54	65.00	66.89	10.5	5.4	9.9	8.60	11.1	2.2	SE.	N.	Np.	Np.	Np.	
18	67.57	66.87	64.49	66.31	11.4	9.0	15.3	11.90	15.6	7.0	N.	N.	Np.	Np.	Np.	
19	63.80	63.50	62.33	63.29	14.6	10.5	10.4	11.83	13.8	6.5	N.	N.	Np.	Np.	Np.	
20	63.15	66.04	67.09	65.41	7.7	6.5	8.0	7.40	10.0	1.0	SSO.	N.	Np.	Np.	Np.	
21	66.96	65.57	64.23	65.59	9.3	8.0	8.2	8.50	10.3	5.6	S.	N.	Np.	Np.	Np.	
22	64.24	64.48	64.48	64.40	10.4	9.1	9.1	9.53	10.5	6.7	SE.	N.	Np.	Np.	Np.	
23	63.15	62.80	59.38	61.78	11.2	4.0	11.2	8.80	11.4	0.6	S.	N.	Np.	Np.	Np.	
24	57.49	58.74	59.80	58.68	15.9	10.4	11.7	12.67	16.0	6.2	NNE.	N.	Np.	Np.	Np.	
25	59.65	60.47	60.41	60.18	13.7	9.5	10.8	11.17	13.0	5.1	NNO.	N.	LL.	LL.	LL.	
26	61.95	65.31	65.80	64.33	14.0	6.7	13.1	11.27	14.4	5.0	N.	N.	Np.	Np.	Np.	
27	64.38	64.29	63.06	63.91	12.7	9.1	10.3	10.70	15.2	7.0	SSO.	N.	Np.	Np.	Np.	
28	63.02	63.11	63.48	63.20	13.0	10.0	13.0	12.00	13.1	6.0	N.	N.	LL.	LL.	LL.	
29	59.83	58.89	56.92	58.53	15.0	10.0	8.5	11.17	16.0	6.2	N.	N.	Np.	Np.	Np.	
30	56.58	62.28	64.35	61.07	10.3	5.6	12.3	9.40	13.0	ONO.	N.	LL.	LL.	LL.	

OCTUBRE DE 1872.

1	63.88	62.76	61.77	62.80	14.1	5.0	13.5	10.87	14.5	0.5	NNE.	N.	Np.	Np.	Np.
2	61.65	61.98	62.01	61.87	15.4	11.7	7.5	N.	N.	N.	N.	N.	N.
3	62.81	63.77	68.48	63.38	16.8	12.1	14.0	14.30	9.5	N.	N.	Np.	Np.	Np.
4	61.53	59.47	56.69	59.16	15.4	11.4	17.7	14.83	15.6	8.0	S.	N.	Np.	Np.	Np.
5	56.65	67.66	56.33	57.06	14.0	12.5	16.5	14.33	20.7	10.2	N.	N.	Np.	Np.	Np.
6	52.58	49.73	52.90	51.75	19.0	11.7	11.0	13.90	20.5	8.0	N.	N.	Np.	Np.	Np.
7	51.65	55.96	57.33	54.97	10.4	7.1	8.6	8.70	13.7	5.6	O.	N.	Np.	Np.	Np.
8	59.41	60.30	58.39	59.53	10.4	10.6	14.2	11.70	16.1	6.8	N.	N.	Np.	Np.	Np.
9	57.22	59.72	62.51	59.92	15.3	10.5	13.8	13.87	17.6	8.9	NNO.	N.	LL.	LL.	LL.
10	53.16	62.70	61.75	59.20	19.4	11.7	13.6	14.90	19.6	7.7	NNE.	N.	Np.	Np.	Np.
11	59.55	59.62	58.73	59.23	17.6	11.2	19.0	15.93	19.4	7.6	SSO.	N.	Np.	Np.	Np.
12	59.24	59.15	57.67	58.69	15.5	11.7	18.5	15.23	20.7	9.0	O.	N.	Np.	Np.	Np.
13	58.12	59.42	60.20	59.61	13.4	9.9	12.6	11.97	19.1	8.0	N.	N.	Np.	Np.	Np.
14	60.21	60.72	59.78	60.24	14.6	11.6	11.9	12.70	17.1	9.2	NNO.	N.	Np.	Np.	Np.
15	59.43	59.24	51.38	56.63	15.7	12.7	13.6	14.00	15.9	10.7	N.	N.	Np.	Np.	Np.
16	55.90	58.12	56.31	56.94	10.0	7.4	11.5	9.63	15.5	6.0	N.	N.	LL.	LL.	LL.
17	53.48	54.17	56.71	54.79	12.3	12.8	10.6	11.73	13.0	8.8	NO.	N.	Np.	Np.	Np.
18	57.62	59.80	63.45	60.32	12.1	10.3	13.7	23.20	17.2	6.5	N.	N.	Np.	Np.	Np.
19	63.61	65.57	65.00	64.73	14.2	9.0	12.5	11.90	19.5	SE.	N.	Np.	Np.	Np.
20	64.43	64.44	63.87	64.25	14.5	11.6	11.5	12.53	15.3	7.4	N.	N.	Np.	Np.	Np.
21	62.50	62.36	59.80	61.72	14.2	9.7	14.7	12.67	16.1	6.9	S.	N.	Np.	Np.	Np.
22	59.59	62.75	63.17	63.47	16.6	10.0	12.7	13.10	18.0	4.0	N.	N.	Np.	Np.	Np.
23	67.15	69.30	66.78	67.47	13.0	6.5	10.6	10.02	2.0	S.	N.	Np.	Np.	Np.
24	65.27	63.92	62.40	63.86	14.6	10.0	14.4	12.87	15.0	7.9	N.	N.	Np.	Np.	Np.
25	62.58	65.41	66.37	64.93	14.6	6.5	13.9	11.67	15.2	ONO.	N.	Np.	Np.	Np.
26	66.64	63.35	63.19	67.73	13.5	11.1	12.9	12.50	14.1	8.0	S.	N.	Np.	Np.	Np.
27	67.23	66.34	64.87	66.21	14.7	12.5	13.1	13.43	15.7	5.6	SE.	N.	Np.	Np.	Np.
28	61.93	62.04	60.43	61.47	16.5	11.6	15.9	14.67	17.0	10.0	N.	N.	Np.	Np.	Np.
29	59.43	59.58	56.88	58.64	16.6	11.0	13.1	13.57	18.4	6.2	N.	N.	Np.	Np.	Np.
30	56.87	58.36	58.15	57.79	12.0	6.6	9.0	9.20	15.1	5.0	NNO.	N.	LL.	LL.	LL.
31	52.86	61.83	63.62	61.77	12.9	9.0	13.0	11.63	15.9	6.6	N.	N.	LL.	LL.	LL.

NOVIEMBRE DE 1872.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO					VIENTOS.			ESTADO ATMOSF.			
	2 1/2 h.	9 h.	21 h.	Med.	2 1/2 h.	9 h.	21 h.	Med.	Máx.	Min.	2 1/2 h.	9 h.	21 h.	2 1/2 h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o						
1	63.98	64.62	63.54	64.05	14.2	7.7	11.7	11.20	17.5	4.0	S.	N.	S.	Np.	Np.	Np.
2	61.80	62.05	61.96	61.94	14.4	8.3	15.9	13.13	15.2	8.1	N.	N.	NO.	D.	N.	N.
3	61.64	60.29			14.8	11.6	11.6	12.67	17.8	8.4	N.	N.	N.	N.	N.	N.
4	59.03	54.71	62.08	58.63	13.7	11.2	13.0	12.63	14.0	7.1	N.	N.	N.	N.	N.	N.
5	62.73	63.23	62.66	62.87	13.9	3.4	13.5	11.69	14.2	6.2	S.	N.	N.	Np.	Np.	Np.
6	61.30	61.45	62.42	61.72	13.2	9.0	13.9	12.03	15.6	7.0	S.	N.	N.	N.	N.	N.
7	63.30	64.51	64.06	63.96	14.0	11.5	13.9	13.13	14.8	7.8	S.	S.	N.	Np.	D.	G.
8	63.63	63.67	62.58	63.12	14.0	7.3	12.0	11.10		4.4	S.	S.	N.	Np.	Np.	N.
9	60.52	60.10	59.69	60.16	11.6	11.5	12.7	11.93		6.9	N.	N.	N.	Ll.	Ll.	Ll.
10	59.01	64.51	60.38	61.36	10.3	8.7	11.0	10.09	16.0	2.5	N.	N.	N.	Np.	N.	N.
11	59.80	57.73	47.65	55.06	13.7	8.3	10.8	10.93	14.3	7.0	N.	N.	N.	Ll.	Ll.	Ll.
12	48.89	53.70	55.08	52.56	10.4	5.9	11.6	9.50	14.3	3.8	SO.	N.	N.	Np.	Np.	Np.
13	55.28	52.24	45.18	50.96	13.9	11.0	14.1	13.03	14.3	7.9	N.	N.	N.	Np.	Np.	Np.
14	45.56	45.45	55.66	49.22	12.4	11.1	10.0	11.17	16.3	8.1	NO.	N.	N.	Ll.	Ll.	Ll.
15	58.67	60.16			13.5	9.4			15.7	5.5	N.	N.	N.	Np.	N.	N.
16	62.24	64.07	65.17	63.83	13.9	8.0	13.0	11.97	17.0	5.5	N.	N.	N.	N.	D.	N.
17	65.63	66.89	67.00	66.47	14.0	11.0	10.4	11.80	15.5	8.4	S.	S.	N.	D.	N.	N.
18	63.54	63.53	63.22	63.53	13.6	9.1	12.9	11.87	15.0	6.0	S.	N.	N.	Np.	Np.	Ll.
19	62.08	63.04	63.67	63.23	14.8	9.0	13.7	12.59	13.2	6.5	N.	N.	N.	N.	D.	N.
20	64.23	64.50	65.22	64.50	14.0	11.0	13.1	12.70	16.0	4.3	N.	N.	N.	Np.	Np.	Np.
21	65.96	66.14	36.17	66.09	15.4	12.5	13.7	13.87	13.7	7.8	S.	N.	N.	Np.	D.	N.
22	66.42	66.09	64.87	65.79	15.8	12.7	13.9	14.13	15.5	10.1	N.	S.	SSO.	D.	Np.	Np.
23	64.39	63.93	64.29	64.20	15.2	12.7	13.5	13.14	14.0	17.2	S.	S.	Np.	Np.	Np.	N.
24	62.31	62.76	61.82	62.46	14.3	13.0	14.6	13.97	18.2	10.5	S.	N.	SO.	N.	Ll.	G.
25	58.44	61.37	60.41	60.07	14.3	11.7	16.5	14.17	17.3	9.4	N.	N.	N.	N.	N.	N.
26	60.99		62.13		15.8		14.2		18.5	8.7	SO.	N.	OSO.	Np.	Np.	Np.
27	61.16	61.15	60.60	60.97	17.2	12.7	14.0	14.63	18.0	10.2	N.	N.	N.	N.	N.	N.
28	61.51	61.20	62.69	61.63	15.7	7.6	11.2	11.50	19.7	4.4	N.	N.	N.	Ll.	Ll.	N.
29	63.87	63.35	63.30	63.51	13.7	8.9	12.9	11.83	15.6	6.4	N.	N.	N.	Np.	N.	Ll.
30	63.80	63.88	64.39	64.02	13.7	12.0	13.2	12.97	16.1	9.9	N.	N.	N.	N.	N.	N.

DICIEMBRE DE 1872.

1	64.29	64.68	65.22	64.71	16.5	12.0	13.2	13.90	19.5	10.5	S.	N.	S.	Np.	Np.	Np.
2	65.87	65.89	65.13	65.46	18.3	14.1	12.7	15.03	19.3	10.9	N.	SE.	N.	N.	N.	N.
3	64.02	63.81	61.17	63.00	16.9	13.4	14.0	14.77	20.4	9.9	N.	N.	N.	N.	D.	N.
4	58.79	56.59	54.53	56.65	19.2	13.7	12.5	15.13	25.2	10.7	N.	N.	SO.	Np.	Np.	Ll.
5	56.62	56.13	53.88	55.54	18.2	11.6	13.4	14.40	19.1	9.0	N.	N.	N.	Np.	Np.	Np.
6	52.90	55.69	57.81	56.47	14.5	9.4	14.4	12.67	18.8	6.7	N.	N.	N.	Ll.	Np.	Np.
7	56.06	55.79	59.95	57.27	13.8	9.4	13.0	13.57	18.6	6.8	N.	N.	SSO.	Np.	Np.	Np.
8		63.91	63.80			10.5	12.3		16.3	8.4	N.	N.	N.	Ll.	Np.	Np.
9		62.92	63.51	63.18	14.9	12.7	12.5	13.37	16.0	10.4	N.	N.	N.	Np.	Np.	Np.
10	64.28	65.42	65.39	64.58	15.7	10.3	13.0	13.00	17.6	6.8	N.	N.	N.	Np.	Np.	Np.
11	61.17	59.67	60.72	60.53	15.3	13.5	15.1	14.13		11.3	N.	N.	N.	D.	N.	N.
12	60.80	61.20	60.71	60.90	17.5	14.0	13.2	14.90	19.4	11.8	N.	N.	N.	Np.	Np.	Np.
13	60.84	60.38	58.59	59.93	16.8	12.7	11.5	14.33	19.8	7.8	N.	N.	N.	N.	N.	N.
14	56.59	61.46	57.69	58.58	13.3	13.4	13.2	14.63		9.4	N.	N.	N.	Np.	Np.	Np.
15	58.23	58.97	59.55	58.92	14.2	8.5	13.6	13.03	18.8	4.1	N.	N.	N.	Np.	Np.	Np.
16	59.92	58.01	57.92	58.62	13.0	10.5	13.5	12.33	16.9	8.8	SO.	N.	N.	Ll.	Ll.	Ll.
17	53.25	60.61	61.82	60.23	14.3	11.5	12.0	12.60	13.8	6.2	ONO.	SO.	N.	N.	Np.	Np.
18	61.32	61.22	61.23	61.26	13.4	12.5	15.5	13.80	15.6	10.1	S.	SSO.	N.	Np.	Np.	Np.
19	60.90	61.82	63.92	62.21	15.4	12.9	14.9	14.40	16.4	9.3	N.	S.	SSO.	Np.	Np.	Np.
20	54.18	54.68	63.41	63.99	15.8	11.0	15.9	14.23			SSE.	N.	SO.	N.	N.	N.
21	62.29	62.29	61.83	62.12	13.3	12.7	14.2	15.07	20.5	8.2	N.	N.	N.	N.	N.	N.
22	62.10	62.83	63.06	62.50	15.3	9.6	13.1	12.67	17.4	6.5	NNE.	N.	N.	Np.	Np.	Np.
23	63.59	64.60	64.74	64.31	15.3	10.6	14.1	13.33	17.8	9.2	S.	ONO.	N.	Ll.	Ll.	Ll.
24	63.34	62.77	60.15	62.09	15.7	14.0	17.5	16.73	20.6	11.5	N.	N.	N.	Np.	Np.	Np.
25	57.51	54.33	53.08	54.97	19.0	15.3	13.4	15.90	23.0	9.7	N.	EO.	N.	Np.	Np.	Np.
26	54.16	55.89	55.97	55.34	12.9	8.1	13.0	11.33	17.0	6.1	N.	N.	N.	Ll.	Ll.	Ll.
27	56.01	55.37	50.41	54.00	12.7	13.2	12.3	12.83	14.9	9.5	NO.	N.	NO.	N.	N.	Ll.
28	46.21	49.48	54.84	50.18	12.8	10.5	14.3	12.53		7.2	N.	N.	NO.	Ll.	Ll.	Ll.
29	55.70	56.57	53.35	55.21	13.9	10.4	13.6	12.63	18.4	8.8	N.	N.	NO.	Np.	Np.	Np.
30	52.71	52.93	52.08	52.58	15.3	12.5	15.4	14.33	15.8	10.5	N.	N.	N.	Ll.	Ll.	Ll.
31	52.51	55.11	54.17	53.93	19.9		13.6		20.6	9.7	N.	ONO.	NNE.	Np.	Np.	Np.

OBSERVACIONES TRIHORARIAS.

Instrumentos.	ENERO 5 DE 1872.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio.
Barómetro reducido a 0°	mm. 759.15	mm. 763.43	mm. 768.61	mm. 763.73	mm. 763.88	mm.	mm. 762.55	mm. 762.28	mm. 763.23
Termómetro centígrado	15.1	17.5	15.9	11.2	9.4	12.9	15.7	13.96
Vientos	S ₂	S ₁	S ₁	N ₁	C	N ₁	N ₄
Estado atmosférico	Np.	Np.	Np.	Np.	N.	N.	N.
ENERO 15 DE 1872.									
Barómetro reducido a 0°	mm. 762.72	mm. 763.30	mm. 763.15	mm. 763.10	mm. 763.37	mm.	mm. 761.15	mm. 762.86	mm. 762.81
Termómetro centígrado	16.9	18.2	15.9	14.5	13.7	13.7	14.6	15.36
Vientos	S ₂	S ₁	S ₁	C	S ₂	S ₂	S ₂
Estado atmosférico	N.	N.	Np.	Np.	Np.	Np.	Np.
ENERO 25 DE 1872.									
Barómetro reducido a 0°	mm. 762.53	mm. 761.21	mm. 760.66	mm. 760.21	mm. 759.98	mm. 759.30	mm. 759.46	mm. 760.84	mm. 760.52
Termómetro centígrado	14.8	17.2	13.9	13.5	13.6	13.1	13.4	13.1	14.08
Vientos	S ₁	C	NO ₀	C	N ₁	C	C	S ₁
Estado atmosférico	N.	N.	G.	G.	N.	Np.	N.	N.
FEBRERO 4 DE 1872.									
Barómetro reducido a 0°	mm. 759.41	mm. 758.70	mm. 758.43	mm. 758.99	mm. 759.37	mm.	mm. 759.58	mm. 760.92	mm. 759.34
Termómetro centígrado	15.4	16.1	15.9	14.6	13.9	13.9	15.7	15.00
Vientos	S ₂	S ₂	S ₂	S ₁	C	C	S ₂
Estado atmosférico	Np.	Np.	Np.	N.	N.	Np.	Np.
FEBRERO 14 DE 1872.									
Barómetro reducido a 0°	mm. 757.56	mm. 757.88	mm. 758.63	mm. 759.13	mm. 760.33	mm.	mm. 761.90	mm. 762.95	mm. 759.77
Termómetro centígrado	16.6	17.9	16.9	12.5	10.4	8.1	13.4	13.69
Vientos	SO ₁	N ₁	ONO ₁	C	C	C	SO ₁
Estado atmosférico	Np.	N.	N.	Np.	Np.	Np.	Np.
FEBRERO 24 DE 1872.									
Barómetro reducido a 0°	mm. 759.50	mm. 759.20	mm. 759.01	mm. 760.20	mm.	mm.	mm. 760.26	mm. 759.30	mm. 759.55
Termómetro centígrado	18.1	18.3	19.2	13.1	12.5	17.2	16.40
Vientos	S ₁	S ₁	C	N ₁	C	C
Estado atmosférico	Np.	Np.	Np.	Np.	Np.	Np.

Instrumentos.	MARZO 5 DE 1872.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°	754.06	754.94	755.26	755.58	755.41	755.43	755.30	755.37	755.17
Termómetro centígrado	22.2	21.6	17.5	16.8	16.8	16.8	17.1	18.5	18.41
Vientos	N ₁	N ₃	N ₃	N ₃	N ₃	N ₃	N ₃	N ₄
Estado atmosférico	Np.	Np.	N.	Ll.	Ll.	Ll.	Np.	Ll.
MARZO 15 DE 1872.									
Barómetro reducido a 0°	759.21	758.64	758.43	758.73	758.58	756.77	758.40
Termómetro centígrado	16.2	16.9	15.3	13.1	10.8	13.6	14.32
Vientos	ENE ₁	NE ₁	N ₁	SO ₁	SO ₁	N ₃
Estado atmosférico	Ll.	N.	Np.	N.	D.	Ll.
MARZO 25 DE 1872.									
Barómetro reducido a 0°	764.30	762.16	761.36	761.53	761.37	761.19	761.29	761.75
Termómetro centígrado	17.5	16.8	14.5	9.0	7.4	5.0	13.4	11.94
Vientos	S ₁	S ₁	S ₁	NO ₁	NO ₁	N ₁	N ₁
Estado atmosférico	D.	D.	D.	D.	D.	D.	D.
ABRIL 4 DE 1872.									
Barómetro reducido a 0°	759.14	758.46	758.59	758.57	758.55	760.79	759.10	759.04
Termómetro centígrado	14.6	14.0	13.0	13.0	11.9	11.7	12.5	12.96
Vientos	SO ₁	C	C	C	N ₁	N ₁	N ₁
Estado atmosférico	Ni.	N.	N.	Np.	Np.	N.	Np.
ABRIL 14 DE 1872.									
Barómetro reducido a 0°	757.50	756.28	755.88	755.25	752.39	752.07	754.90
Termómetro centígrado	12.5	12.1	12.4	12.3	12.9	12.3	12.42
Vientos	N ₄	N ₄	N ₃	N ₄	N ₄	N ₄
Estado atmosférico	N.	Ll.	G.	N.	G.	G.
ABRIL 24 DE 1872.									
Barómetro reducido a 0°	768.86	769.05	769.65	769.71	769.97	769.92	769.63	759.56
Termómetro centígrado	11.2	11.5	10.1	10.3	10.1	9.7	10.3	10.46
Vientos	S ₁	S ₁	S ₁	S ₁	S ₁	S ₁	S ₃
Estado atmosférico	Np.	Np.	Np.	N.	N.	N.	N.ni.

Instrumentos.	JULIO 3 DE 1872.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medi.
Barómetro reducido a 0°	mm. 767.41	mm. 767.10	mm. 767.49	mm. 767.71	mm. 767.77	mm. 767.94	mm. 768.13	mm. 769.67	mm. 767.96
Termómetro centígrado	° 9.7	° 8.3	° 8.0	° 7.9	° 7.9	° 6.7	° 5.3	° 7.5	° 7.6
Vientos	S ₁	S ₁	S ₁	OSO ₁	SO ₁	N ₁	C	C
Estado atmosférico	Np.	Np.	Np.	Nl.	Nl.	Np.	N.	N.
JULIO 13 DE 1872.									
Barómetro reducido a 0°	mm. 762.70	mm. 762.57	mm. 762.51	mm. 762.57	mm. 762.73	mm. 761.74	mm. 761.74	mm. 760.84	mm. 761.93
Termómetro centígrado	° 7.5	° 7.7	° 7.3	° 6.2	° 6.2	° 5.7	° 6.5	° 8.7	° 6.97
Vientos	N ₁	SE ₁	ESE ₁	N ₁	C	C	N ₁	N ₁
Estado atmosférico	N.	N.	N.	N.	Nl.	Nl.	G.	N.
JULIO 23 DE 1872.									
Barómetro reducido a 0°	mm. 762.91	mm. 762.96	mm. 763.18	mm. 763.40	mm. 763.10	mm. 763.19	mm. 763.24	mm. 763.35	mm. 763.17
Termómetro centígrado	° 10.4	° 9.0	° 6.5	° 6.9	° 6.9	° 7.0	° 7.5	° 8.4	° 7.83
Vientos	NNE ₁	N ₁	N ₁	NNE ₁	N ₁	N ₁	N ₃	NNO ₁
Estado atmosférico	Np.	G.	Np.	N.	N.	Np.	N.	N.
AGOSTO 2 DE 1872.									
Barómetro reducido a 0°	mm. 764.06	mm. 763.48	mm. 764.84	mm. 764.72	mm. 765.33	mm. 767.24	mm. 765.09
Termómetro centígrado	° 9.1	° 8.4	° 7.7	° 6.3	° 4.6	° 8.4	° 7.47
Vientos	S ₁	S ₁	S ₁	N ₁	N ₁	N ₁
Estado atmosférico	N.	N.	Np.	Np.	Np.	Np.
AGOSTO 12 DE 1872.									
Barómetro reducido a 0°	mm. 753.86	mm. 757.01	mm. 755.46	mm. 756.13	mm. 756.40	mm. 756.42	mm. 753.53	mm. 750.63	mm. 754.94
Termómetro centígrado	° 9.1	° 10.9	° 3.7	° 9.0	° 8.9	° 8.6	° 7.7	° 10.3	° 9.13
Vientos	NNE ₃	N ₁	N ₁	C	N ₁	N ₃	NO ₁	NO ₁
Estado atmosférico	Ll.	Ll.	N.	N.	Np.	N.	Ll.	N.
AGOSTO 22 DE 1872.									
Barómetro reducido a 0°	mm. 736.28	mm. 736.01	mm. 737.64	mm. 743.46	mm. 749.66	mm. 749.97	mm. 748.72	mm. 749.49	mm. 752.13
Termómetro centígrado	° 12.1	° 10.1	° 6.5	° 6.5	° 5.6	° 6.0	° 7.1	° 8.9	° 7.85
Vientos	N ₁	NNO ₁	S ₁	NNE ₁	N ₁	N ₁	N ₃	NO ₁
Estado atmosférico	N.	N.	Ll.	Ll.	Ll.	Np.	N.	Np.

Instrumentos.	SETIEMBRE 1.º DE 1872.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°	mm. 654.46	mm. 754.40	mm. 752.81	mm. 751.61	mm.	mm.	mm. 748.46	mm. 750.42	mm. 752.05
Termómetro centígrado.....	9.3	9.5	10.1	8.9			8.1	10.3	9.37
Vientos.....	N ₂	N ₂	N ₁	N ₁			N ₁	N ₁	
Estado atmosférico.....	Ll.	Ll.	Ll.	Ll.			Ll.	Ll.	
SETIEMBRE 11 DE 1872.									
Barómetro reducido a 0°	mm. 756.85	mm. 760.81	mm. 762.59	mm. 762.98	mm.	mm. 763.26	mm. 763.36	mm. 763.79	mm. 761.88
Termómetro centígrado.....	12.9	11.7	9.3	8.7		7.3	6.7	9.3	9.41
Vientos.....	N ₂	N ₁	N ₁	N ₁		N ₁	C.	NO ₁	
Estado atmosférico.....	Np.	Np.	Np.	N.		Np.	N.	Np.	
SETIEMBRE 21 DE 1872.									
Barómetro reducido a 0°	mm. 766.90	mm. 766.96	mm. 766.00	mm. 765.57	mm. 766.21	mm.	mm. 764.02	mm. 764.23	mm. 765.70
Termómetro centígrado.....	9.1	9.3	9.1	8.0	8.5		7.9	8.3	8.46
Vientos.....	SSE ₂	S ₁	S ₁	S ₁	S ₁		S ₁	S ₂	
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.		D.	Np.	
OCTUBRE 1.º DE 1872.									
Barómetro reducido a 0°	mm. 763.96	mm. 763.88	mm. 763.08	mm. 762.76	mm. 762.78	mm. 761.80	mm. 762.00	mm. 761.77	mm. 762.75
Termómetro centígrado.....	13.6	14.1	8.1	5.0	3.6	2.6	5.4	13.5	8.24
Vientos.....	NNE ₁	NNE ₁	SE ₁	N.	N ₁	C.	N ₁	NO ₁	
Estado atmosférico.....	Np.	Np.	Np.	D.	Np.	D.	Np.	Np.	
OCTUBRE 11 DE 1872.									
Barómetro reducido a 0°	mm. 760.46	mm. 758.35	mm. 760.26	mm. 757.62	mm.	mm. 759.08	mm. 758.61	mm. 758.73	mm. 759.44
Termómetro centígrado.....	14.6	17.6	14.1	11.2		9.9	14.0	19.0	14.34
Vientos.....	N ₁	SSO ₁	S ₁	N ₁		N ₁	N ₁	N ₁	
Estado atmosférico.....	Np.	Np.	Np.	Np.		Np.	Np.	N.	
OCTUBRE 21 DE 1872.									
Barómetro reducido a 0°	mm. 762.92	mm. 162.50	mm. 762.62	mm. 762.82	mm. 762.47	mm. 762.03	mm. 760.60	mm. 759.30	mm. 761.97
Termómetro centígrado.....	15.4	14.2	13.0	9.7	8.5	9.6	10.3	14.1	11.85
Vientos.....	SSE ₁	S ₂	S ₁	N ₁	N ₁	C.	N ₂	N ₁	
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.	N.	N.	N.	

Instrumentos.	OCTUBRE 31 DE 1872.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	758.85	759.57	760.46	761.61	762.43	762.91	763.62	761.35	
Termómetro centígrado.....	11.5	13.5	9.6	9.0	7.9	8.7	15.0	10.46	
Vientos.....	NO ₃	N ₁	N ₁	N ₁	N ₁	N ₁	N ₁	N ₁	
Estado atmosférico.....	Ll.	Np.	Np.	Ll.	Np.	N.	Np.		
NOVIEMBRE 10 DE 1872.									
Barómetro reducido a 0°.....	758.74	759.05	759.50	760.06			760.38	759.55	
Termómetro centígrado.....	14.2	5.6	8.4	8.7			11.0	9.58	
Vientos.....	NO ₃	ONO ₁	N ₁	N ₁			S ₁		
Estado atmosférico.....	Np.	Ll.	Np.	Ll.			Np.		
NOVIEMBRE 20 DE 1872.									
Barómetro reducido a 0°.....	868.77	764.28	764.26	764.56	764.37	764.69	767.04	765.22	764.77
Termómetro centígrado.....	14.1	15.0	12.7	10.0	8.1	5.6	11.2	13.1	11.23
Vientos.....	S ₁	S ₁	S ₁	S ₁	S ₁	S ₁	S ₁	S ₁	
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.	Np.	Np.	Np.	
NOVIEMBRE 30 DE 1872.									
Barómetro reducido a 0°.....	763.34	763.80	764.15	764.11			764.39	764.06	
Termómetro centígrado.....	13.2	13.7	14.0	12.3			13.2	13.28	
Vientos.....	S ₁	N ₁	O ₁	NO ₁			N ₁		
Estado atmosférico.....	G.	N.	N.	N.			N.		
DICIEMBRE 10 DE 1872.									
Barómetro reducido a 0°.....	765.20	764.26	763.98	765.42	765.28		762.83	763.39	764.33
Termómetro centígrado.....	12.7	15.7	13.3	10.3	8.6		11.5	13.0	12.16
Vientos.....	S ₁	S ₁	S ₁	N ₁	O ₁		SSO ₁	S ₁	
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.		Np.	Np.	
DICIEMBRE 20 DE 1872.									
Barómetro reducido a 0°.....		764.18	764.21	764.38	764.15		763.56	763.42	763.97
Termómetro centígrado.....		15.8	13.5	11.0	10.1		13.2	15.9	14.08
Vientos.....		SE ₁	SE ₁	S ₁	S ₁		NO ₁	SO ₁	
Estado atmosférico.....		Np.	Np.	Np.	Np.		N.	N.	